

- AFSHAR, S., JOHNSON, E., DE VRIES, S. y SCHRÖDER, I. (2001) Properties of a thermostable nitrate reductase from the hyperthermophilic archaeon *Pyrobaculum aerophilum*. *J. Bacteriol.* **183**, 5491-5495.
- AICHI, M. y OMATA, T. (1997) Involvement of NtcB, a LysR family transcription factor, in nitrite activation of the nitrate assimilation operon in the cyanobacterium *Synechococcus* sp. Strain PCC 7942. *J. Bacteriol.* **179**, 4671-4675.
- ALVAREZ-OSSORIO, M., MURIANA, F.J.G., DE LA ROSA, F.F. y RELIMPIO, A.M. (1992) Purification and Characterization of Nitrate Reductase from the Halophile Archaeabacterium *Haloferax mediterranei*. *Z. Naturforsch.* **47c**, 670-676.
- APARICIO, P.J., WITT, F.G., RAMÍREZ, J.M., QUIÑONES, M.A. y BALADÍN, T. (1995) Incorporación de  $\text{NO}_3^-$ ,  $\text{NO}_2^-$  y  $\text{Cl}^-$  en el alga verde *Monoraphidium braunii* inducida por la luz azul. pp. 79-88. Editado por García-Guerrero, M. En: Avances en el metabolismo del nitrógeno inorgánico. Universidad de Sevilla, Sevilla, España.
- ARIZMENDI, J.M. (1989) Regulación, purificación y propiedades de la NIR de la cianobacteria *Phormidium laminosum*. Tesis doctoral. Universidad del País Vasco, País Vasco.
- ARIZMENDI, J.M., BENITO, M.P., IBARLUCEA, J.M., LLAMA, M.J. y SERRA, J.L. (1981) Purification and characterization of nitrite reductase from barley leaves. *Ciênc. Biol.* **6**, 155-158.
- ASKER, D. y OHTA, Y. (2002) *Haloferax alexandrinus* sp. nov., an extremely halophilic canthaxanthin-producing archaeon from a solar saltem in Alexandria (Egypt). *Int. J. Syst. Evol. Microbiol.* **52**, 729-738.
- BALOWS, A., TRÜPER, H.G., DWOEKIN, M., HARDER, W. y SCHLEIFER, K.H. (1991) The family *Halobacteriaceae*. pp. 768-800. Editado por Balows, Trüper, Dwoekin, Harder y Schleifer. En: The Prokaryotes. Vol. I. 2<sup>a</sup> Edición. Springer-Verlag.
- BARNS, S.M., DELWICHE, C.F., PALMER, J.D. y PACE, N.R. (1996) Perspectives on archaeal diversity thermophily and monophyly from environmental rRNA sequences. *Proc. Natl Acad. Sci. USA* **93**, 9188-9193.
- BARNS, S.M., FUNDYGA, R.E., JEFFRIES, M.W. y PACE, N.R. (1994) Remarkable archaeal diversity detected in a Yellowstone National Park hot spring environment. *Proc. Natl. Acad. Sci.* **91**, 1609-13.

- BEILBY, M.J. y WALKER, N.A. (1981) Chloride transport in *Chara*. I. Kinetics and currentvoltage curves for a probable proton symport. J. Exp. Bot. **32**, 43-54.
- BERKS, B.C., RICHARDSON, D.J., REILLY, A., WILLIS, A.C. y FERGURSON, S.J. (1995) The napEDABC gene cluster encoding the periplasmic nitrate reductase system of *Thiosphaera pantotropha*. Biochem. J. **309**, 983-992.
- BERTINI, I., TURANO, P. y VILA, A. (1993) Nuclear Magnetic Resonance of Paramagnetic Metalloproteins. Chem. Rev. **93**, 2833-2932.
- BICKEL SANDKÖTTER, S. y UFER, M. (1995) Properties of a Dissimilatory Nitrate Reductase from the Halophilic Archaeon *Haloferax mediterranei*. Z. Naturforsch. **50** c, 365-372.
- BLAMEY, J.M., CHIONG, M., LÓPEZ, C. y SMITH, E.T. (2000) Purification and characterization of ferredoxin from hyperthermophilic *Pyrococcus woesei*. Anaerobe **6**, 285-290.
- BLANCO MEDIAVILLA, F. (1992) La actividad nitrato reductasa en *Phormidium laminosum*: regulación, purificación y caracterización. Tesis doctoral. Universidad del País Vasco, País Vasco.
- BLASCO, F., GUIGLIARELLI, B., MAGALON, A., ASSO, M., GIORDANO, G. y ROTHERY, A. (2001) The coordination and function of the redox centres of the membrane-bound nitrate reductases. CMSL, Cell. Mol. Life Sci. **58**, 179-193.
- BLASCO, R., MARTÍNEZ-LUQUE, M., MADRID, M.P., CASTILLO, F. y MORENO-VIVIÁN, C. (2001) *Rhodococcus* sp. RB1 grows in the presence of high nitrate and nitrite concentrations and assimilates nitrate in moderately saline environments. Arch. Microbiol. **175**, 435-440.
- BLASCO, R., CASTILLO, F. y MARTÍNEZ-LUQUE, M. (1997) The assimilatory nitrate reductase from the phototrophic bacterium *Rhodobacter capsulatus* *E1F1*, is a flavoprotein. FEBS Lett. **414**, 45-49.
- BLÜMLE, S. y ZUMFT, W.G. (1991) Respiratory nitrate reductase from denitrifying *Pseudomonas stutzeri*, purification, properties and target of proteolysis. Biochim. Biophys. Acta. **1057**, 102-108.
- BOURNE, W.F. y MIFLIN, B.J. (1973) Studies on nitrite reductase in barley. Planta **111**, 47-56.

- BRADFORD, M., (1976) A rapid and Sensitive Method for the Quantitation of Microgram Quantities of Protein utilizing the Principle of Protein-Dye Binding. *Anal. Biochem.* **72**, 248-254.
- BROWN, J.R. y DOOLITTLE, W.F. (1995) Root of the universal tree of life based on ancient aminopacyl-tRNA synthetase gene duplications. *Proc. Nat. Acad. Sci.* **92**, 2441-45.
- BUSHY, S. y KOLB, A. (1996) The CAP modulon. pp. 255-279. Editado por Lin, E.C.C. y Lynch, S.A. En: *Regulation of gene expression in Escherichia coli*. TX: Landes Company, Georgetown.
- CAMACHO L.M., BROWN A.R., BONETE M.J., DANSON J.M. y HOUGH W.D. (1995) Isocitrate dehydrogenases from *Haloferax volcanii* and *Sulfolobus solfataricus*: enzyme purification, characterisation and N-terminal sequence. *FEMS Microbiol. Lett.* **134**, 85-90.
- CAMPBELL, W.H. y KINGHORN, J.R. (1990) Functional domains of assimilatory nitrate reductases and nitrite reductases. *Trends Biochem. Sci.* **15**, 315-319.
- CHATTON, E. (1938) Titres et Travoux Scientifiques (1906-1937) de Edouard Chatton (E. Sottano, Sète, France). Referenciado en Woese *et al.*, (1990).
- CLELAND, W.W. (1979) Statistical analysis of enzyme kineticdata. *Methods Enzymol.* **63**, 103-138.
- CLINE, S.W. y DOOLITTLE, W.F. (1987) Efficient transfection of the archaeabacterium *Halobacterium halobium*. *J. Bacteriol.* **169**, 1341-1344.
- CRAWFORD, N.M. y GLASS, A.D.M. (1998) Molecular and physiological aspects of nitrate uptake in plants. *Trends Plant Sci.* **3**, 389-395.
- D'SOUZA, S.E., ALTEKAR, W. y D'SOUZA, S.F. (1997) Adaptative response of *Haloferax mediterranei* to low concentrations of NaCl (< 20%) in the growth medium. *Arch. Microbiol.* **168**, 68-71.
- De MORENO, M.R., SMITH, J.F. y SMITH, R.V. (1985) Silver staining of proteins in polyacrylamide gels: increased sensivity through a combined Coomassie Blue-silver stain procedure. *Anal. Biochem.* **151**, 466-470.
- DEMOSS, J.A. y HSU, P.Y. (1991) Nark enhances nitrate uptake and nitrite excretion in *Escherichia coli*. *J. Bacteriol.* **173**, 3303-3310.

- DYM, O., MEVARECH, M. y SUSSMAN, J.L. (1995) Structural features that stabilize halophilic malate dehydrogenase from archaebacterium. *Science* **267**, 1344-1346.
- EMERSON, D., CHAUHAN, S., ORIEL, P. y BREZNAK, A. (1994) *Haloferax* sp. D1227, a halophilic Archaeon capable of growth on aromatic compounds. *Arch. Microbiol.* **161**, 445-452.
- EPPLEY, R.W., COATSWORTH, J.L. y SOLORZANO, L. (1969) Studies of nitrate reductase in marine phytoplankton. *Limmol. Oceanogr.* **14**, 194-205.
- FERNÁNDEZ, E., GALVAN, A. y QUESADA, A. (1998) Nitrogen assimilation and its regulation. pp. 637-659. Editado por Rochaix, J.D. En: *The molecular biology of chloroplast and mitochondria in Chlamydomonas*. Kluwer Academic Publishers, The Netherlands.
- FERRER, J., PÉREZ-POMARES, F. y BONETE, M.J. (1996) NADP-glutamate dehydrogenase from the halophilic archaeon *Haloferax mediterranei*: enzyme purification, N-terminal sequence and stability. *FEMS Microbiol. Lett.* **32**, 72-76.
- FERRER CASANOVA, J. (1995) Glutamato deshidrogenasa NADP<sup>+</sup> dependiente del Archaea *Haloferax mediterranei*. Estudios cinéticos y características moleculares. Tesis doctoral. Universidad de Alicante, Alicante.
- FLORENCIO, F.J., MARQUÉS, S. y CANDAU, P. (1987) Identification and Characterization of a glutamate dehydrogenase in the unicellular cyanobacterium *Synechocystis* PCC 6803. *FEBS Lett.* **223**, 37-41.
- FLORES, E., MURO-PASTOR, A.M., y HERRERO, A. (1999) Cyanobacterial nitrogen assimilation genes and NtcA-dependent control of gene expresión. pp. 463-477. Editado por Pescheck, G.A., Loffelhardt, W. Y Schmetterer, G. En: *Phototrophic Prokaryotes*. Kluwer Academic/Plenum Publishers, New York.
- FLORES, E., FRÍAS, J.E., VALLADARES, A., MURO-PASTOR, A.M., MONTESINOS, M.L., QUINTERO, M.J., RUBIO, L.M., VÁZQUEZ, M.F. y HERRERO, A. (1998) Asimilación de nitrógeno y su regulación en Cianobacterias. Editado por Vega, J.M. En: *Avances en el metabolismo del Nitrógeno: de la Fisiología a la Biología Molecular*. Secretariado de Publicaciones de la Universidad de Sevilla, Sevilla, España.

- FLORES, E., HERRERO, A. y GUERRERO, M.G. (1987) Nitrite uptake and its regulation in the cyanobacterium *Anacystis nidulans*. *Biochim. Biophys. Acta* **896**, 103-108.
- FLORES, E., RAMOS, J.L., HERRERO, A. y GUERRERO, M.G. (1983a) Nitrate assimilation by *cyanobacteria*. pp. 363-387. Editado por Papageorgieu, G.C. y Pacher, L. En: *Photosynthetic Prokaryotes: Cell Differentiation and Function*. Elsevier Science Publishing Co., Inc., New York.
- FLORES, E., ROMERO, J.M., GUERRERO, M.G. y LOSADA, M. (1983b) Regulatory interaction of photosynthetic nitrate utilization and carbon dioxide fixation in the cyanobacterium *Anacystis nidulans*. *Biochim. Biophys. Acta* **725**, 529-532.
- FORDE, B.G. (2000) Nitrate transporters in plants: structure, function and regulation. *Biochim. Biophys. Acta* **1465**, 219-235.
- FORTERRE, P. (1997) Archaea: what can we learn from their sequences?. *Curr. Opin. Genet. Dev.* **7**, 764-770.
- FRANCO, A.R., CÁRDENAS, J. y FERNÁNDEZ, E. (1984) Ammonium (methylammonium) is the co-repressor of nitrate reductase in *Chlamydomonas reinhartii*. *FEBS Lett.* **176**, 453-456.
- FRESNEDO, O. (1991) Estudio de la deficiencia de nitrógeno en la cianobacteria *Phormidium laminosum*. Tesis doctoral. Universidad del País Vasco, País Vasco.
- FRÍAS, J.E., FLORES, E. y HERRERO, A. (2000) Activation of the *Anabaena* *nir* operon promoter requires both NtcA (CAP family) and Tndb. (LysR family) transcription factors. *Mol. Microbiol.* **38**, 613-625.
- FRÍAS, J.E., FLORES, E. y HERRERO, A. (1997) Nitrate assimilation gene cluster from the heterocyst-forming cyanobacterium *Anabaena sp.* strain PCC 7120. *J. Bacteriol.* **179**, 477-486.
- FRÍAS, J.E., FLORES, E. y HERRERO, A. (1994) Requirement of the regulatory protein NtcA for the expression of nitrogen assimilation and heterocyst development genes in the cyanobacterium *Anabaena sp.* PCC 7120. *Mol. Microbiol.* **14**, 823-832.
- FRÍAS, J.E., MÉRIDA, A., HERRERO, A., MARTÍN-NIETO, J. y FLORES, E. (1993) General distribution of the nitrogen control gene ntcA in cianobacteria. *J. Bacteriol.* **175**, 5710-5713.

- FUGGI, A. (1990) Uptake of inorganic nitrogen compounds in an acidophilic alga. pp. 66-72. Editado por Ullrich, W.R. En: Inorganic nitrogen in plants and microporganisms. Springer, Berlín.
- FUGGI, A., Di MARTINO-RIGANO, V., VONA, V. y RIGANO, C. (1981) Nitrate and ammonium assimilation in algal cell-suspensions and related pH variations in the external medium, monitored by electrodes. Plant. Sci. Lett. **23**, 129-138.
- GALVÁN, A. y FERNÁNDEZ, E. (2001) Eukaryotic nitrate and nitrite transporters. CMSL, Cell. Mol. Life Sci. **58**, 225-233.
- GALVÁN, A., QUESADA, A. y FERNÁNDEZ, E. (1996) Nitrate and nitrite are transported by different specific transport system and by a bispecific transporter in *Chlamydomonas reinhardtii*. J. Biol. Chem. **271**, 2088-2092.
- GANGESWARAN, R. y EADY, R.A. (1996) Flavodoxin 1 of *Azotobacter vinelandii*: characterization and role in electron donation to purified assimilatory nitrate reductase. Biochem. J. **317**, 103-108.
- GANGESWARAN, R., LOWE, D.J. y EADY, R.A. (1993) Purification and characterization of the assimilatory nitrate reductase in *Azotobacter vinelandii*. Biochem. J. **289**, 335-342.
- GEIGER, B., MEVARECH, M. y WERBER, M.M. (1978) Immunochemical characterization of ferredoxin from *Halobacterium* of the Dead Sea. Eur. J. Biochem. **84**, 449-455.
- GOLDENBERG, D.P. (1990) Analysis of protein conformation by gel electrophoresis. Editado por Creighton. En: Protein Structure a practical approach. T.E. IRL Press.
- GOLDMAN, B.S., LIN, J.T. y STEWART, V. (1994) Identification and structure of the nasR gene encoding a nitrate- and nitrite-responsive positive regulator of nasFEDCBA (Nitrate Assimilation) operon expression in *Klebsiella pneumoniae* M5al. J. Bacteriol. **176**, 5077-5085.
- GU, Z., HARROD, R., ROGERS, E.J. y LOVETT, P.S. (1994) Properties of a pentapeptide inhibitor of a peptidyl transferase that is essential for *cat* gene regulation by translation attenuation. J. Bacteriol. **176**, 6238-6244.
- GUERRERO, M.G. y LARA, C. (1987) Assimilation of inorganicnitrogen. pp. 163-186. Editado por Fay, P. En: The cyanobacteria. Elsevier Science Publishers B.V., Amsterdam.

- GUERRERO, M.G., VEGA, J.M. y LOSADA, M. (1981) The assimilatory nitrate-reducing system and its regulation. *Annu. Rev. Plant Physiol.* **32**, 169-204.
- GUTIERREZ, J.C., RAMOS, F., ORTNER, L. y TORTOLERO, M. (1995) NasST, two genes involved in the induction of the assimilatory nitrite-nitrate reductase operon (*nasAB*) of *Azotobacter vinelandii*. *Mol. Microbiol.* **18**, 579-591.
- HAECKEL, E. (1866). Generelle Morphologie der Organismen. Reimer, Berlín. Referenciado en Woese *et al.*, (1990).
- HARBORNE, N.R., GRIFFITHS, L., BUSHY, S.J.W. y COLE, J.A. (1992) Transcriptional control, translation and function of the products of the five open reading frames of the *Escherichia coli* *nir* operon. *Mol. Microbiol.* **6**, 2805-2813.
- HARROD, R. y LOVETT, P.S. (1997) Leader peptides of inducible chloramphenicol resistance genes from Gram-positive and Gram-negative bacteria bind to yeast and Archaea large subunit rRNA. *Nucleic Acids Res.* **25**, 1720-1726.
- HERRERO, A. y GUERRERO, M.G. (1986) Regulation of nitrite reductase in the cyanobacterium *Anacystis nidulans*. *J. Gen. Microbiol.* **132**, 2463-2468.
- HERRERO, A., FLORES, E. y GUERRERO, M.G. (1985) Regulation of nitrate reductase cellular levels in the cyanobacteria *Anabaena variabilis* and *Synechocystis* sp. *FEMS Microbiol. Lett.* **26**, 21-25.
- HERRERO, A., FLORES, E. y GUERRERO, M.G. (1984) Regulation of the nitrate reductase level in *Anacystis nidulans*: activity decay under nitrogen stress. *Arch. Biochem. Biophys.* **234**, 454-459.
- HERRERO, A., FLORES, E. y GUERRERO, M.G. (1981) Regulation of nitrate reductase levels in the cyanobacteria *Anacystis nidulans*, *Anabaena* sp. Strain 7119, and *Nostoc* sp. strain 6719. *J. Bacteriol.* **145**, 175-180.
- HIGGINS, C.F. (1992) ABC transporters: from microorganisms to man. *Annu. Rev. Cell Biol.* **8**, 67-113.
- HIPKIN, C.R., AL-BASSAM, B.A. y SYRETT, P.J. (1980) The roles of nitrate and ammonium in the regulation of the development of nitrate reductase in *Chlamydomonas reinhartii*. *Planta* **150**, 13-18.

- HOCHMAN, A., NISSANY, A. y AZIMUR, M. (1988) Nitrate reduction and assimilation by moderately halophilic, halotolerant bacterium Ba<sub>1</sub>. *Biochim. Biophys. Acta* **965**, 82-89.
- HOCHSTEIN, L.I. y LANG, F. (1991) Purification and properties of a dissimilatory nitrate reductase from *Haloferax denitrificans*. *Arch. Biochem. Biophys.* **288**, 380-385.
- HOCHSTEIN, L.I. (1978) Carbohydrate metabolism in the extremely halophilic bacteria: the role of glucose in the regulation of citrate synthase activity. pp. 397-412. Editado por Caplan, S.R. y Ginzburg, M. En: Energetics and structure of halophilic microorganisms. Elsevier/North-Holland Biomedical Press.
- HUANG, L. y HUANG, A. (1974) Regulation of membrane lipid fluidity in *Acholeplasma laidlawii*. Effect of carotenoid pigment content. *Biochim. Biophys. Acta* **352**, 361-370.
- IKEDA, T.P., SHAUGER, A.E. y KUSTU, S. (1996) *Salmonella typhimurium* apparently perceives external nitrogen limitation as internal glutamine limitation. *J. Mol. Biol.* **259**, 589-607.
- INATOMI, K.I. y HOCHSTEIN, L.I. (1996) The purification and properties of a copper nitrite reductase from *Haloferax denitrificans*. *Curr. Microbiol.* **32**, 72-76.
- JACOBS, M.H.J., VAN DER HEIDE, T., DRIESSEN, A.J.M. y KONINGS, W.N. (1996) Glutamate transport in *Rhodobacter sphaeroides* is mediated by a novel binding protein-dependent secondary transport system. *Proc. Natl. Acad. Sci. U.S.A.* **93**, 12786-12790.
- JAGANNADHAM, M.V., RAO, V.J., y SHIVAJI, S. (1991) The major carotenoid pigment of a psychrotrophic *Micrococcus roseus* strain: purification, structure, and interaction with synthetic membranes. *J. Bacteriol.* **173**, 7911-7917.
- KAMEKURA, M. y KATES, M. (1988) Lipids of Halophilic *Archaeabacteria*. pp. 25-54. Editado por Rodríguez-Valera, F. En: Halophilic Bacteria. Boca Raton, FL: CRC Press.
- KATES, M. (1992) Archaeabacterial lipids: Structure, biosynthesis and function. *Biochem. Soc. Sym.* **58**, 51-72.
- KATES, M. y KUSHWAHA, S.C. (1978) Biochemistry of the lipids of extremely halophilic bacteria. pp. 461-481. Editado por Caplan, S.R. y Ginzburg, M. En: Energetics and Structure of halophilic microorganisms. Elsevier/North-Holland Biomedical Press.

- Amsterdam, KERSCHER, L. y OESTERHELT, D. (1977) Ferredoxin is the coenzyme of  $\alpha$ -ketoacid oxidoreductases in *Halobacterium halobium*. FEBS Lett. **83**, 197-201.
- KERSCHER, L., OESTERHELT, D., CAMMACK, R. y HALL, D. (1976) A new plant-type ferredoxin from halobacteria. Eur. J. Biochem. **71**, 101-107.
- KIKUCHI, H., AICHI, M., SUZUKI, I. y OMATA, T. (1996) Positive regulation by nitrite of nitrate assimilation operon in the cyanobacteria *Synechococcus* sp. strain PCC 7942 and *Plectonema boryanum*. J. Bacteriol. **178**, 5822-5825.
- KLEINHOFS, A. y WARNER, R.L. (1990) Advances in Nitrate Assimilation. Biochem. Plants. **16**, 89-115.
- KLENK, H.P., CLAYTON, R.A., TOMB, J.F., WHITE, O., NELSON, K.E., KETCHUM, K.A. et al. (1997) The complete genome sequence of the hyperthermophilic, sulphate-reducing archaeon *Archaeoglobus lugidus*. Nature **390**, 365-370.
- KLETZIN, A. y ADAMS, M.W.W. (1996) Tungsten in biological systems. FEMS Microbiol. Rev. **18**, 5-63.
- KRAMER, E. y SCHMIDT, A. (1989) Nitrite accumulation by *Synechococcus* 6301 as a consequence of carbon -or sulfur- deficiency. FEMS Microbiol. Lett. **59**, 191-196.
- LAEMMLI, U.K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. Nature **227**, 680.
- LARSEN, H. (1962) Halophilism. pp. 297-342. Editado por Gunsalus, I.C. y Stanier, R.Y. En: The bacteria, Vol. IV. Academic Press, New York.
- LEHNINGER, A.L., NELSON, D.L. y COX, M.M. (1993) Principios de Bioquímica. Ediciones Omega. 2<sup>a</sup> Edición.
- LIN, J.T. y STEWART, V. (1996) Nitrate and nitrite-mediated transcription antitermination control of nasF (nitrate assimilation) operon expresion in *Klebsiella pneumoniae* M5a1. J. Mol. Biol. **256**, 423-435.
- LIN, J.T., GOLDMAN, B.S. y STEWART, V. (1994) The nasFEDCBA operon for nitrate and nitrite assimilation in *Klebsiella pneumoniae* M5a1. J. Bacteriol. **176**, 2551-2559.
- LÓPEZ GARCÍA, P., ABAD, J.P., SMITH, C. y AMILS, R. (1992) Genomic organization of the halophilic archaeon *Haloferax mediterranei*: phisical map of the chromosome. Nucleic Acids Res. **20**, 2459-2464.

- LÜBBEN, M. (1995) Cytochromes of archaeal electron transfer chains. *Biochim. Biophys. Acta* **1229**, 1-22.
- LUQUE, I., FLORES, E. y HERRERO, A. (1993) Nitrite reductase gene from *Synechococcus* sp. PCC7942: homology between cyanobacterial and higher-plant nitrite reductases. *Plant Mol. Biol.* **21**, 1201-1205.
- MADIGAN, M.T. y OREN, A. (1999) Thermophilic and halophilic extremophiles. *Curr. Microbiol.* **2**, 265-269.
- MAEDA, S., KAWAGUCHI, Y., OHE, T. y OMATA, T. (1998) Cis-acting sequences required for NtcB-dependent, nitrite-responsive positive regulation of the nitrate assimilation operon in the cyanobacterium *Synechococcus* sp. strain PCC 7942. *J. Bacteriol.* **180**, 4080-4088.
- MARGULIS, L. y GUERRERO, R. (1995). Life as a planetary phenomenon: the colonization of Mars. *Microbiol.* **11**, 173-184.
- MARHUENDA-EGEA, F.C., PIERA-VELÁZQUEZ, S., CADENAS, C. y CADENAS, E. (2000) Kinetic studies of an extremely halophilic enzyme entrapped in reversed micelles. *Biocat. Biotrans.* **18**, 201-222.
- MARINI, A., VISSERS, S., URRESTARAZU, A. y ANDRE, B. (1994) Cloning and expression of the MEP1 gene encoding an ammonium transporter in *Saccharomyces cerevisiae*. *EMBO J.* **13**, 3456-3463.
- MARQUEZ, E.D. y BRODIE, A.F. (1973) The effect of cations on the heat stability of a halophilic nitrate reductase. *Biochim. Biophys. Acta* **321**, 84-89.
- MAYR, E. (1991) The ideological resistance to Darwin's theory of natural selection. *Proceed. American Philosophical Soc.* **135**, 123-139.
- McGENITY, T.J., GEMMELL, R.T. y GRANT, W.D. (1998) Proposal of a new halobacterial genus *Natrinema* gen. nov., with two species *Natrinema pellirubrum* nom. nov. and *Natrinema pallidum* nom. nov. *Int. J. Syst. Bacteriol.* **48**, 1187-1196.
- McKINTOSH, C. y MEEK, S.E.M. (2001) Regulation of plant nitrate reductase activity by reversible phosphorylation, 14-3-3 proteins and proteolysis. *CMLS, Cell. Mol. Life Sci.* **58**, 205-214.
- McMASTER, J. y ENEMARK, J.H. (1998) The active sites of molybdenum-and tungsten-containing enzymes. *Curr. Opin. Chem. Biol.* **2**, 201-207.
- MENDEL, R. (1997) Molybdenum cofactor of higher plants: biosynthesis and molecular biology. *Planta* **203**, 399-405.

- MENDEZ, J.M. y VEGA, J.M. (1981) Purification and molecular properties of nitrite reductase from *Anabaena* sp. 7119. *Physiol. Plantarum.* **52**, 7-14.
- MIKAMI, B. y IDA, S. (1984) Purification and properties of ferredoxin-nitrate reductase from cyanobacterium *Plectonema boryanum*. *Biochim. Biophys. Acta* **791**, 294-304.
- MOIR, J.W.B y WOOD, N.J. (2001) Nitrate and nitrite transport in bacteria. *CMLS, Cell. Mol. Life Sci.* **58**, 215-224.
- MOORE, R.L. y McCARTHY, B.J. (1969) Characterization of the deoxyribonucleic acid of various strains of halophilic bacteria. *J. Bacteriol.* **99**, 248-254.
- MORELL, V. (1997) Microbiology's Scarred Revolutionary. *Science* **276**, 699-702.
- MORENO-VIVIÁN, C., CABELLO, P., MARTÍNEZ-LUQUE, M., BLASCO, R. y CASTILLO, F. (1999) Prokaryotic Nitrate Reduction: Molecular Properties and Functional Distinction among Bacterial Nitrate Reductases. *J. Bacteriol.* **181**, 6573-6584.
- MOURA, I., BURSAKOV, S., COSTA, C. y MOURA, J.J.G. (1997) Nitrate and Nitrite Utilization in Sulfate-Reducing Bacteria. *Anaerobe* **3**, 279-290.
- MULLAKHANBHAI, M.F. y LARSEN, H. (1975) *Halobacterium volcanii*, sp. nov. a Dead sea halobacterium with a moderate salt requirement. *Arch. Microbiol.* **104**, 207-214.
- MURO-PASTOR, A.M., VALLADARES, A., FLORES, E. y HERRERO, A. (1999) The *hetC* gene is a direct target of the NtcA transcriptional regulator in cyanobacterial heterocyst development. *J. Bacteriol.* **181**, 6664-6669.
- MURPHY, M.J. y SIEGEL, L.M. (1973) Siroheme and sirohydrochlorin. The basis for a new type of porphyrin-related prosthetic group common to both assimilatory and dissimilatory sulfite reductases. *J. Biol. Chem.* **248**, 6911-6919.
- NAKATANI, Y., LAZRAK, T., MILAN, A., WOLF, G y OURISSON, G. (1991) Bacterioruberins reinforce reconstituted *Halobacterium* lipid membranes. pp. 207-215. Editado por Rodríguez-Valera, F. En: General and Applied Aspects of Halophilic Microorganisms. Plenum Publishing Corporation, New York.

- NIETO, J.J (1991) The response of halophilic bacteria to heavy metals. pp. 173-179. Editado por Rodríguez-Valera, F. En: General and Applied of Halophilic Microorganisms. Plenum Publishing Corporation, NewYork.
- NOLLER, H.F. (1993) Peptidyl transferase - protein, ribonucleoprotein or RNA?. *J. Bacteriol.* **175**, 5297-5300.
- OCHOA DE ALDA, J.A.G., TAPIA, M.I., LLAMA, M.J. y SERRA, J.L. (1995) Utilización de nitrato en *Phormidium laminosum*. Efecto de la deficiencia de nitrógeno. pp. 29-36. Editado por García Guerrero, M. En: Avances en el metabolismo del nitrógeno inorgánico. Secretariado de Publicaciones, Universidad de Sevilla, Sevilla, España.
- OREN, A. (2002) Taxonomy of halophilic microorganisms: *Archaea, Bacteria* and *Eucarya*. En: Halophilic microorganisms and their environments. Editado por Oren, A. Kluwer Academic Publishers, 23-68.
- OREN, A. (1995) The role of glycerol in the nutrition of halophilic archaeal communities: a study of respiratory electron transport. *FEMS Microbiol. Lett.* **16**, 281-290.
- OREN, A. y GUREVICH, P. (1994) Production of D-lactate, acetate, and pyruvate from glycerol in communities of halophilic archaea in the Dead Sea and in saltern crystallizer ponds. *FEMS Microbiol. Ecol.* **14**, 147-156.
- OREN, A. y GUREVICH, P. (1993) Characterization of the dominant halophilic archaea in bacterial bloom in the Dead Sea. *FEMS Microbiol. Ecol.* **12**, 249-256.
- OTIMORI, K. y HATTORI, A. (1970) Induction of nitrate and nitrite reductases in *Anabaena cylindrica*. *Plant. Cell. Physiol.* **11**, 873-878.
- PACE, N.R. (1997) A molecular view of microbial diversity and the Biosphere. *Science* **276**, 734-740.
- PALOD, A., CHAUHAN, V.S. y BAGCHI, S.N. (1990) Regulation of nitrate reduction in a cyanobacterium *Phormidium uncinatum*: distinctive modes of ammonium-repression of nitrate and nitrite reductases. *FEMS Microbiol. Lett.* **68**, 285-288.
- RAJU, K.S., SHARMA, N.D. y LODHA, M.L. (1996) Inhibition of assimilatory nitrate uptake by ammonium ions in *Azorhizobium caulinodans* IRBG46. *J. Plant Biochem. Biotech.* **5**, 119-121.
- RAMOS CORMENZANA, A. (1991) Halophilic organisms and the environment. pp. 15-21. Editado por Rodríguez-Valera, F. En: General and Applied

- of Halophilic Microorganisms. Plenum Publishing Corporation, New York.
- REDINBAUGH, M.G. y CAMPBELL, W.H. (1991) Higher plants response to environmental nitrate. *Physiol. Plant* **82**, 640-650.
- REYES, F., GAVIRA, M., CASTILLO, F. y MORENO-VIVIÁN, C. (1998) Periplasmic nitrate-reducing system of the phototrophic bacterium *Rhodobacter sphaeroides* DSM 158: transcriptional and mutational analysis of the napKEFDABC gene cluster. *J. Biochem.* **331**, 897-904.
- RICHARDSON, D.J. (2001) Introduction: nitrate reduction and the nitrogen cycle. *CMLS, Cell. Mol. Life Sci.* **58**, 163-164.
- RICHARDSON, D.J. y WATMOUGH, N.J. (1999) Inorganic nitrogen metabolism in bacteria. *Curr. Opin. Chem. Biol.* **3**, 207-219.
- RODRÍGUEZ-VALERA, F. (1995) Cultivation of halophilic *Archaea*. pp. 13-16. Editado por DasSarma, S. En: *Archaea. A Laboratory Manual Halophiles*. Cold Spring Harbor Laboratory Press.
- RODRÍGUEZ-VALERA, F., GARCÍA LILLO, J.A., ANTÓN, J. y MESEGUR, I. (1991) Biopolymer production by *Haloferax mediterranei*. pp. 373-378. Editado por Rodríguez-Valera, F. En: *General and Applied of Halophilic Microorganisms*. Plenum Publishing Corporation, NewYork.
- RODRÍGUEZ-VALERA, F., RUIZ-BERRAQUERO, F., y RAMOS-CORMENZANA, A. (1980a) Isolation of extremely halophilic bacteria able to grow in defined inorganic media with single carbon sources. *J. Gen. Microbiol.* **119**, 535-538.
- RODRÍGUEZ-VALERA, F., RUIZ-BERRAQUERO, F., y RAMOS-CORMENZANA, A. (1980b) Behaviour of mixed populations of halophilic bacteria in continuous cultures. *Can. J. Microbiol.* **26**, 1259-1263.
- RODRÍGUEZ, R., LARA, C. y GUERRERO, M.G. (1992) Nitrate transport in the cyanobacterium *Anacystis nidulans* R2: kinetic and energetic aspects. *Biochem. J.* **282**, 639-643.
- ROMERO, L.C. (1988) Estudios moleculares e inmunológicos de la ferredoxina-nitrito reductasa del alga verde *Chlamydomonas reinhardtii*. Tesis Doctoral, Universidad de Sevilla, Sevilla, España.
- ROMERO, L.C., GALVAN, F. y VEGA, J.M. (1987) Purification and properties of the siroheme-containing ferredoxin-nitrite reductase from *Chlamydomonas reinhardtii*. *Biochim. Biophys. Acta* **914**, 55-63.

- RUBIO, L.M., HERRERO, A. y FLORES, E. (1996) A cyanobacterial narB gene encodes a ferredoxin-dependent nitrate reductase. *Plant Mol. Biol.* **30**, 845-850.
- SENGUPTA, S., SHAILA, M.S. y RAO, G.R. (1996) Purification and characterization of assimilatory nitrite reductase from *Candida utilis*. *Biochem. J.* **331**, 147-155.
- SERRANO, A., RIVAS, J. y LOSADA, M. (1981) Photosynthesis Research **2**, 175-184.
- SHAHMOHAMMADI, H.R., ASGARANI, E., TERATO, H., SAITO, T., OHYAMA, Y., GEKKO, K., YAMAMOTO, O. y IDE, H. (1998) Protective roles of bacterioruberin and intracellular KCl in the resistance of *Halobacterium salinarum* against DNA-damaging agents. *J. Radiat. Res.* **39** (4), 251-262.
- SHAPIRO, B.M. y STADTMAN, E.R. (1970) Glutamine synthetase. *Methods Enzymol.* **17**, 910-922.
- SNELL, C.D. y SNELL, C.T. (1949) Colorimetric methods of analysis 2. pp. 802-807. Van Nostrand, New York.
- SOLOMONSON, L.P. y BALBER, M.J. (1990) Assimilatory nitrate reductase: functional properties and regulation. *Annu. Rev. Plant Physiol. Mol. Biol.* **41**, 225-253.
- STANIER, R.Y. (1970) The concept of a bacterium. *Arch. Microbiol.* **42**, 17-35.
- STANIER, R.Y. y van NIEL, C.B. (1962) Cold Spring Harbor Symp. Quant. Biol. **11**, 285-300.
- STEWART, V. (1994) Regulation of nitrate and nitrite reduction in enterobacteria. *Antonie Leeuwenhoek* **66**, 37-45.
- SUGIMORI, D., ICHIMATA, T., IKEDA, A. y NAKAMURA, S. (2000) Purification and characterization of a ferredoxin from *Halocarcula japonica* strain TR-1. *Biometals* **13**, 23-28.
- SUZUKI, I., SUGIYAMA, T. y OMATA, T. (1996) Regulation by cyanate of the genes involved in carbon and nitrogen assimilation in the cyanobacterium *Synechococcus* sp. strain PCC 7942. *J. Bacteriol.* **178**, 2688-2694.
- SUZUKI, I., HORIE, N., SUGIYAMA, T. y OMATA, T. (1995) Identification and characterization of two nitrogen-regulated genes of the cyanobacterium *Synechococcus* sp. PCC7942 required for maximum efficiency of nitrogen assimilation. *J. Bacteriol.* **177**, 290-296.

- SUZUKI, I., SUGIYAMA, T. y OMATA, T. (1993) Primary structure and transcriptional regulation of the gene for nitrite reductase from the cyanobacterium *Synechococcus* PCC 7942. *Plant Cell Physiol.* **34**, 1311-1320.
- SUZUKI, S., DELIGEER, YAMAGUCHI, K., KATAOKA, K., KOBAYASHI, K., TAGAWA, S., KOHZUMA, T., SHIDARA, S. y IWASAKI, H. (1997) Spectroscopic characterization and intramolecular electron transfer processes of native 2 Cu-depleted nitrite reductases. *J. Biol. Inorg. Chem.* **2**, 265-274.
- TAGUCHI, S. y KINZIE, R.A. (2001) Growth of zooxanthellae in culture with two nitrogen sources. *Marine Biology*, **138**, 149-155.
- TAPIA, M.I., LLAMA, M.J. y SERRA, J.L. (1996) Regulation of nitrate assimilation in the cyanobacterium *Phormidium laminosum*. *Planta* **198**, 24-30.
- TAPIA, M.I., LLAMA, M.J. y SERRA, J.L. (1995) Active glutamine synthetase is required for ammonium- or glutamine-promoted prevention of nitrate and nitrite reduction in the cyanobacterium *Phormidium laminosum*. *Physiol. Plantarum* **94**, 241-246.
- TINDALL, B.J. (1992) The Family halobacteriaceae. pp. 768-800. Editado por Balows, A. En: *The Prokaryotes*. 2<sup>a</sup> edición. Springer-Verlag, Berlín.
- TISCHNER, R. y SCHMIDT, A. (1984) Light mediated regulation of nitrate assimilation in *Synechococcus leopoliensis*. *Arch. Microbiol.* **137**, 151-154.
- TOMLINSON, G.A., STROHM, M.P. y HOCHSTEIN, L.I. (1978) The metabolism of carbohydrates by extremely halophilic bacteria: the identification of lactobionic acid as a product of lactose metabolism by *Halobacterium saccharovorum*. *Can. J. Microbiol.* **24**, 898-903.
- TOMLINSON, G.A. y HOCHSTEIN, L.I. (1976) *Halobacterium saccharovorum* sp.nov., a carbohydrate-metabolizing extremely halophilic bacterium<sup>1</sup>. *Can. J. Microbiol.* **22**, 587-591.
- TOMLINSON, G.A., KOCH, T.K. y HOCHSTEIN, L.I. (1974) The metabolism of carbohydrates by extremely halophilic bacteria: glucose metabolism via a modified Entner-Doudoroff pathway. *Can. J. Microbiol.* **20**, 1085-1091.
- TOMLINSON, G.A. y HOCHSTEIN, L.I. (1972) Studies on acid production during carbohydrate metabolism by extremely halophilic bacteria. *Can. J. Microbiol.* **18**, 1973-1976.

- TORREBLANCA, M., RODRÍGUEZ-VALERA, F., JUEZ, G., VENTOSA, A., KAMEKURA, M. y KATES, M. (1986) Classification of non-alkaliphilic halobacteria based on numerical taxonomy and polar lipid composition and description of *Haloarcula* gen. nov. and *Haloferax* gen. nov. *Syst. Appl. Microbiol.* **8**, 89-99.
- TRAVIS, J. (1996) Third Branch of Life Bares its genes. *Science News*. **150**, 116.
- TREHAN, K. (1986) Regulation of glutamate dehydrogenase activity and ammonia production in a nitrogen fixing cyanobacterium. *Acta Microbiol. Hung.* **33**, 111-116.
- TSAY, Y.F., SCHROEDER, J.I., FELDMAN, K.A. y CRAWFORD, N.M. (1993) A herbicide sensitive gene CHL1 of *Arabidopsis* encodes a nitrate-inducible nitrate transporter. *Cell* **72**, 705-713.
- ULLRICH, W.R. y NOVACKY, A. (1981) Nitrate-dependent membrane potential changes and their induction in *Lemma gibba* G1. *Plant Sci. Lett.* **22**, 211-217.
- VALLADARES, A., MURO-PASTOR, A.M., FILLAT, M.F. HERRERO, A. y FLORES, E. (1999) Constitutive and nitrogen-regulated promoters of the *petH* gene encoding ferredoxin: NADP<sup>+</sup> reductase in the heterocyst-forming cyanobacterium *Anabaena* sp. *FEBS Lett.* **449**, 159-164.
- VALLEJO ACEVO, J.M. et al. (1986) Cuantificación de nitrato mediante ultravioleta. pp. 246-247. Editado por el Ministerio de Agricultura, Pesca y Alimentación. En: *Métodos oficiales de Análisis*. Tomo III. Dirección General de Política Alimentaria. Madrid.
- VAN MAANEN, J.M.S., WELLE, I.J., HAGEMAN, G., DALLINGA, J.W. MERTENS, P.L.J.M. y KLEINJANS, J.C.S. (1996) Nitrate contamination of drinking water: relationship with HPTR variant frequency in lymphocyte DNA and urinary excretion of N-nitrosamines. *Environ. Health. Perspect.* **104**, 522-528.
- VAN'T RIET, J. y PLANTA, R.J. (1975) Purification, structure and properties of the respiratory nitrte reductase of *Klebsiella aerogenes*. *Biochim. Biophys. Acta* **379**, 81-94.
- VEGA, J.M. y MENACHO, A. (1990) Regulation of inorganic nitrogen metabolism in *Chlamydomonas reinhardtii*. pp. 73-78. Editado por Ullrich, C. En: *Inorganic Nitrogen in Plants and Microorganisms*. Springer-Verlag Berlin.

- VEGA, J.M., CARDENAS, J. y LOSADA, M. (1980) Ferredoxin-nitrite reductase. *Methods Enzymol.* **69**, 255-270.
- VEGA, J.M. y KAMIN, H. (1977) Spinach nitrite reductase. Purification and properties of a siroheme-containing iron-sulfur enzyme. *J. Biol. Chem.* **252**, 896-909.
- VENTOSA, A. Y NIETO, J.J. (1995) Biotechnological applications and potentialities of halophilic microorganisms. *World J. Microbiol. Biotech.* **11**, 85-94.
- VIÑEGLA, B., MAESTRE, C. y FIGUEROA, F.L. (2000) Effect of ultraviolet radiation on nitrate reductase activity in marine microalgae. pp. 337. Editado por Cánovas, F.M. En: *Avances en el Metabolismo del Nitrógeno: Bioquímica, Fisiología y Biología Molecular*. Servicio de Publicaciones e intercambio científico de la Universidad de Málaga, Málaga, España.
- VOLKL, P., HUBER, R., DROBNER, E., RACHEL, R., BURGGRAF, S., TRINCONE, A. (1993) *Pyrobaculum aerophilum* sp. nov., a novel nitrate-reducing hyperthermophilic archaeum. *Appl. Environ. Microbiol.* **59**, 2918-2926.
- WATRIN, L., CORRE, E. y PRIEUR, D. (1996) In vivo susceptibility of sulfothermophilic archaea to antimicrobial agents. *J. Marine Biotech.* **4**, 215-219.
- WEATHERBURN, M.W. (1967) Phenol hypochlorite reaction for determination of ammonia. *Anal. Chem.* **39**, 971.
- WEI, T.F., RAMASUBRAMANIAN, T.S. y GOLDEN, J.W. (1994) *Anabaenasp.* Strain PCC 7120 *ntcA* gene required for growth on nitrate and heterocyst development. *J. Bacteriol.* **176**, 4473-4482.
- WERBER, M.M. y MEVARECH, M. (1978a) Induction of a dissimilatory reduction pathway of nitrate in halobacterium of the Dead Sea. *Arch. Biochem. Biophys.* **186**, 60-65.
- WERBER, M.M. y MEVARECH, M. (1978b) Purification and characterization of a highly acidic 2Fe-ferredoxin from *Halobacterium* of the Dead Sea. *Arch. Biochem. Biophys.* **187**, 447-456.
- WHITTAKER, R.H. (1959) Q. Rev. Biol. **34**, 210-226. Referenciado en Woese *et al.*, (1990)
- WILLIAMS y WILKINS (1994) *Bergey's Manual of Determinative Bacteriology*. pp. 739-746. 9<sup>a</sup> Edición. Baltimore, Maryland, U.S.A.

- WOESE, C.R. (1993) The archaea: Their history and significance. pp. vii-xxix. Editado por Kates, M., Kushner, D.J. y Matheson, A.T. En: The Biochemistry of Archaeabacteria. Elsevier Science Publishers.
- WOESE, C.R., KANLER, O. y WHEELIS M.L. (1990) Towards a natural system of organisms: Proposal for the domains *Archaea*, *Bacteria*, and *Eucarya*. Proc. Natl. Acad. Sci. USA. **87**, 4576-4579.
- WU, Q. y STEWART, V. (1998) NasFED proteins mediate assimilatory nitrate and nitrite transport in *Kelsiella oxytoca* (pneumoniae) M5a1. J. Bacteriol. **180**, 1311-1322.
- YAMAMOTO, I., SHIMIZU, H., TSUJI, T. y ISHIMOTO, M. (1986) Purification and properties of nitrate reductase from *Mitsuokella multiacidus*. Biochem. J. **99**, 961-969.
- YOSHIMATSU, K., SAKURAI, T. y FUJIWARA, T. (2000) Purification and characterization of dissimilatory nitrate reductase from a dinitrifying halophilic archaeon, *Haloarcula marismortui*. FEBS Lett. **470**, 216-220.
- ZACCAI, G. y EISENBERG, H. (1990) Halophilic proteins and the influence of solvent on protein stabilization. Trends Biochem. Sci. **15**, 333-337.
- ZHAG, H., LEGGEWIE, G., HANSEN, M., JENNINGS, A.J. y FORDE, B.G. (2000) The NRT" Family of high-affinity nitrate transporters. Editado por Cánovas, F.M. En: Avances en el Metabolismo del Nitrógeno: Bioquímica, Fisiología y Biología Molecular. Servicio de Publicaciones e Intercambio científico de la Universidad de Málaga, Málaga, España.
- ZILLING, W. (1991) Comparative biochemistry of *Archaea* and *Bacteria*. Curr. Opin. Genet. Dev. **1**, 544-551.
- ZIMMER, C. (1995) Triumph of the *Archaea*. Discover. February, 30-31.
- ZUMFT, W.G. (1997) Cell Biology and Molecular Basis of Denitrification. Microbiol. Mol. Biol. Rev. **61**, 533-616.