

VIII. BIBLIOGRAFÍA

VIII. BIBLIOGRAFÍA.

- ABADÍA, A; POC, A. y ABADÍA, J. 1991. Could iron nutrition status be evaluated through photosynthetic pigment changes?. *J. Plant Nutr.* 14:978-999.
- ADAMS, F. 1980. Interactions of phosphorus with other elements in soils and in plants. In: *The role of phosphorus in agriculture*. F. E. Khasawueh (Ed.) American Society of Agronomy, Inc. Crop Science Society of America, Inc. Soil Science Society of America Inc. pp:655-680.
- ADANI, F.; GENEVINI, P.; ZACCHEO, P. y ZOCCHI, G. 1998. The effect of commercial humic acid on tomato plant growth and mineral nutrition. *J. Plant Nutr.* 21(3):561-575.
- AHRLAND, S.; DAHLGRN, S. y PERSSON, I. 1990. Stabilities and hydrolysis of some iron (III) and manganese (III) complexes with chelating ligands. *Acta Agric. Scand.* 10:101-111.
- AKL, A.M.; AHMED, F.F.; EL-MORSY, F.M. y RAGAB, M.A. 1997. Behaviour of Red Roomy grapevines to application of urea formaldehyde, sulfur and some iron compounds. En: *Abstract of 9th International Symposium on Iron Nutrition and Interactions in Plants*. Hohenheim, Stuttgart, Alemania. pp:121-126.
- AKINREMI, O.O.; JANZEN, H.H.; LEMKE, R.L. Y LARNEY, F.J. 2000. Response of canola, wheat and green beans to leornadite additions. *Can. J. soil Sci.* 80:437-443.
- ALBOULROOS, S.A. 1981. Reactions of EDTA, DTPA and EDDHA complexes of zinc, copper, and manganese with a calcareous soil. *Z. Pflanzenernaehr. Bodenkd.* 144:164-173.

- ALBOULROOS, S.A.; EL-BEISSARY, E.A. y EL-FALAKY, A.A. 1983. Reactions of the iron chelates and the sodium salts of EDTA, DTPA and EDDHA with two alkaline soils, and their effectiveness during growth of barley. *Agron. Ecosystems*. 8:203-214.
- ALBUZIO, A.; CONCHERI, G.; NARDI, S. y DELL'AGNOLA, G. 1994. Effect of humic fractions of different molecular size on the development of oat seedlings grown in varied nutritional conditions. En: *Humic substances in the global environment and implications on human health*. N. Senesi, T.M. Miano (Eds.) Elsevier Science B.V. Amsterdam, Holanda. pp:199-204.
- ALCÁNTARA, E.; ROMERA, F.J.; CAÑETE, M. y DE LA GUARDIA, M.D. 1994. Effect of heavy metals on both induction and function of root Fe(III) reductase in Fe-deficient cucumber (*Cucumis sativus* L.) plant. *J. Experimental Botany*. 45(281):893-1898.
- ALCÁNTARA, E.; ROMERA, F.J.; CAÑETE, M. y DE LA GUARDIA, M.D. 2000. Effects of bicarbonate and iron supply on Fe(III) reducing capacity of roots and leaf chlorosis of the susceptible peach rootstock "Nemaguard". *J. Plant. Nutr.* 23(11&12):1607-1617.
- ALCÁNTARA, E.; ROMERA, F.J.; DE LA GUARDIA, M.D. 1988. Genotypic differences in bicarbonate-induced iron chlorosis in sunflower. *J. Plant Nutr.* 11:67-75.
- ALEXANDER, A. 1985. Optimum timing of foliar nutrient sprays. En: *Fertilización*. 105:23-30.
- ALMALIOTIS, D.D.; MANGANARIS, A.G.; SIMONIS, A.D. y BLADENOPOULOU, S.B. 1995. Rootstock effect on yield and mineral nutrition of "Maycrest" peach trees under conditions of lime-induced

- chlorosis. En: Iron Nutrition in Soils and Plants, (J. Abadía (Ed)., Kluwer Academic Publishers. Holanda. pp:301-306.
- ÁLVAREZ-FERNÁNDEZ, A. 1995. Interacción de quelatos férricos con componentes del suelo. Aplicación al cultivo del tomate (*Lycopersicon esculentum Mill.*). Memoria de Licenciatura. Universidad Autónoma de Madrid.
 - ÁLVAREZ-FERNÁNDEZ, A.; GÁRATE, A.; JUÁREZ, M. y LUCENA, J.J. 1996. Tomato acquisition of iron chelate in a calcareous sandy substrate. J. Plant Nutr. 19 (8&9):1279-1293.
 - ÁLVAREZ-FERNÁNDEZ, A.; GÁRATE, A. y LUCENA, J.J. 1997. Interaction of iron chelates with several soil material and with soil standard. J. Plant Nutr. 20(4&5):559-572.
 - ÁLVAREZ-FERNÁNDEZ, A.; SIERRA, M.A. y LUCENA, J.J. 2002. Reactivity of synthetic Fe chelates with soils and soil components. Plant and Soil. 241:129-137.
 - ÁLVAREZ-FERNÁNDEZ, A.M. 2000. Calidad y eficacia de los quelatos férricos (FeEDDHA, FeEDDHMA, FeEDDHSA y FeEDDHCA) como fertilizantes. Tesis doctoral. Universidad Autónoma de Madrid.
 - ANDREWS, S.C.; AROSIO, P.; BOTTKE, W.; BRIAT, J.F.; VON DARL, M.; HARRISON, P.M.; LAULHÈRE, P.; LEVI, S.; LOBREAUX, S. y YEWDALL, S. 1992. Structure, function and evolution of ferritins. J. Inorg. Biochem. 47:161-174.
 - ARULANATHAN, A.R.; RAO, I.M. y TERRY, N. 1990. Limiting factors in photosynthesis. VI. Regeneration of ribulose 1,5-bisphosphate limits photosynthesis at low photochemical capacity. Plant Physiol. 93:1466-1475.

- ASO, S. y SAKAI, I. 1963. Studies on the physiological effects of humic acid. Part I. Soil Sci. Plant Nutr. 9(3):1-7.
- ATKINSON, R.J.; POSNER, A.M. y QUIRK, J.P. 1967. Adsorption of potential determining ions at the ferric oxide aqueous electrolyte interface. J. Phys. Chem. 71:550-557.
- AYUSO, L.M. 1995. Utilización de residuos urbanos como enmiendas orgánicas sólidas y líquidas: Valoración agronómica y efectividad frente a enmiendas orgánicas tradicionales. Tesis Doctoral. CEBAS-CSIC. Murcia.
- BAILEY, N.A.; CUMMINS, D.; MCKENZIE, E.D. y WORTHINGTON, J.M. 1981. Iron (III) compounds of phenolic ligands. The crystal and molecular structure of iron (III) compounds of the sexadentate ligand N,N'-ethylene-bis-(o-hydroxyphenylglycine). Inorg. Chem. Acta. 50:111-120.
- BANNOCHIE, J. y MARTELL, A.E. 1989. Affinities of racemic and meso forms of N,N'-ethylenebis[2-(o-hydroxy-3,5-dimethylphenyl)glycine] for divalent and trivalent metal ions. J. Am. Chem. Soc. 111:4735-4742.
- BANNOICHE, J. y MARTELL, A.E. 1991. Synthesis, separation and equilibrium characterization of racemic and meso forms of a new multidentate ligand: N,N'-trimethylenebis[2-(2-hydroxy-3,5-dimethylphenyl)glycine]. TMHPG. Inorg. Chem. 30:1385-1392.
- BARAK, P y CHEN, Y. 1987. Determination of Fe-EDDHA in soils and fertilizers by anion exchange chromatography. Soil Sci. Soc. Am. J. 51:893-896.

- BAR-AKIVA, A.; MAYNARD, D. y ENGLISH, J. 1978. A rapid tissue test for diagnosing iron deficiencies in vegetable crops. HortScience. 13:284-285.
- BAR-NESS, E.; CHEN, Y.; HADAR, Y.; MARSCHNER, H. y RÖMHELD, V. 1991. Siderophores of *Pseudomonas putida* as an iron source for dicot and monocot plants. Plant Soil. 130:231-241.
- BARÓN, R. ; BENÍTEZ, I.C. y GONZÁLEZ, J.L. 1995. Influencia de la dosis creciente de un abono orgánico en un cultivo de trigo. Agrochimica XXXIX, 5-6:280-289.
- BELKHODJA, R.; MORALES, F.; SANZ, M.; ABADÍA, A. Y ABADÍA, J. 1998. Iron deficiency in peach trees: effects on leaf chlorophyll and nutrient concentrations in flowers and leaves. Plant and Soil. 203: 257-268.
- BERMÚDEZ, D.; JUÁREZ, M.; SÁNCHEZ-ANDREU, J. y JORDÁ, J. 1993. Role of EDDHA and humic acids on the solubility of soil phosphorous. Commun. Soil Sci. Plant Anal. 24(7&8):673-683.
- BERMÚDEZ, M.D.; JUÁREZ, M.; JORDÁ, J.; SÁNCHEZ-ANDRÉU, J. y LUCENA, J.J. 1999. Kinetics of reactions of chelates FeEDDHA and FeEDDHMA as affected by pH and competing ions. Commun. Soil Sci. Plant Anal. 30(19&20):2769-2784.
- BIDDULPH, O. 1953. The translocation of minerals in plants. En Mineral nutrition of plants. E. Truog (Ed.). Univ. of Wisconsin Press, Madison, U.S.A. pp:261-272.
- BIENFAIT, H.F. 1985. Regulated redox processes at the plasmalemma of plant root cell and their function in iron uptake. J. Bioenerg. Biomembr. 17:73-83.

- BIENFAIT, H. F. 1988. Mechanism in Fe-efficiency reactions of higher plant. *J. Plant Nutr.* 11:605-629.
- BIINO, U.; ZOCCHI, G. y RÖMHELD, V. 1997. Effect of bicarbonate in root medium pH of xylem and leaf apoplasmic fluid and iron nutrition of various plant species. En: *Proc. 9th Inter. Symposium on Iron Nutrition and Interactions in Plants.* Stuttgart Hohenheim. Alemania. pp: 18-22.
- BITIUTSKY, N.P.; KUZNETSOVA, N.N.; PEROV, N.N. y LLIIN, V.I. 1992. Lignin derivatives in the optimisation of plant nutrition with trace elements. *Agrokhimiya.* 4:80-84.
- BLAYLOCK, M.; JOLLEY, V. y BROWN, J. 1989. Gallium (III) does not actively substitute for iron (III) in iron/gallium competition studies. *J. Plant Nutr.* 12:465-484.
- BLOOM, P. R. y INSKEEP, P. W. 1986. Factors affecting bicarbonate chemistry and iron chlorosis in soils. *J. Plant Nutr.* 9(3-7):215-228.
- BREEUWSMA, A. 1973. Adsorption of ions on hematite (α -Fe₂O₃). *Med. Landbouwhogeschool, Wageningen. Holanda.* 73(1):124.
- BROWN, J.C. y JOLLEY, V.D. 1988. Strategy II mechanism affecting iron availability to plants may be established too narrow or limited. *J. Plant Nutr.* 11:1077-1098.
- BROWN, J.C. 1969. Agriculture use of synthetic metal chelates. *Soil Sci. Soc. Amer. Proc.* 33:59-61.
- BRUN, G.; SAYAG, D.R. y ANDRE, L. 1994. The potentiometric and conductimetric characterization of the complexing power of humic substances. En: *Humic Substances in the global environment and*

- implications on human health. Senesi, T.M. Miano (Eds.) Elsevier Science B.V. Ámsterdam, Holanda. pp:193-198.
- BUCKHOUT, T.J.; BELL, P,F,; LUSTER, D.G. Y CHANEY R.L. 1989. Iron stress-induced redox activity in tomate (*Lycopersicum esculentum* Mill.) is localized on plasma membrane. *Plant Physiol.* 90:151-158.
 - CADAHÍA, C. 1998a. Fertirrigación. Aspectos básicos. En: *Fertirrigación. Cultivos hortícolas y ornamentales.* Ediciones Mundi-Prensa. Madrid. pp:63-79.
 - CADAHÍA, C. 1998b. Materiales fertilizantes utilizados en fertirrigación. En: *Fertirrigación. Cultivos hortícolas y ornamentales.* Ediciones Mundi-Prensa. Madrid. pp:81-121.
 - CAKMAK, I.; GÜLÜT, K.Y.; MARSCHNER, H. y GRAHAM, R.D. 1994. Effect of zinc and iron deficiency on phytosiderophore release in wheat genotypes differing in zinc efficiency. *J. Plant Nutr.* 17:1-17.
 - CALACE, N.; FURLANI, G.; PETRONIO, B.M. Y PIETROLTTI, M. 2000. Sedimentary humic and fulvic acids: structure, molecular weight distribution and complexing capacity. *Annaly di Chimica.* 90:25-34.
 - CABELL, W.H. y REDINBAUGH, M.G. 1984. Ferric-citrate reductase activity of nitrate reductase and its role in iron assimilation by plants. *J. Plant Nutr.* 7:799-806.
 - CANARUTTO, S.; PERA, A.; LA MARCA, M. y VALLINI, G. 1996. Effects of humic acids from compost-stabilized green waste or leonardite on soil shrinkage and microaggregation. *Compost Science and Utilization* 4(4):40-46.

- CANTERA, R.G.; ZAMARREÑO, A.M. y GARCIA-MINA, J.M. 2002. Characterization of commercial Iron chelates and their behavior in a alkaline and calcareous soil. *J. Agric Food Chem.* 50:7609-7615.
- CARPENA, O. 1957. La clorosis férrica del limonero I. *Anal. Edaf.* 16:259-272.
- CESCO, S; RÖMHELD, V.; VARANINI, Z. y PINTON, R. 2000. Solubilization of iron by water-extractable humic substances. *J. Plant. Nutr. Soil Sci.* 163:285-290.
- CHANEY, R.L. y BELL, P.F. 1987. Complexity of iron nutrition: Lesson for plant-soil interaction research. *J Plant Nutr.* 10:963-994.
- CHANEY, R.L. 1984. Diagnostic practises to identify iron deficiency in higher plants. *J. Plant Nutr.* 7:47-67.
- CHANEY, R.L. 1989. Kinetics of ferric chelate reduction by roots of iron deficient peanut (*Arachis hypogea*). *Acta Bot. Neerl.* 38(2):155-163.
- CHANEY, R.L.; BROWN, J. C. y TIFFIN, L. O. 1972. Obligatory reduction of ferric chelates in iron uptake by soybeans. *Plant Physiol* 50:208-213.
- CHANG, H.C.; HEALY, T.W. y MATIJEVIC, E. 1983. Interactions of metals hydrous oxides with chelating agents. III. Adsorption on spherical colloidal hematite particles. *J. Colloid Interface Sci.* 92:469-478.
- CHEN, Y. 1996. Organic matter reactions involving micronutrients in soils and their effect on plants. En: *Humic substances in terrestrial*

- ecosystems. Piccolo, A. (Ed.). Elsevier Science B.V., Amsterdam, Holanda. pp:507-529.
- CHEN, Y. 1997. Remedy of iron deficiency-present and future. En: Abstracts 9th International Symposium on Iron Nutrition and Interactions in Plants. Hohenheim, Stuttgart, Alemania. pp: 111.
 - CHEN, Y. y AVIAD, T. 1990. Effects of humic substances on plant growth. En: Humic substances in soil and crop science, Selected readings. American Society of Agronomy and Soil Science Society of America (Eds), Madison, Wisconsin, EE.UU. pp:161-186.
 - CHEN, Y.; MAGEN, H. y RIOV, J. 1994. Humic substances originating from rapidly decomposing organic matter: properties and effects on plant growth. En: Humic substances in the global environment and implications on human health. N. Senesi, T.M. Miano (Eds.) Elsevier Science B.V. Amsterdam, Holanda. pp:427-443.
 - CIANZO, S.R. 1995. Strategies for the genetic improvement of Fe efficiency in plants. En: Iron Nutrition in Soils and Plants. Abadía, J. (Eds). Kluwer Academic Publishers. Holanda. pp:119-126.
 - CINELLI, F.R.; VITI, R.; BYRNE, D.H. y REED, D.W. 1995. Physiological characterization of two peach seedling in bicarbonate nutrient solution. I. Root iron reduction and iron uptake. En: Iron Nutrition in Soils and Plants. Abadía, J. (Ed). Kluwer Academic Publishers. Holanda. pp:323-328.
 - CLARKSON, D. y HANSON, J. 1980. The Mineral Nutrition of Higher Plants. *Ann Rev. Plant Physiol.* 31:239-298.

- COULOMBE, B. A.; CHANEY, R. L. y WIEBOLD, W. J. 1984. Use of bicarbonate in screening soybeans for resistance to iron chlorosis. *J. Plant Nutr.* 7(1-5):411-425.
- CREMONINI, M.A.; ÁLVAREZ-FERNÁNDEZ, A.; LUCENA, J.J., ROMBOLA, A.; MARANGONI, B. y PLACUCCI, G. 2001. NMR Análisis of the iron ligand ethylenediaminedi(o-hydroxyphenyl)acetic acid (EDDHA) employed in fertilizers. *J. Agric. Food. Chem.* 2001. 49:3527-3532.
- CROSS, S.A. 1983. Manual de suelos, vegetales y aguas de riego. Servicio Agronómico.
- CROWLEY, D.E.; RÖMHELD, V.; MARSCHNER, H. y SZANISZLO, P.J. 1992. Root-microbial effects on plant iron uptake from siderophores and phytosiderophores. *Plant Soil.* 130:179-198.
- DAVENPORT, T.L. 1973. Importance of iron to plants grown in alkaline soils. *Proc. Fla. State. Hort. Soc.* 96:188-172.
- DE KREIJ, C. y BASAR, H. 1995. Effect of humic substances in nutrient film technique on nutrient uptake. *J. Plant Nutr.* 18(4):793-802.
- DEACON, M.; SMYTH, M.R. y TUINSTRA, L. 1994. Chromatographic separations of metal chelates present in commercial fertilizers. II. Development of an ion-pair chromatographic separation for the simultaneous determination of the Fe (III) chelates of EDTA, DTPA, HEEDTA, EDDHA and EDDHMA and the Cu (II), Zn (II) and Mn (II) chetales of EDTA. *J. Chromatogr. A.* 657:69-76.
- DE LIÑÁN, C. 2003. Vademécum de productos fitosanitarios y nutricionales. Agrotécnicas, S.L. Madrid.

- DICK, W.A.; CHEN, L. 1997. Iron nutrition of oat and soybean using chelators from compost. En: Abstract of 9th International Symposium on Iron Nutrition and Interactions in Plants. Hohenheim, Stuttgart, Alemania. pp:114.
- DIX, D.R.; GRIDGHAM, J.T.; BRODERIUS, M.A.; BYERDORFER, C.A. y EIDE, D.J. 1994. The FET4 gene encodes the low affinity Fe(II) transport protein of *Saccharomyces cerevisiae*. J. Biol. Chem. 269:26092-26099.
- DOCKENDORF, H. Y HÖFNER, W. 1990. Einfluss von bikarconat auf die subzelluläre verteilung von blatt- und wurzelapplizierten eisen bei scnnenblumen (*Helianthus annus L.*). Z. Pflanzenernähr. Bodenk. 153:313-317.
- DYANAD, S. y SINHA, M.K.; 1979. Kinetics of FeEDTA reactions in calcareous soils. Soil Sci. 127(4):202-210.
- EDIE, D.; BRODERIUS, M.; FETT, J. y GUERINOT, M.L. 1996. A novel iron-regulated metal transporters form plants identified by functional expression in yeast. Proc. Natl. Acad. Sci. USA. 93:5624-5628.
- EIDE, D.; DAVIS-KAPLAN, S.; JORDAN, I.; SIPE, D. y KAPLAN, J. 1992. Regulation of iron uptake in *Saccharomyces cerevisiae*. The ferrireductase and Fe(II) transporter are regulated independently. J. Biol. Chem. 267:20774-20781.
- EL-FOURLY M.; MOBARAK, A.M. y SHAABAN, M.M. 1997. effect to of different foliar iron chelates on growth and nutrient contents of cotton plants. In: Abstract of 9th International Symposium on Iron Nutrition and Interactions in Plants. Hohenheim, Stuttgart, Alemania. pp:124-132.

- ELGALA, A.M.; MAIER, R.H. y FULLER, W.H. 1971. A method for the isolation and determination of ferric ethylenediamine di(o-hydroxyphenylacetic acid) in soils studies. *Plant Soil*. 34:241-247.
- EL-GHARABY, G.A. y EL-RAZEK, M. 1982. Responses of snapbeans to applications of P and Fe in calcareous soils. *J. Plant Nutr.* 5(4&7):721-728.
- ERENOGLU, B.; EKER, S.; CAKMAK, I.; DERICI, R. y RÖMHELD, V. 2000. Effect of iron and zinc deficiency on release of phytosiderophores in barley cultivars differing in zinc efficiency. *J. Plant Nutr.* 23(11&12):1645-1656.
- FAIRBANKS, D.J. 1997. Progress in development of genetic resistance to iron-deficiency chlorosis in soybean. En: Abstract of 9th International Symposium on Iron Nutrition and Interactions in Plants. Hohenheim, Stuttgart. Alemania. pp:103-109.
- FORTÚN, A.C. y ORTEGA, C. 1989. Effect of farmyard manure and its humic fraction on the aggregate stability of a sandy-loam soil. *J. Soil Sci.* 40:293-298.
- FOX, T.C. y GUERINOT, M.L. 1998. Molecular biology of cation transport in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 49:669-696.
- FOX, T.C.; SHAFF, J.E.; GRUSAK, M.A.; NORVELL, W.A.; CHEN, Y.; CHANEY, R.L. y KOCHIAN, L.V. 1996. Direct measurement of ⁵⁹Fe-labeled Fe²⁺ influx in roots of pea using a chelator buffer system to control free Fe²⁺ in solution. *Plant Physiol.* 111:93-100.
- FRANCO, J.A. y BAÑÓN, S. 1998. Posibilidades agrícolas de los ácidos húmicos comerciales. *Horticultura*, 69.

- GÁRATE, A. y LUCENA, J.J. 1991. Eficacia de los quelatos de Fe en un sistema de riego por goteo. *Suelo y Planta*. 1:439-451.
- GARCÍA, C. 1990. Estudio del compostaje de residuos orgánicos. Valoración agrícola. Tesis doctoral. Facultad de Ciencias. Universidad de Murcia.
- GENEVINI, P.L.; SACCHI, G.A. AND DORIO, D. 1994. Herbicide effect of atrazine, diuron, linuron and prometon after interaction with humic acids from coal. En: *Humic substances in the global environment and implications on human health*. N. Senesi, T.M. Miano (Eds.). Elsevier, Amsterdam. pp:1291-1296.
- GUERINOT, M. L. y YI, Y. 1994. Iron: nutritious, noxious and not readily available. *Plant Physiol*. 104:815-820.
- HALVORSON, A. y LINDSAY, W. 1972. Equilibrium relationships of metal-chelation in hidroponic solutions. *Soil Sci. Soc. Am. J.* 36:755-761.
- HAN, Z. H.; SHEN, T.; KORCAK, R.F. y BALIGAR, V.C. 1998. Iron Absorption by iron-efficient and -inefficient species of apples. *J. Plant Nutr.* 21(1):181-190.
- HAN, Z.H.; SHEN, T.; KORCAK, R.F. y BALIGAR, V.C. 1994. Screening for iron-efficient species in the genus *Malus*. *J. Plant Nutr.* 14(4):579-592.
- HERNÁNDEZ-APAOLAZA, L. 1997. Determinación de quelatos férricos de uso agrícola. Aplicación al estudio de su adsorción por materiales edáficos. Tesis doctoral. Universidad Autónoma de Madrid.

- HERNÁNDEZ-APAOLAZA, L.; ÁLVAREZ-FERNÁNDEZ, A. y LUCENA, J.J. 2000. Chromatographic determination of Commercial Fe(III)-chelates. *J. Plant. Nutr.* 23(11&12):2035-2045.
- HERNÁNDEZ-APAOLAZA, L.; BARAK, P. y LUCENA, J.J. 1996. Chromatographic determination of commercial Fe(III) chelates of ethylenediaminetetraacetic acid, ethylenediaminedi(o-hydroxyphenyleacetic) acid and ethylenediaminedi(o-hydroxy-p-methyl-phenylacetic) acid. *J. Chromatogr.* 789:453-460.
- HERNÁNDEZ-APAOLAZA, L.; GÁRATE, A. y LUCENA, J.J. 1995. Efficacy of commercial Fe (III)-EDDHA and Fe (III)-EDDHMA chelates to supply iron to sunflowers and corn seedling. *J. Plant Nutr.* 18(6):1209-1210.
- HERNÁNDEZ-APAOLAZA, L. y LUCENA, J.J. 2001. Fe(III)-EDDHA and -EDDHMA sorption on Ca-montmorillonite, ferrihydrite and peat. *J. Agric. Food Chem.* 49:5258-5264.
- HEWITT, E. J. 1983. Essential and functional methods in plants. In: *Metals and Micronutrients: Uptake and Utilization by Plants.* (D.A. Robb and W. S. Pierpoint, Eds.) Academic Press. New York. Pp:313-315.
- HILL-COTTINGHAM, D.G. 1962. The paper chromatography of some complexones and their iron chelates. *J. Chromatogr.* 8:261-264.
- HILL-COTTINGHAM, D.G. y LLOYDS-JONES, C.P. 1957. Behaviour of iron chelates in calcareous soils. I. Laboratory experiments with FeEDTA and Fe-HEDTA. *Plant Soil.* 8:263-274.

- HILL-COTTINGHAM, D.G. y LLOYDS-JONES, C.P. 1958. Behaviour of iron chelates in calcareous soils. II. Laboratory experiments with some further chelating agents. *Plant Soil*. 9:189-201.
- HJELTE, V.; AMINKE, S. 1989. The relative stability of Fe-EDDHMA and Fe-EDDHA in a pH range of 4 to 9. *Comm. 5th Inter. Symp. Iron Nutr. Interac. Plants*. Ramat-Rachel. Israel.
- HOLDEN, M. C.; LUSTER, D. G.; CHANEY, R. L.; BUCKHOUT, T. J. y ROBINSON, C. 1991. Fe³⁺-chelate reductase activity of plasma membrane isolated from tomato (*Lycopersicon esculentum* Mill.) roots. *Plam Physiol*. 97:537-544.
- HOPKINS, B.G.; JOLLEY, V.D. y BROWN, J.C. 1992. Plant utilization of iron solubilized by oat phytosiderophore. *J. Plant Nutr.* 15:1599-1612.
- HOPKINS, B.G.; WHITNEY, D.A.; LAMOND, R.E. y JOLLEY, V.D. 1997. Phytosiderophore release by sorghum, wheat and corn under zinc deficiency. *J. Plant Nutr.* 21:2623-2637.
- IBARRA, J.V.; JUAN, R. y GAVILÁN, J.M. 1979. Estudio de los ácidos húmicos del carbón y de su asociación con minerales de la arcilla y cationes metálicos por microscopía electrónica de transmisión. *Anales de Química*. 50:385-395.
- INOUE, K.; HIRADATE, S. y TAKAGI, S. 1993. Interaction of mugineic acid with synthetically produced iron oxides. *Soil Sci. Soc. Am. J.* 57:1254-1260.
- JAFFE, H.H. y ORCHIN, M. 1962. Theory and applications of ultraviolet spectroscopy. John Wiley and sons, Inc. N.Y.

- JOLLEY, V.D. y BROWN, J.C. 1989. Iron efficient and inefficient oats. I. Differences in phytosiderophore release. *J. Plant Nutr.* 12:423-135.
- JOLLEY, V.D.; BROWN, J.C.; BLAYLOCK, M.; CAMP, S. 1988. A role for potassium in the use of iron in plants. *J. Plant Nutr.* 11: 1159-1175.
- JORDÁ, J.; SÁNDEZ-ANDREU, J.; JUÁREZ, M. y MATAIX, M. 1987. Optimization of the addition of FeEDDHA to calcareous soil. *Commun. Soil. Sci. Plant Ana.* 18:235-242.
- JORDÁ, J.D. 1990. Dinámica de los quelatos FeEDDHA y FeEDTA en suelos calizos. Consecuencias en su efectividad como correctores de la clorosis férrica. Tesis Doctoral. Universidad de Alicante.
- JUÁREZ, M. 1983. Retención del quelante EDTA (ac. Etilendaminotetraacético) por distintos componentes del suelo. Tesis doctoral. Universidad Autónoma de Madrid.
- JUÁREZ, M Y SÁNCHEZ-ANDRÉU, J. 1996. Fósforo en Agricultura. Secretariado de Publicaciones de la Universidad de Alicante.
- JURCSIK, I. 1994. Investigations in the mechanism of electron transmission and active oxygen generating humic acids supported by redoxindicator. En: *Humic substances in the gobal environment and implications on human health.* N. Senesi, T.M. Miano (Eds.). Elsevier, Amsterdam. pp:311-316.
- KANNAN, S. y RAMANI, S. 1988. Iron deficiency stress response in crop plants and examination in linseed cultivars. *J. Plant Nutr.* 11:755-762.

- KAWAI, S.; TAKAGI, S. y SATO, Y. 1988. Mugineic acid-family phytosiderophores in root-secretions barley, corn and sorghum varieties. *J. Plant Nutr.* 11:633-642.
- KINNINBURGH, D.C.; SYERS, J.K. y JACKSON, M.L. 1975 Specific adsorption of trace amounts of calcium and strontium by hydrous oxides of iron and aluminium. *Soil Sci. Soc. Am.* 39:464-470.
- KOSEGARTEN, H. y ENGLISCH, G. 1997. Effect of various nitrogen forms on the pH in leaf apoplast and on iron chlorosis of *Glicine max* L. *Z. Pflanzemernähr. Bodenk.* 157:401-405.
- KROLL, H. 1957. The ferric chelate of ethylenediamine di(o-hydroxyphenylacetic) acid for treatment of lime-induced chlorosis. *Soil Sci.* 84:51-53.
- LAHAV, E. y TURNER, D. W. 1984. The effect of temperature on the iron content of banana suckers. *J. Plant Nutr.* 7(1-5):725-732.
- LAHAV, N. y HOCHBERG, M. 1975. Kinetics of fixation of iron and zinc applied as FeEDTA, FeEDDHA and ZnEDTA in soil. *Soil Sic. Soc. Am. Proc.* 39:55-58.
- LEHMAN, D. 1963. Some principles of chelation chemistry. In: *Proc. Symp. Chelates in Soils.* Sci. Soc. pp:167-170.
- LIN, S.F.; CIANZIO, S.R. y SHOEMAKER, R.C. 1997. Molecular marker detection of to genetic mechanisms responsible for iron-deficiency chlorosis in soybean. En: *Abstract of 9th International Symposium on Iron Nutrition and Interactions in Plants.* Hohenheim, Stuttgart, Alemania. pp:104.

- LINDSAY, W. L. 1979. Chemical equilibria in soils. Ed. John Wiley and sons. N. Y.
- LINDSAY, W. L. 1984. Soil and plant relationships associated with emphasis of nutrient interaction. J. Plant Nutr. 7:489-500.
- LINDSAY, W. L. 1991. Iron oxide solubilization by organic matter and its effect on iron availability. En: Iron Nutrition and Interactions in Plants. Chen, Y. y Hadar, Y (Eds.). Kluwer Academic Publishers. Holanda.pp:29-36.
- LINDSAY, W.L. 1995. Chemical reactions in soils that affect iron availability to plants. A quantitative approach. En: Iron Nutrition in Soils and Plants. Abadía, J. (Ed.). Kluwer Academic Publishers. Holanda.pp:7-14.
- LINDSAY, W. L. y SCHAWB, A. 1982. The chemistry of iron in soils and its availability to plants. J. Plant Nutr. 5:821-840.
- LINDSAY, W. L.; WATANABE, F. S. y OLSEN, S. R. 1963. Nutritional interrelationships of phosphorus, zinc and iron. Proc. 14th Reg. Fert. Conf. pp: 109-115.
- LINDSAY, W.L.; HODGSON, J.F. y NORVELL, W.A. 1966. The physico-chemical equilibrium of metal chelates in soils and their influence on availability of micronutrient cations. Int. Soc. Soil Trans. Comm II, IV. p:306-316.
- LINEHAN, D.J. 1985. Soil Organic Matter and Biological Activity. D. Vaughan y R.E. Malcolm (Eds.). Martinus Nijhoff/Dr. W. Junk Publ., The Hague, Holanda. pp:403-421.

- LIZARAZO, L.M. 2001. Incidencia de sustancias húmicas comerciales sobre microorganismos del suelo. Tesis doctoral. Facultad de Ciencias. Universidad de Alicante.
- LOBARTINI, J y ORIOLI, G. 1988. Absorption of Fe-humate in nutrient solutions by plants. *Plant and Soil*. 106:153-157.
- LOEPPERT, R.H. 1986. Reactions of iron and carbonates in calcareous soils. *J. Plant Nutr.* 9(3&7):195-214.
- LOEPPERT, R.H.; WEI, L.C.; OCUWPAUGH, R. 1994. Soil factors influencing the mobilization in calcareous soils. En: *Biochemistry of metal micronutrients in the rizosphere*. J.A. Maethey, D.E. Crowley y D.G. Luster (Eds.). Lewis Publishers. Florida, USA. pp: 343-360.
- LOUPASSAKI, M.H.; LIONAKIS, S.M. y ANDROULAKIS, I.I. 1997. Iron deficiency in kiwi and is correction by different methods. *Acta Hortic.* 444:267-271.
- LOVELY, D.R.; FRAGA, J.L.; BLUNT-HARRIS, E.L.; HAYES, L.A.; PHILIPS, E.J.P. Y COATES, J.D. 1998. Humic substances as mediator for microbially catalysed metal reduction. *Acta hydrochim. Hydrobiol.* 26: 152-157.
- LUCENA, J. J. 1990. La clorosis férrica. *Agrícola Vergel*. 4:296-301.
- LUCENA, J. J. 2000. Effects of bicarbonate, nitrate and other environmental factors on iron deficiency chlorosis. A review. *J. Plant. Nutr.* 23(11&12):1591-1606.
- LUCENA, J.J. 1986. Contribución al conocimiento de la quelación en el sistema suelo-planta. Estabilidad de quelatos férricos en suelos calizos. Tesis Doctoral. Universidad Autónoma de Madrid.

- LUCENA, J.J.; BARAK, P. y HERNÁNDEZ-APAOLAZA, L. 1996. Isocratic ion-pair high-performance liquid chromatographic method for the determination of various iron (III) chelates. *J. Chromatogr. A.* 727:253-264.
- LUCENA, J.J. y DE LA TORRE, F. 1994. Testing a new statistical model for metal-fulvic acids complexation using a synthetic multi-ligand mixture. En: *Humic substances in the global environment and implications on human health.* N. Senesi, T.M. Miano (Eds.). Elsevier Science S.B. Ámsterdam, Holanda. pp:1149-1156.
- LUCENA, J.J.; GÁRATE, A. y CARPENA, O. 1987a. Effect of carbon dioxide on the stability of iron-chelates. *J. Plant Nutr.* 10:553-565.
- LUCENA, J.J.; GÁRATE, A. y CARPENA, O. 1987b. Iron-chelates evaluation in a calcareous soil. *Plant Soil.* 103:134-138.
- LUCENA, J.J.; GÁRATE, A. y CARPENA, O. 1988a. Theoretical and practical studies on chelate-Ca-pH system in solution. *J. Plant Nutr.* 11(6-11):1051-1061.
- LUCENA, J.J.; GÁRATE, A. y CARPENA, O. 1988b. *Lolium multitorum* uptake of iron supplied as different synthetic chelates. *Plant and soil.* 112:23-28.
- LUCENA, J.J.; JIMÉNEZ DE ABERASTURI, M.A. y GÁRATE, A. 1991^a. Stability of chelates in nutrient solution for drip irrigation. En: *Iron Nutrition and Interactions in Plants.* Y. Chen and Y. Hadar (Eds.). Kluwer Academic Publishers. Holanda. pp:63-67.
- LUCENA, J.J.; GARCÍA, P.; GÁRATE, A. y MANZANARES, M. 1991^b. Accumulative effect of chelates addition to culture substrates used in commercial greenhouses. *Acta Hortic.* 287:197-205.

- LUNT, O.R.; HEMAIDAN, N. y WALLACE, A. 1956. Reactions of some polyamine polyacetate iron chelates in various soils. *Soil Sci. Soc. Am. Proc.* 20:172-175.
- LYTLE, C.M. y JOLLEY, V.D. 1991. Iron deficiency stress response of various C3 and C4 grain crop genotypes: strategy II mechanisms evaluated. *J. Plant. Nutr.* 14:314-362.
- M.A.P.A. 1994. *Métodos Oficiales de Análisis. Tomo III.*
- MAAS, F.M.; VAN DE WETERIN, D.A.M.; VAN BEUSICHEM, M.L. y BIENFAIT, H.F. 1988. Characterization of phloem iron and its possible role in the regulation of Fe-efficiency reactions. *Plant Physiol.* 87:167-171.
- MACCARTHY, P.; MALCOLM, R.L.; CLAPP, C.E. y BLOOM, P.R. 1990. An introduction to soil humic substances. En: *Humic Substances in Soil and Crop Sciences: Selected readings.* P. MacCarthy, C.E. Clapp, R.L. Malcolm, P.R. Bloom (Eds.) Proceedings of a symposium by IHSS, Chicago, Illinois, U.S.A. pp:1-12.
- MAHIEU, N.; OLK, D.C. Y RANDALL, E.W. 2000. Accumulation of heterocyclic nitrogen in humified organic matter a ¹⁵N-NMR study of lowland rice soils. *European Journal of Soil Science.* 51:379-389.
- MALAKOUTTI, M.J. y KALANTARI, I. 1997. Yield increase and fortification of wheat grains by application of compost, Fe-chelate and ZnSO₄ to the calcareous soils of Iran. En: *Abstract of 9th International Symposium on Iron Nutrition and Interactions in Plants.* Hohenheim, Stuttgart. Alemania. pp:123.

- MALCOLM, R.L. y MACCARTHY, P. 1986. Limitations in the use of commercial humic acid in water and soil research. *Environ. Science Technology*. 20:904.
- MANZANARES, M. 1991. Evaluación de la eficacia de quelatos de hierro como correctores de la clorosis férrica. Aplicación al cultivo del fresón. Tesis doctoral. Universidad Autónoma de Madrid.
- MARSCHNER, H. 1991. Symposium summary and future research area.. En: *Iron nutrition and interaction in plants*. Chen, Y. and Hadar, Y. (Eds). Kluwer Academic Publishers, Holanda. pp.365-372
- MARSCHNER, H. 1995. *Mineral Nutrition in Higher Plants*. Academic Press. Londres.
- MARSCHNER, H. y RÖMHELD, V. 1995. Strategies of plants for adquisition of iron. *Plant Soil*. 165:261-274.
- MARSCHNER, H; OBERLE, H.; CAKMAK, I. y RÖMHELD, V. 1990. Growth enhancement by silicon in cucumber (*Cucumis sativus*) plants depends on imbalance on phosphorous and zinc supply. En: *Plant Nutrition-Physiology and Applications*. M.L. van Beusichem (Ed.), Kluwer Academic, Dordrecht, Holanda. pp:214-249.
- MARSCHNER, H; RÖMHELD, V. y KISSEL, M. 1986. Different strategies in higher plants in mobilization and uptake of iron. *J. Plant Nutr.* 9:695-713.
- MARTÍNEZ, E. y GARCÍA, M. 1993. *Cultivos sin suelo: Hortalizas en clima mediterráneo*. Ed. De Horticultura S.L.
- MARTÍNEZ, M.T.; ROMERO, C. y GAVILÁN, J.M. 1984. Solubilization of phosphorous by humic acids from lignite. *Soil Sci.* 138:257-261.

- MENGEL, K. 1995. Iron availability in plant tissues-iron chlorosis on calcareous soils. En Iron Nutrition in Soil and Plants. J. Abadía (Ed.) Kluwer Academic Publisher. Holanda. pp:389-397.
- MENGEL, K. y KIRKBY, E.A. 1982. En principles of plant nutrition. International Potash Institute. Berna. Suiza. pp. 493-511.
- MENGEL, K. y MALISSIOVAS, N. 1981. Bicarbonat als auslösender faktor der eisenchlorose bei der Weinrebe (*Vitis vinifera*). *Vitis* 20:235-243.
- MENGEL, K.; PLÄNKER, R. y HOFFMAN, B. 1994. Relationship between leaf apoplast pH and iron chlorosis of sunflower (*helianthus annuus* L.). *J. Plant Nutr.* 17:1053-1065.
- MIELE, S.; BENVENUTI, S. y PALMERINI, M. 1986. Risposta biológica di alcune piante allevate in mezo idropónico in preseza di sostanze umiche. *Agric. Ital.* 3&4:145-169.
- MIKKELSEN, R.L.; JARRELL, W.M. 1987. Application of urea-phosphate and urea-sulphate to drip-irrigated tomatoes grown in calcareous soils. *Soil Sci. Soc. Am. J.* 51:464-468.
- MILLER, G.; PUSHNIK, J. y WELKIE, G. 1984. Iron chlorosis, a world wide problem. The relation of chlorophyll biosynthesis to iron. *J. Plant. Nutr.* 7:1-22.
- MODAIHSH, A.S. 1997. Foliar application of chelated and non chelated metals for supplying micronutrients to wheat grown on calcareous soil. *Expl. Agric.* 33:237-245.
- MONTEIL-RIVERA, F.; BROUWER, E.B.; MASSET, Y.D. Y DUMONCEAU, J. 2000. Combination of X-ray photoelectron and solid-

- state ^{13}C nuclear magnetic resonance spectroscopy in the structural characterization of humic acid. En: *Analytica Chimica Acta*. Elsevier Sci. B.V. pp:243-255.
- MOOG, P.R. y BRÜGGEMAN, W. 1994. Iron reductase system on the plant plasma membrane-A review. *Plant Soil*. 165:241-260.
 - MOOG, P.R. y GRÜNEWALD, S. 1997. Ferric chelate reduction by intact mesophyll cells. En: Abstracts 9thInternational Symposium on Iron Nutrition and Interactions in Plants. Hohenheim, Stuttgart, Alemania. pp:67.
 - MORALES, F; ABADÍA, A. y ABADÍA, J. 1990. Characterization of the xanthophyll cycle and other photosynthetic pigment changes induced by iron deficiency in sugar beet (*Beta vulgaris* L.). *Plant Physiol*. 94:607-613.
 - MORI, S.; NISHIZAWA, N.; HAYASHI, H.; CHINO, M.; YOSHIMURA, E. y ISHIHAR, J. 1991. Why are young rice plants highly susceptible to iron deficiency?. *Plant Soil*. 130:143-156.
 - MORTENSEN, L.M. 1989. Effect of ethylene on growth of greenhouse lettuce at different light and temperature levels. *Scientia Horticulturae*. 39:97-103.
 - MORTVEDT, J.J. 1991. Correcting iron deficiencies in annual and perennial plants: Present technologies and future prospects. En: *Iron nutrition and interactions in plants*. Y. Chen y Y. Hadar (Eds.). Kluwer Academic Publishers. Holanda. pp: 315-321.
 - MORTVEDT, J.J. 1986. Grain sorghum response to banded acid-type fertilizers in iron-deficient soil. *J. Plant. Nutr.* 11:1297-1310.

- MORTVEDT, J.J.; MIKKELSEN, R.L. y KELSOE, J.J. 1992. Crop response to ferrous sulfate in banded gels of hydrophilic polymers. *Soil Sci. Soc. Am. J.* 56:1319-1324.
- MURAKAMI, T.; ISE, K.; HAYAKAWA, M.; KAMEI, S. y TAKAGI, S. 1989. Stabilities of metal complexes of mugineic acid and their specific affinities for iron (III). *Chem. Lett.* pp:2137-2140.
- MURZAKOW, B.G. 1988. Breakdown of humic substances by the soil microflora. *Microbiology N.Y.* 57:237-241.
- NABAHN, H.M.; VANDERDEELEN, J. y COTTENIE, A. 1977. Chelate behaviour in saline alkaline conditions. *Plant Soil.* 46:603-618.
- NATT, C. 1992. Effect of slow release iron fertilizers on chlorosis in grape. *J. Plant. Nutr.* 15(10):1891-1912.
- NEILANDS, J. y LEONG, S. 1996. Siderophores in relation to plant growth and disease. *Ann. Rev. Plant Physiol.* 31:187-208.
- NIKOLIC, M. y KASTORI, R. 2000. Effect of bicarbonate and Fe supply on Fe nutrition of Grapevine. *J. Plant Nutr.* 23(11&12):1619-1627.
- NIKOLI, M. y RÖMHELD, V. 1999. Mechanism of Fe take by the leaf symplast: Is Fe inactivation in leaf a cause of Fe deficiency chlorosis?. *Plant and Soil.* 215:229-237.
- NORWELL, W.A. y LINDSAY, W.L. 1969. Reactions of EDTA complexes of Fe, Zn Mn and Cu with soil. *Soil Sci. Soc. Am. Proc.* 33:86-91.
- NORWELL, W.A. 1991. Reactions of metal chelates in soils and nutrient solutions. En: *Micronutrients in Agriculture.* Ed. Mortvedt,

- Cox, Shuman and Welch. SSSA Book Series nº 4. Madison, Winsconsin, USA. pp:187-227.
- O'NAN, A.; BARTON, L.L. y JONSON, G.V. 1997. Inhibition of ferric-chelate reductasa in alfalfa roots by cobalt. En: Abstracts 9th International Symposium on Iron Nutrition and Interactions in Plants. Hohenheim. Stuttgart. Alemania.pp:82
 - OLMOS, S.; ESTEBAN, E. y LUCENA, J.J. 1998. Micronutrient extraction in calcareous soils treated with humic concentrates. J. Plant Nutr. 21(4):687-697.
 - PANDEYA, S.B.; SING., A.K. Y DHAR, P. 1998. Influence of fulvic acid on transport of iron in soils and uptake cy paddy seedlings. Plant and soil. 198: 117-125.
 - PERRET, P. y KOBLET, W. 1984. Soil compactation induced iron-chlorosis in grape vineyards. Presumed involvement of exogenous soil ethylene. J. Plant Nutr. 7(1-5):533-539.
 - PERUR, N.G.; SMITH, R.L. y WIEBE, H.H. 1961. Effect of iron chlorosis on protein fraction on corn leaf tissue. Plant Physiol. 36:736-739.
 - PICCOLO, A.; CELANO, G. Y De SIMONE, c. 1992. Structural characteristics of humic substances as related to nitrate uptake and growth regulation in plant system. Soil Biol. Biochem. 24:373-380.
 - PICCOLO, A.; CONTE, P. y SCHEUNERT, I.; PACI, M. 1998. Atrazine interactions with soil humic substances of different molecular structure. J. Environ. Qual. 27:1324-1333.

- PICCOLO, A. y MIRABELLA, A. 1997. Molecular weight distribution of peat humic substances extracted with different inorganic and organic solutions. *Sci. Total Environ.* 62:39-46.
- PINTON, R.; CESCO, S.; SANTI, DE NOBILI, M.; SANTI, S. Y VARANINI, Z. 1998. Water and pyrophosphate-extractable humic substances as a source of iron for Fe-deficient cucumber plants. *Biol. fert. Soils.* 26: 23-27.
- PINTON, R.; CESCO, S.; AGNOLON, F. AND VARANINI, S. 1999. Water extractable humic substances enhanced iron deficiency responses by Fe-deficient cucumber plants. *Plant and soil.* 210(2): 145-147.
- PLA, L. 1986. Quelación por EDDHA de micronutrientes en suelos calizos. Modelos cinéticos. Memoria de licenciatura. Universidad de Alicante.
- POKORNÁ, V.; LUSTINEC, J. y PETRU, E. 1963. The influence of Na-Humate on the respiration of wheat roots and leaves. *Biol. Plant. (Praga)* 5:265-570.
- POTDAR, M.V. y ANDERS, M.M. 1995. On-farm performance of groundnut genotypes under different land configurations and foliar iron sprays for the correction of iron chlorosis on calcareous soils in India. En: *Iron Nutrition in soils and Plants.* J. Abadía (Eds). Kluwer Academic Publishers, Holanda. pp:111-118.
- PRIMO E. 1981. Análisis de Suelos. En: *Química Agrícola.* Vol.I. Ed. Alambra. pp:233-379.

- PUSHNIK, J.C. y MILLER, G.W. 1989. Iron regulation of chloroplast photosynthetic function: mediation of PS I development. J. Plant. Nutr. 12:407-421.
- QUILEZ, R.; ABADÍA, A. y ABADÍA, J. 1992. Characteristics of thylakoids and photosystem II membrane preparations from iron deficient and iron sufficient sugar beet (*Beta vulgaris* L.) J. Plant Nutr. 15:1809-1819.
- RABOTTI, G. y ZOCCHI, G. 1994. Plasma membrane-bound H⁺-ATPase and reductase activities in Fe-deficient cucumber roots. Physiol. Plant. 90:779-785.
- RAMOS, R. 2000. Aplicación de sustancias húmicas comerciales como productos de acción bioestimulante. Efectos frente al estrés salino. Tesis Doctoral. Universidad de Alicante.
- RASHID, A.; RAFIQUE, E.; DIN, J.; MALIK, S.N. y ARAIN, M.Y. 1997. Micronutrient deficiencies in rainfed calcareous soils of Pakistan. I. Iron chlorosis in the peanut plant. Commun. Soil Sci. Plant Anal. 28(1&2):135-148.
- REED, D.W.; LYONS, C.G. Jr. AND McEACHERN, G.R. 1988. Field evaluation of inorganic and chelated iron fertilizers as foliar sprays and soil application. J. Plant Nutr. 11:1369-1378.
- REDISKI, J. H. y BIDDULPH, D. 1953. The absorption and translocation of iron. Plant Physiol. 28:576-593.
- REID, C. y CROWLEY, D. 1984. Utilization of iron by oat when supplied as ferrated synthetic chelate or as ferrated hydroxamate siderophore. J. Plant Nutr. 7:437-477.

- ROBINSON, N.C.; PROCTER, C.M.; CONNOLLY, E.L. y GUERINOT, M. L. 1999. A ferric-chelate reductase for iron uptake from soils. *Nature*. 397:695-697.
- ROMBOLA, A.D.; BRÜGGEMANN, W.; TAGLIAVINI, M. y MOOG, P.R. 1997. Iron deficiency in kiwifruit (*Actinidia deliciosa*): Responses of roots and leaves. En: Abstracts 9th International Symposium on Iron Nutrition and Interactions in Plants. Hohenheim, Stuttgart, Alemania. pp:66.
- ROMERA, F. J.; ALCÁNTARA, E. y DE LA GUARDIA, M. D. 1992. Role of roots and shoots in the regulation of the Fe efficiency response in sunflower and cucumber. *Physiol. Plant*. 85:141-146.
- RÖMHELD, V. 1997. The chlorosis paradox: Fe inactivation in leaves as a secondary event in Fe deficiency chlorosis. En: Abstract 9th international symposium on iron nutrition and interactions on plants. Hohenheim. Stuttgart. Alemania. p:10.
- RÖMHELD, V. 1991. The role of phytosiderophores in acquisition of iron and other micronutrients in graminaceous species: An ecological approach. *Plant Soil*. 130:127-134.
- RÖMHELD, V. y MARSCHNER, H. 1986. Mobilization of iron in the rhizosphere of different plant species. En: *Advances in Plant Nutrition*. Vol. 2. B. Tinker; A. Läuchli, (Ed.). Praeger Scientific. U.S.A. pp. 155-204.
- RÖMHELD, V. y MARSCHNER, H. 1990. Genotypical differences among graminaceous species in release of phytosiderophores and uptake of iron phytosiderophores. *Plant Soil*. 123:147-153.

- RÖMHELD, V. y MARSCHNER, H. 1991. Functions of micronutrients in plants. En: *Micronutrients in Agriculture*, 2º ed. J.J. Mordvedt, F. R. Cox, L. M. Shuman and R. M. Welch, (Eds.). SSSA Book Series, N°4, Madison, WI. USA. pp:297-328.
- RÖMHELD, V. 1987a. Different strategies for iron acquisition in higher plants. *Physiol. Plant.* 70:231-234.
- RÖMHELD, V. 1987b. Existence of two different strategies for the acquisition of iron in higher plants. En: *Iron Transport in Microbes, Plant and Animals*. G. Winkelman, D. van der Helm, and J. B. Neiland (Eds.). VCH Verlag Weinheim, Alemania. pp. 353-374
- RON, V. y MARSCHNER, H. 1983. Mechanism of iron uptake by peanut plants. *Plant Physiol.* 71:949-954.
- RUTLAND, R. B. y BUKOVAC, M. J. 1971. The effect of calcium bicarbonate on iron absorption and distribution by *Chrysanthemum norifolium* (RAM). *Plant Soil.* 35:225-236.
- RYSKIEWICH, D.P. y BOKA, G. 1962. Separation and characterization of the stereoisomers of N,N'-ethylenebis[2-(o-hydroxyphenyl)glycine]. *Nature.* 193:472-473.
- SADANA, S.K. y NAYYAR, V.K. 1997. Iron deficiency in rice: causes, amelioration and transformation in coarse textured soils of Punjab, India. In: *Abstract of 9th International Symposium on Iron Nutrition and Interactions in Plants*. Hohenheim, Stuttgart. Alemania. pp:1119.
- SÁNCHEZ-ANDRÉU, J.; JORDÁ, J. y JUÁREZ, M. 1991. Reactions of FeEDTA and FeEDDHA applied to calcareous soils. En: *Iron Nutrition and Interactions in Plants*. Y. Chen and Y. Hadar, (Eds.). Kluwer Academic Publishers, Dordrecht, Holanda. pp:57-62.

- SÁNCHEZ-ANDRÉU, J.J.; JUÁREZ, M Y SÁNCHEZ, A. 2000. Incedencia de las sustancias húmicas y aminoácidos en la calidad del fruto del limón cv. Fino. VIII Simposium Nacional, IV Ibérico sobre nutrición mineral de las plantas.
- SÁNCHEZ, A. 2002. Mejora en la eficacia de los quelatos sintéticos a través de sustancias húmicas y aminoácidos. Tesis doctoral. Facultad de Ciencias. Universidad de Alicante.
- SANZ, M.; CAVERO, J. y ABADÍA, J. 1992. Iron chlorosis in the Ebro river basin, Spain. *J. Plant Nutr.* 15(10):1971-1981.
- SCHMIDT, W. ; BARTELS, M.; TIFFEL, J. y FÜHNER, C. 1997. Physiological effects of copper on iron acquisition processes in *Plantago*. *New Phytol.* 135:659-666.
- SCHNITZER, M. 1990. Selected method for the characterization of soil humic substances. En: *Humic Substances in Soil and Crop Sciences: Selected readings*. P. McCarthy, C.E. Clapp, R.L. Malcom, P.R. Bloom (Eds.). Proceedings of a symposium by IHSS, Chicago, Illinois, December, 1985. pp:65-89.
- SCHRÖDER, K.H. 1964. Complex formation with trivalent iron and N,N' ethylenebis[2(o-hydroxy-phenyl)]glycine. *Nature.* 202:1622-1625.
- SCHULTEN, H.R. 1996. A new approach to the structural analysis of humic substances in water and soils: Humic acid oligomers. En: *Humic and fulvic acids. Isolation, structure and environmental role*. J.S. Gaffney, N. A. Marley y S.B. Clark (Eds.). Developed from a symposium sponsored by the Division of Industrial and Engineering Chemistry, Inc. American Chemical Society, Wasington, USA. pp:42-56.

- SCHWERTMANN, U. y TAYLOR, R.R. 1989. Iron oxides. Minerals in soil environments. J.B. Dixon and S.B. Weed (Eds.). Soil Sci. Soc. Am. Book. 1:379-438.
- SENESI, N. Y LOFFREDO, E. 1999. The chemistry of soils organic matter. En: Soil Physical Chemistry. D.L. Sparks (Ed). Newark, Delaware. pp:239-370.
- SENESI, n. Y LOFREDO, E. 1994. Influence of soil humic substances and herbicides on the growth of pea (*Pisum sativum* L.) in nutrient solution. J. Plant Nutr. 17,2&3: 493-500.
- SHARMA, P.N. y SANWAL, G.G. 1992. Effect of Fe deficiency on the photosynthetic system of maize. J. Plant Physiol. 140:524-530.
- SHETTY, A.S. y MILLER, G.W. 1966. Influence of iron chlorosis on pigment and protein metabolism in leaves of *Nicotiana tabacum* L. Plant Physiol. 41:415-421.
- SHOJIMA, S.; NISHIZAWA, N.K.; FUSHIYA, S. NOZOE, S.; IRIFUNE, T. y MORI, S. 1990. Biosynthesis of phytosiderophores. *In vitro* biosynthesis of 2'-deoxymugineic acid form L-methionine and nicotianamine. Plant Physiol. 93:1497-1503.
- SIJMONS, P,C,; KALATTUKUDY, P.E. Y BIENFAIT, H.F. 1985. Iron deficiency decreases suberization in bean roots through a decrease in suberin-specific peroxidase activity. Plant Physiol. 75:219-223.
- SIMS, J. y BINGHAM, F. 1968. Retention of boron by layer silicates, sesquioxides and soil materials. II. Sesquioxides. Soil Sci. Soc. Amer. 32:364-369.

- SINGH, A.L. y CHAUDHARI, V. 1997. Sulfur and micronutrient nutrition of groundnut in calcareous in a calcareous soil. *J. Agron. Crop Sci.* 179(2):107-114.
- SMOLDERS, A.; HENDRIKS, L.P.; CAMPSCHREUR R.J.J y ROELOFS, J.G.M. 1997. Nitrate induced iron deficiency chlorosis in *Juncus acutiflorus*. *Plant and Soil.* 196:37-45.
- SPILLER, S.C.; KAUFMAN, L.S.; THOMPSON, W.F. y BRIGGS, W.R. 1987. Specific mRNA and rRNA level in greening pea leaves during recovery from iron stress. *Plant Physiol.* 84:409-414.
- STEELINK, C. 1985. Elemental characteristics of humic substances. En: *Humic substances in soil, Sediment, and Water*, G.R. Aiken, D.M. McKnight, R.L. Wershaw, P. MacCarthy (Eds.). John Wiley, New York. pp:457-476.
- STEPHAN, W. y SCHOLZ,G. 1993. Nicotianamine: mediator of transport of iron and heavy metals in the phloem?. *Plant Physiol.* 88:522-529.
- STEVENSON, F.J. 1994. *Humus chemistry. Genesis, composition, reaction.* Second Edition. John Wiley & Sons, Inc. New York.
- STEWARD, I.; LEONARD, C.D. 1954. Chelated metals for growing plants. En: N.F. Childers (ed.) *Mineral nutrition of fruit crops.* Horticultural Publ., New Bruswick, NJ. Pp:775-809.
- SUNDA, W.G. Y KIEBER, J.D. 1994. Oxidation of humic substances by manganese oxides yields low-molecular-weight organic substances. *Nature.* 367:62-64.

- SUSÍN, S.; ABADÍA, A.; GONZÁLEZ-REYES, J.A.; GELPI, E. y ABADÍA J. 1996. The pH requirement for in vivo activity of iron-deficiency-induced "Turbo" ferric chelate reductase. *Plant Physiol.* (110):111-123.
- TAGLIAVINI, M.; ABADÍA, J.; ABADÍA, A.; TSIPOURIDIS, C.; MARANGONI, B. 1997. Alternatives to Fe-chelate for overcoming fruit tree iron chlorosis in Mediterranean countries. en: Abstract of 9th International Symposium on Iron Nutrition and Interactions in Plants. Hohenheim, Stuttgart, Alemania. Pp:112.
- TAGLIAVINI, M.; ABADÍA, J.; RÓMBOLA, A.D.; ABADÍA, A.; TSIPOURIDIS, C. Y MARANGONI, B. 2000. Agronomic means for the control of iron deficiency and chlorosis means for the control of iron deficiency and chlorosis in deciduous fruit plant. *J. Plant Nutr.* En prensa.
- TAGLIAVINI, M.; SCUDELLARI, D.; MARANGONI, B. y TOSELLI, M. 1995. Acid-spray regreening of kiwifruit leaves affected by lime-induced iron chlorosis. In: J. Abadía, Eds. *Iron Nutrition in soils and Plants*. Kluwer Academic Publishers. The Netherlands. pp:191-195.
- TAKAGI, S. 1976. Naturally occurring iron-chelating compounds in oat- and rice-root washings. Activity measurement and preliminary characterization. *Soil Sci. Plant Nutr.* 22:423-433.
- TAKAGI, S. 1993. Production of phytosiderophores. En: *Iron Chelation in Plants and Soil microorganisms*, L. L. Barton and B.C. Hemming (Eds.). Academic Press, CA (USA). pp:111-131.
- TAKAGI, S.; NOMOTO, K. y TAKEMOTO, T. 1984. Physiological aspects of mugineic acid, a possible phytosiderophore of graminaceous plants. *J. Plant Nutr.* 7:469-477.

- TERRY, N. y ABADÍA, J. 1986. Function of iron in chloroplasts. J. Plant. Nutr. 9:609-646.
- TERRY, N. y ZAYED, A.M. 1995. Physiology and biochemistry of leaves under iron deficiency. En: Iron Nutrition in Soils and Plants. J. Abadía, (Ed.). Kluwer Academic Publishers. Holanda. pp:283-294.
- TIFFIN, L. O. 1970. Translocation of iron citrate and phosphorus in xylem exudates of soybean. Plant Physiol. 45:280-283.
- TONG, Y.A.; FAN, F.; KORCAK, R.F.; CHANEY, R.L. y FAUST, M. 1986. Effect of micronutrients, phosphorous and chelator to iron ratio on growth, chlorosis and nutrition of apple seedlings. J. Plant Nutr. 9(1):23-41.
- TOSELLI, M.; MARANGONI, B. Y TAGLIAVINI, M. 2000. Iron content in vegetative and reproductive organs of nectarin trees in calcareous soils during the development of chlorosis. Europ. J. Agronomy. 13:279-286.
- TOULON, V.; SENTENAC, H.; THIBAUD, J.B.; DAVIDIAN, J.C.; MOULINEAU, C. y GRIGNON, C. 1992. Role of apoplast acidification by the H⁺ pump. Effect on the sensitivity of pH and CO₂ of iron reduction by roots of *Brassica napus* L. Planta 186:212-218.
- TYLER, G. Y STRÖM, L. 1995. Differing organic acid exudation pattern explains calcifuge and acidifuge behaviour of plants. Ann. Bot. 75:75-78.
- UREN, N. 1984. Forms, reactions and availability of iron in soils. J. Plant Nutr. 7:165-176.

- VARANINI, Z Y PINTON, R. 1995. Humic substances and plant nutrition. *Progress in Botany*. 56:97-116.
- VARANINI, Z. Y PINTON, R. 2000. Direct versus indirect effects of soil humic substances in plant growth and nutrition. En: *The Rhizosphere. Biochemistry and Organic Substances at the Soil-Plant Interface*. R. Pinton, Z. Varanini y P. Nannipieri (Eds). Marcel Dekker Inc. pp:141-157.
- VISSER, S.A. 1986. Effecto delle sostanze umiche sulla crescita della piante. En: *Sostanze umiche. Effectti sul terreno e sulle piante*. R.G. Burns, G. Dell'Agnola, S. Miele, S. Nardi, G. Savoini, M. Schnitzer, P. Seguii, D. Vaughan and S.A. Visser (Eds), REDA, Bologna, Italia.
- VITI, R. y CINELLI, F. 1993. Lime-induced chlorosis in quince rootstocks: methodological and physiological aspects. *J. Plant Nutr.* 16(4):631-641.
- VIVAS, M.J. 2001. Mejora del desarrollo y la producción vegetal por bioestimuladores. Sustancias húmicas comerciales y alcoholes. Tesis Doctoral. Universidad de Alicante.
- VON WIRÉN, N. 1994. Iron efficiency in graminaceous plant species and the role of microbial degradation of phytosiderophores in iron acquisition. *Plant Physiol.* 106:71-77.
- VON WIRÉN, N.; KHODR, H. y HIDER, R.C. 2000. Hydroxylated phytosiderophore species possess an enhanced chelate stability and affinity for Fe (III). *Plant Physiol.* 124 (3):1149-1158.
- VON WIRÉN, N; RÖMHELD, V.; SHIOIRI, T. y MARSCHNER, H. 1995. Competition between microorganisms and roots of barley and sorghu for iron accumulated in the root apoplasm. *New Phytol.* 130:511-521.

- WAGNER, V. y MOOG, P.R. 1997. Biochemical characterization of plasma membrane-bound ferric chelate reductase activity isolated from spinach leaves. En: Abstracts 9th Internacional Symposium on Iron Nutrition and Interactions in Plants. Hohenheim, Stuttgart, Alemania. pp:68.
- WALLACE, A. 1971. Regulation of micronutrient status of plant by chelating agents and other factors. A. Wallace (Ed.). Los Ángeles. USA. pp: 587-590.
- WALLACE, A. 1983. General conclusions concerning chelating agents in plant nutrition. J. Plant Nutr. 6:425-428.
- WALLACE, A. 1988. acid and acid-iron fertilizers for iron deficiency control in plants. J. Plant Nutr. 11:1311-1319.
- WALLACE, A. y ABOU-ZAMZAM, A. M. 1984. Nitrogen and bicarbonate relationship with iron nutrition in plants. J. Plant Nutr. 7:587-594.
- WALLACE, A. y LUNT, O.R. 1956. Reactions of some iron, zinc and manganese chelates in various soils. Soil Sci. Soc. Am. Proc. 20:479-482.
- WALLACE, A.; MUELLER, R.T.; LUNT, O.R.; ASHCROFT, R.T. y SHANNON, L.M. 1955. Comparisons of five chelating agents in soils, in nutrient solutions and in plant responses. Soil Sci. 80:101-108.
- WALLACE, A. y WALLACE, G.A. 1983. DTPA as a source of An, Mn, Cu and Fe in calcareous soil. J. Plant Nutr. 6:451-455.
- WALLACE, A. y WALLACE, G.A. 1992. Some of the problems concerning iron nutrition of plants after four decades of synthetic chelating agents. J. Plant. Nutr. 15(10):1487-1508.

- WALLACE, A.; WOOD, R. y SOUFI, S. 1976. Cation-anion balance in lime-induced chlorosis. Commun. in Soil Sci. and Plant Anal. 7:15-27.
- WALTER, A.; RÖMHELD, V.;, MARSCHNER, H. y MORI, S. 1994. Is the release of phytosiderophores in zinc-deficient wheat plant a response to impaired iron utilization? Plant Physiol. 92:499-500.
- WANG, D.Y.; QING, C.L.; GUO, T.Y. y GUO, T.J. 1997. Effects of humic acid on transport and transformation of mercury in soil-plant system. Water, Air and Soil Pollution. 95:35-43.
- WEI, L.; OCUMPAUGH, W.R. y LOEPPERT, R. H. 1997. In vitro cultures subclover root can developed Fe-deficiency stress response. Physiol. Plantarum. 100:975-981.
- WELKIE, G.W. y MILLER, G.W. 1993. Plant iron uptake physiology by nonsiderophore system. En: Iron chelation in plants and soil microorganisms. L.L. Barton and B.C. Hemming, (Eds).Academic Press, San Diego, CA (EE.UU.). pp:345-369.
- WHITE. M.C.; DECKER, A.M. y CHANEY, R.L. 1981. Metal complexation in xylem fluid. II. Theoretical equilibrium model and computational computer program. Plant Physiol. 67:301-310.
- YANG, X.; RÖMHELD, R. y MARSCHNER, H. 1994. Effect of bicarbonate on root growth and accumulation of organic acids in Zn-inefficient and Zn-efficient rice cultivars *Oryza sativa* L. Plant Soil. 164:1-7.
- YEN, P.; INSKEEP, W. y WESTERMAN, R. 1988. Effects of soil moisture and phosphorus fertilization on iron chlorosis of sorghum. J. Plant Nutr. 11:1517-1531.

- YEOMANS, J.C. y BREMER, J.M. 1989. A rapid and precise method for routine determination of organic carbon in soil. *Communications in Soil Sci. and Plant Analysis*. 19:1467-1476.
- YOUNG, T.F. y TERRY, N. 1982. Transport of iron into leaves following iron resupply to iron-stressed sugar beet plants. *J. Plant Nutr.* 5:1273-1283.
- ZAHARIEVA, T. y RÖMHELD, V. 2000. Specific Fe²⁺ uptake system in Strategy I plant inducible under Fe deficiency *J. Plant Nutr.* 23(11&12):1733-1744.
- ZHANG, F.; RÖMHEL, V. y MARSCHNER, H. 1991. Effect of zinc deficiency in wheat on the release of zinc and iron mobilizing root exudates. *Z. Pflanzenernähr. Bodenk*, 152:205-210.
- ZHOLEN, A. Y TYLER, G. 2000. Transport of iron into leaves following iron resupply to iron-stressed sugar beet plants. *J. Plant Nutr.* 5:1273-1283.
- ZOCCHI, G. Y COCUCCHI, S. 1990. Fe uptake mechanism in Fe-efficient cucumber roots. *Plant Physiol.* 92:908-911.

