

## LIBRO DE ACTAS / *PROCEEDINGS BOOK*



# CIT2023

LA LAGUNA, TENERIFE

XV Congreso de Ingeniería del Transporte

**14, 15 y 16**  
de junio de 2023

**INNOVACIÓN  
EN MOVIMIENTO**



## **XV Congreso de Ingeniería del Transporte (CIT 2023)**

Facultad de economía, empresa y turismo. Avenida José Luis Moreno  
Becerra s/n. Campus de Guajara, 38200. San Cristóbal de La Laguna.



**Foro de Ingeniería del Transporte**

© **LOS AUTORES**

© **UNIVERSIDAD DE LA LAGUNA**

Edita: **POSTER 95 S.L.**

ISBN: **978-84-09-48462-1**

## ÍNDICE / CONTENTS

<b>11/12</b>	<b>PRESENTACIÓN / PRESENTATION</b>		
<b>13</b>	<b>FORO DE INGENIERÍA DEL TRANSPORTE / FORUM OF TRANSPORT ENGINEERING</b>		
<b>14</b>	<b>COMITÉ ORGANIZADOR / ORGANIZER COMMITTEE</b>		
<b>14</b>	<b>COMITÉ CIENTÍFICO / SCIENTIFIC COMMITTEE</b>		
<b>15</b>	<b>ORGANIZACIÓN Y PATROCINIO / ORGANIZATION AND SPONSORSHIP</b>		
<b>16/17</b>	<b>ACTO DE INAUGURACIÓN Y CONFERENCIA PLENARIA / OPENING CEREMONY AND PLENARY SESSION</b>		
<b>18/19</b>	<b>ÁREAS TEMÁTICAS / CONFERENCE TOPICS</b>		
<b>20</b>	<b>PROGRAMA DEL CONGRESO / CONFERENCE PROGRAM</b>		
<b>43</b>	<b>ACTAS / PROCEEDINGS</b>		
<b>44</b>	<b>Jóvenes investigadores / Young researchers</b>		
45	<b>Teleworking and its impact on mobility in the Region of Madrid</b> Abid Al-Akioui, Andrés Monzón	143	<b>Análisis de la gravedad de los accidentes entre un vehículo de micromovilidad y un vehículo motorizado</b> Almudena Sanjurjo de No, Ana María Pérez Zuriaga, Alfredo García
55	<b>Urban evolution and its relationship with tramway during the 19th and 20th centuries: a gis-based method</b> Irene Méndez-Manjón, Pedro Plasencia-Lozano	153	<b>MaaS potential users' profiles characterisation with a k-means clustering algorithm</b> Iago Medeiros Aguiar, Andrés Monzón de Cáceres, Iria López Carreiro
65	<b>Modelización del diseño de una red de Park-and-Ride con aproximaciones continuas</b> Biel Pallarès Salcedo, Hugo Badia Rodríguez, Miquel Estrada Romeu	153	<b>Analyzing pedestrians' crash injury risk factors in Barcelona</b> Ahmad Aiash, Francesc Robusté
75	<b>Microscopic modeling of Connected Autonomous Vehicles platooning: stability and safety analysis</b> Seshadri Naik Moode, Francesc Soriguera	174	<b>Efectos del tráfico en la contaminación atmosférica. Evidencia empírica en las olas de Covid-19 en la ciudad de Madrid</b> Jorge Bañuelos-Gimeno, Natalia Sobrino, Rosa M <sup>a</sup> Arce
85	<b>Estudio experimental del hueco aceptable para el perfeccionamiento de la maniobra de cambio de carril en vehículos autónomos</b> Sofía Sanchez-Mateo, Alberto Cruz-Ruiz, Felipe Jiménez	184	<b>Resource optimization problems to meet passenger demand in a public transport company</b> Guillermo Esquivel González, Antonio Sedeño Noda, Ginés León Rodríguez
92	<b>Los viajes de las mujeres en América Latina: el costo de oportunidad y la gestión de la demanda del transporte público</b> Laura Daniela Ramírez Leuro, Daniel Andrés Sandoval Pedreros	195	<b>SCALIBUR: technological system to optimize the organic waste collection and transport for its valorization</b> Francisco Vicente Sánchez, César Aliaga, Theodoros Giourkas
103	<b>Policies towards the resilience of road-based transport networks to wildfire events. The Iberian case</b> Erica Arango, María Nogal, Pilar Jiménez, Hélder S. Sousa, José C. Matos, Mark G. Stewart	201	<b>Análisis del efecto de la pandemia de COVID-19 en el uso y la propiedad de coches en ciudades europeas</b> María Vega-Gonzalo, Juan Gómez, Panayotis Christidis
113	<b>Analysis of the Elderly Pedestrian Injury Severity in Urban Traffic Accidents in Spain using Machine Learning Techniques</b> Daniel Gálvez-Pérez, Begoña Guirao, Armando Ortuño	210	<b>BIM-based Assessment of Solar Glare Risk on a Road Section</b> Ana Pérez-García, José Ángel Aranda, Norena Martín-Dorta
123	<b>A Tradable Mobility Credit Scheme Considering Urban Freight Distribution Vehicles</b> Siyu Li, Francesc Robusté	219	<b>Is bus passengers' satisfaction influenced by company's application and website features in long-distance bus services?</b> Shaghayegh Rahnama, Adriana Cortez, Andrés Monzón
133	<b>Preferencias de fuentes de información entre los usuarios de Cercanías Madrid: Elección y Satisfacción</b> Carlos Romero, Clara Zamorano, Andrés Monzón		

## 229 Economía del transporte | *Transport Economic*

- |     |  |     |   |
|-----|--|-----|---|
| 230 | <b>Eficiencia en Costes y Valor Añadido Bruto en el Sistema Portuario Español</b><br>Juan José Díaz-Hernández, David José Cova-Alonso, Eduardo Martínez-Budría   | 260 | <b>¿Gastan más las familias españolas en transporte público? Un análisis de los efectos de la gran recesión económica hasta la pandemia de COVID-19</b><br>Borja López del Campo, Jorge Bañuelos-Gimeno, Carlos Romero, Rosa M <sup>a</sup> Arce Ruiz |
| 240 | <b>Análisis de las Preferencias por la Movilidad como un Servicio en Entornos Turísticos</b><br>Rosa Marina González, Concepción Román, Juan Carlos Martín, Raquel Espino, Imanol L. Nieto-González, Ginés Guirao, M. Candelaria Gil | 269 | <b>Comparación de patrones estacionales en llegadas diarias de pasajeros de líneas aéreas</b><br>Gloria Martín-Rodríguez, José Juan Cáceres-Hernández   |
| 250 | <b>Public-private partnerships in European high-speed railway infrastructures: case studies</b><br>Mario González-Medrano, José-María Rotellar-García  |     |   |

## 279 Logística y transporte de mercancías | *Logistics and freight transport*

- |     |   |     |  |
|-----|---|-----|--|
| 280 | <b>¿Cómo lograr una distribución urbana de mercancías sostenible? Perspectiva de los stakeholders</b><br>Laura Garrido, Juan Nicolas Gonzalez, Jose Manuel Vassallo   | 380 | <b>Diseño de una herramienta para la gestión de un servicio de transporte de emergencias utilizando las APIs de google maps</b><br>María Jesús López Boada, Javier García Guzman, Daniel García Pozuelo-Ramos, Jose María Armingol Moreno, María Araceli Sanchis de Miguel, Hortensia Elena Amaris Duarte, Jose Manuel Molina Lopez, Roberto Losada Maestre, María Jesús Nieto Sanchez, Juanita Pedraza Córdoba, Beatriz López Boada |
| 290 | <b>The LogiSmile project – Piloting autonomous vehicles for lastmile logistics in European cities</b><br>Clément Lemardelé, Albert Baldó, Laia Pagés, Adina Aniculaesei, Andreas Rausch, Mariona Conill, Lars Everding, Thomas Vietor, Torben Hegerhorst, Roman Henze, László Mátyus, István Tóháti, Vidal Roca, Alberto Sanfeliu, Angel Santamaria-Navarro | 390 | <b>From road freight transport outsourcing chains to complex collaborative networks: a case study</b><br>Aitor Salas-Peña, Juan Carlos García Palomares, Blanca Rosa Cases Gutiérrez   |
| 300 | <b>Commercial agreements with retailers to strengthen an early response to earthquakes in an area of Mexico City</b><br>Luis Reynaldo Mota-Santiago, Angélica Lozano  | 400 | <b>Dynamic routes for waste collection in tourist destinations</b><br>Helí Alonso, Beatriz Gutiérrez, José Andrés Moreno-Pérez, Julio Brito Santana  |
| 310 | <b>Analysis of explanatory variables for estimating freight trip attraction in a commercial area in Mexico City</b><br>Adrián Esteban Ortiz-Valera, Angélica Lozano   |     |  |
| 320 | <b>Sistema inteligente para la gestión predictiva de la estancia y tránsito de vehículos pesados</b><br>Sergio Benítez-Delgado, Israel López-Plata, Belén Melián-Batista, Airam Expósito-Márquez, Christopher Expósito-Izquierdo, J. Marcos Moreno-Vega   |     |  |
| 330 | <b>Fire hazard reduction in ro-ro spaces by means of using a cargo distribution algorithm including fire risk management during the stowage process</b><br>Francisco Rodero Blánquez, África Marrero  |     |  |
| 340 | <b>Posicionamiento de los puertos en la transición energética. Desafíos y oportunidades del concepto de puerto verde</b><br>Alberto Camarero Orive, Javier Vaca Cabrero, María Nicoletta González Cancelas, José Ignacio Parra Santiago, David Díaz Gutiérrez, Francisco de Asís de Manuel López  |     |  |
| 349 | <b>Using Heuristics to Enhance Real-Life Warehouse Replenishment Processes in the Fashion Industry</b><br>Juliana Castaneda, Erika M. Herrera, Julio C. Londoño, Javier Panadero, Ángel A. Juan   |     |  |
| 359 | <b>Analysis and simulation of the capacity of the PLAZA intermodal railway station as a future rail motorway terminal</b><br>Jaime Escobar de la Iglesia, Emilio Larrodé Pellicer   |     |  |
| 369 | <b>Modelo de decisión para la evaluación de los criterios críticos de éxito de una operación de transporte sincromodal ferrocarril-carretera</b><br>Shaghayegh Rahnama, Victoria Muerza Marín, Emilio Larrodé Pellicer  |     |  |

## 411 Movilidad inteligente y nuevas tecnologías / *Smart mobility and new technologies*

- 412 **Clasificación de tipologías de vehículos mediante LiDAR 3D en la infraestructura**  
 Felipe Jiménez Alonso, Alberto Cruz Ruiz, Miguel Clavijo Jiménez, Guillermo Sánchez Gutiérrez-Cabello
- 422 **Sistema de seguimiento de trayectoria de un vehículo mediante control H $\infty$  por realimentación de salidas considerando perturbaciones en las medidas**  
 Manuel Jiménez Salas, Miguel Meléndez Useros, Fernando Viadero Monasterio, María Jesús López Boada, Beatriz López Boada
- 432 **Light-field and stereo cameras solutions applied to automotive industry**  
 Miguel Jiménez-Gomis, Ricardo Oliva-García, José Manuel Rodríguez-Ramos
- 440 **A Tourist Trip Design Problem involving capacity issues: model and heuristic resolution**  
 Dolores R. Santos-Peñate, José A. Moreno-Pérez, Clara Campos-Rodríguez, Rafael R. Suárez-Vega
- 450 **Análisis de la deformación y deterioros en pavimentos de carreteras debido al tráfico de vehículos pesados autónomos con modelos de elementos finitos**  
 Carlos Alonso Troyano, David Llopis Castelló, Alfredo García García
- 460 **Validation of a driving simulator for speed research on two-lane rural roads**  
 Santiago Higuera de Frutos, Marta Sáez Torner, María Castro Malpica
- 470 **GNSS data analysis, positioning and attitude determination using neural networks for air navigation**  
 Raúl de Celis, Luis Cadarso
- 478 **Análisis de la velocidad automatizada en vehículos de nivel SAE2**  
 Griselda López Maldonado, Sara Moll Montaner, David Llopis Castelló, Francisco Javier Camacho Torregrosa, Alfredo García García
- 488 **Microsimulation of the platooning of connected automated vehicles on freeways**  
 Laura Oriol, Margarita Martínez-Díaz, Marcel Sala, Francesc Soriguera
- 498 **Pagos digitales como transformación del transporte público**  
 Natalia Aldanondo Sánchez, Carlos Acha Ledesma
- 504 **Movilidad urbana en el temporal Filomena: un análisis a partir de datos de telefonía móvil en Madrid**  
 Yeray Cara Santana, Enrique Santiago Iglesias, Borja Moya Gómez, Juan Carlos García Palomares
- 514 **Balizas para el carril BUS VAO ITS de Tenerife**  
 Paula González de Chaves Assef, Miguel Pintor Sepúlveda
- 523 **Ecosistema virtual portuario: hacia los metapuertos**  
 Javier Vaca Cabrero, María Nicoletta González Cancelas, Alberto Camarero Orive, David Díaz Gutiérrez, Francisco de Asís de Manuel López, José Ignacio Parra Santiago
- 533 **Aplicación de datos de vehículos conectados para la planificación del transporte**  
 Rodrigo Vázquez Alonso, Carolina Schallibaum
- 543 **Health Care Logistics in Depopulated Mountainous Areas: the case of Lleida's Pyrenees**  
 Cristian Castillo, Laura Calvet, Javier Panadero, Eduard J. Alvarez-Palau, Marta Viu Roig, Angel A. Juan
- 553 **Recommendation of tourist itineraries with transport mode selection**  
 Cristina G. Navasa, Helí Alonso, José Andrés Moreno-Pérez, Julio Brito
- 563 **Urban crowdsensing by personal mobility vehicles to manage air pollution**  
 Pilar Jiménez, José Santa, Jesús Rubio-Aparicio, Emilio Ramos, Ramón Martínez, Esteban Egea-López
- 573 **Real options of distributed DAS sensing applied to transport engineering**  
 Ignacio Robles Urquijo, Adolfo Cobo García, Luis Rodríguez Cobo, M<sup>a</sup> Ángeles Quintela Incera
- 583 **Smart on-Road Technologies and Road Safety: A short overview**  
 Francesco Angioi, Alberto Portera, Marco Bassani, Juan de Oña, Leandro L. Di Stasi
- 593 **MaaS. El punto de vista del operador de transporte público.**  
 Natalia Aldanondo Sánchez, Carlos Acha Ledesma
- 598 **Keys to MaaS development. A qualitative approach based on the expectations of potential users**  
 Guadalupe González-Sánchez, Elvira Maeso-González, Francisco José Ávila-Giménez, María Isabel Olmo-Sánchez
- 608 **Spatial allocation of polling places considering urban mobility applied to Santiago, Chile**  
 Marcos Medina-Tapia, Tamara Sawady, Andrea Alvarado, Ricardo Crespo, Miquel Estrada, Benjamín Julio

## 618 Movilidad urbana | Urban Mobility

- 619 **Evolution of public transport demand in the Region of Madrid because of the Covid-19 pandemic**  
 Ángel D. Alonso Herrero, Andrés Monzón de Cáceres
- 629 **Uber y Cabify, ¿complemento o competencia del transporte público para reducir los accidentes urbanos? El caso de Madrid**  
 María Flor García, Armando Ortuño Padilla, Begoña Guirao Abad, Jairo Casares Blanco
- 639 **MaaS. Análisis de una experiencia piloto. El caso de ZUM en Zaragoza**  
 Antonio García Pastor, Clara Moreno, Nadim Matuk
- 650 **¿Cuál es el efecto de las políticas de transporte vinculadas a objetivos medioambientales en la demanda de aparcamiento en Madrid (España)?**  
 Juan Nicolás González, Juan Gómez, Jose Manuel Vassallo
- 660 **Urban Form Factors at Trip Origin and Destination as Determinants of Car Use: Evidence from Madrid Region**  
 Anna Ibraeva, Andrés Monzón de Cáceres, Elena López
- 670 **Evaluation of urban bus service quality in a medium-sized city: Case study Oviedo**  
 Shireen Al Suleiman, Adriana Cortez, Andrés Monzón
- 680 **Enabling Smart Urban Logistics: The Role of Open Data in Pamplona Mobility**  
 Anas Al-Rahamneh, Adrián Serrano-Hernández, Aitor Ballano Biurrun, Javier Faulin
- 690 **The 15-Minute City: Analysing Accessibility to Essential Daily Destinations by Active Mobility in Seville**  
**Miklós Radics, Panayotis Christidis, Borja Alonso Oreña, Luigi dell'Olio**  
 Security and safety of public transportation in irregular settlements of the Metropolitan Zone of México City  
 Clemencia Santos Cerquera, Angélica Lozano
- 709 **La movilidad laboral cotidiana de los trabajadores de los hoteles del Grupo Fedola en Costa Adeje (Tenerife)**  
 Fernando Davara Méndez, Moisés Simancas Cruz, David Suarez Perera
- 719 **NEOMOVILIDAD: Hacia la implementación de un sistema de transporte bajo en carbono en La Habana**  
 Reynier Campos Pompa
- 726 **Demand forecast on bike-sharing station using machine learning regression analysis**  
 Enrique Jiménez Meroño, Francesc Soriguera Martí
- 736 **Instrumentalización de un patinete eléctrico para evaluar la seguridad y el confort de la micromovilidad**  
 Víctor Just Martínez, Ana María Pérez Zuriaga, David Llopis Castelló, Alejandra Sofia Fonseca Cabrera, Carlos Alonso Troyano, Alfredo García
- 746 **Diferenciación entre los modos de transporte en los carriles bici**  
 Juan Benavente Ponce, Andrés Rodríguez Gutiérrez, Patricia Suarez Valero
- 756 **Modelos estadísticos y de aprendizaje automático para predecir las tarifas de viajes compartidos de los VTC**  
 Túlio Silveira-Santos, José Manuel Vassallo Magro, Thais Rangel Guilherme Christiano, Anestis Papanikolaou
- 766 **Are Demand Responsive Transport systems really justified to replace conventional bus service?**  
 Pau Cardona Olives, Miquel Estrada Romeu
- 776 **Urban mobility of tourism home guests: analysis of the rental homes location and their accessibility to the transport urban**  
 Armando Ortuño Padilla, Patricia Valenzuela, Begoña Guirao Abad, Fernando de Mingo López, María Flor García, Daniel Gálvez Pérez
- 785 **Optimisation of urban space based on geometric analysis of parallel parking lots**  
 Pedro Plasencia-Lozano, Irene Méndez-Manjón
- 795 **Los servicios municipales de movilidad. El reto de la transformación digital**  
 Ofelia Manjón-Cabeza Cruz
- 805 **La pervasión de las licitaciones del transporte público: abecedario de buenas prácticas para cambiar de paradigma**  
 Ana Díaz del Consuelo, Andrés García Martínez, Juan Ignacio Alcaide Bazán, Lucía Sarasola Sanz, Antonio García Pastor
- 815 **Un marco conceptual para integrar las TIC en las medidas espaciotemporales de accesibilidad**  
 Elizondo-Candanedo, Raúl F., Arranz-López, Aldo., Soria-Lara, Julio A.
- 825 **Nuevas soluciones de movilidad urbana y satisfacción con el viaje**  
 Yenis López Esalas, Lidón Mars Aicart, Rosa Arroyo, Beatriz Martín Rollón, Tomás Ruiz
- 835 **La ciudad de los 15 minutos ¿utopía o realidad?**  
 Cristina López García de Leániz, Allison Fernández Lobo
- 846 **Satisfacción y frustración de las necesidades psicológicas básicas en la movilidad urbana**  
 Beatriz Martín Rollón, Yenis López Esalas, Lidón Mars Aicart, Rosa Arroyo, Tomás Ruiz
- 856 **Regulación motivacional en la movilidad urbana de personas**  
 Tomas Ruiz Sánchez, Lidón Mars Aicart, Rosa Arroyo López, Pablo García Garcés

## 866 Operación y gestión / Operation and management

- 867 **Proyecto Centro de Control de la Movilidad de Gran Canaria**  
Rodrigo Pérez Senderos
- 876 **Model for updating traffic counts at level crossings in the spanish railway network**  
Jose-Manuel García, Jorge Murillo, Daniel Del-Moral, Francisco Cabrera
- 885 **Cooperative operation of public transport infrastructure to prevent crowding**  
Candela Martin, Juan Benavente, Raky Julio, Andrés Monzón
- 895 **Gestión de la velocidad límite de carreteras convencionales con tráfico ciclista mediante microsimulación del tráfico**  
Sara Moll, Griselda López, Alfredo García

- 905 **Experimental verification of the methodology to estimate transit dwell time from the Transit Capacity and Quality of Service Manual**  
Yaiza Montero-Lamas, Alfonso Orro, Margarita Novales, Graham Currie, James Reynolds

## 915 Planificación, infraestructuras y servicios / Planification, infrastructures and services

- 916 **Settlement Models Review for Ballasted Railway Tracks as a Tool to Analyze the Influence of the Horizontal Alignment Design on the Maintenance Period**  
Ali Alqatawna, Santos Sánchez-Cambronero García-Moreno, María Inmaculada Gallego Giner
- 926 **Assessing the added value of mapping scenario narratives for collaborative transport and urban planning**  
Amor Ariza-Álvarez, Julio A. Soria-Lara
- 936 **Planificación estratégica de estacionamientos en vía considerando competencia entre vehículos de pasajeros y de carga**  
Maira Milena Delgado Lindeman, José Luis Moura Berodia, Julián Arellana Ochoa
- 943 **Tail assignment-driven aircraft routing model**  
Rubén Jiménez Moreno, Francisco López Ramos, Manuel Fuentes González, Luis Cadarso Morga
- 953 **Evaluating the safety impact of employing a dedicated lane for connected and autonomous vehicles on a motorway section**  
Tasneem Miqdady, Rocío de Oña, Juan de Oña
- 963 **Posibilidades de recuperación de la calidad de los servicios de Cercanías en España: diagnóstico y propuestas**  
Ricardo Insa Franco, Pablo Salvador Zuriaga, Ignacio Villalba Sanchis, Pablo Martínez Fernández
- 973 **Air-rail timetable synchronisation for seamless multimodal passenger travel: a case study for Valencia-Lanzarote door-to-door journey**  
Jerónimo Bueno-González, Javier Burrieza-Galán, Oliva C. Cantú-Ros, Clarissa Livingston, Stefano Penazzi, Clara Buire, Aude Marzuoli, Daniel Delahaye
- 983 **A behavioral framework for the evaluation of airport infrastructure investments**  
Álvaro Rodríguez-Sanz, Luis Rubio Andrada
- 993 **El mercado de cruceros. Una inversión en auge en el Mediterráneo**  
José Ignacio Parra Santiago, David Díaz Gutiérrez, Alberto Camarero Orive, Rodrigo Pérez Fernández, Nicoletta González Cancelas, Javier Vaca Cabrero
- 1003 **Influencia del contenido de cemento en la resistencia de los firmes reciclados con cemento**  
Alaitz Linares-Unamunzaga, Hernán Gonzalo-Orden, María Nadia Aponte-Sanjinez, Heriberto Pérez-Acebo
- 1013 **Analytical study of sustainable bituminous pavements with artificial and reclaimed aggregates**  
Ángel Vega Zamanillo, Leticia López López, David Gómez Carrascal, Miguel Ángel Calzada Pérez, Evelio Teijón López-Zuazo
- 1023 **International Roughness Index (IRI) prediction models for freeways**  
Heriberto Pérez-Acebo, Miren Isasa, Itziar Gurrutxaga, Harkaitz Garcia, Aimar Insausti
- 1033 **Machine Learning Applied to Flexible Pavement Performance Prediction**  
Tiago Tamagusko, Adelino Ferreira
- 1040 **Probabilistic international roughness index (IRI) prediction model for a climate homogeneous region**  
Ángela Alonso-Solórzano, Heriberto Pérez-Acebo, Alaitz Linares-Unamunzaga, Hernán Gonzalo-Orden
- 1050 **Utilización de ecomateriales para la reconstrucción y recuperación de infraestructuras de carreteras en entornos volcánicos**  
Amílcar José Cabrera García
- 1060 **Caracterización de las estructuras territoriales en zonas rurales y su influencia en los servicios de transporte y la movilidad**  
David Ramírez-Cajigas, Amparo Moyano, José María Coronado
- 1070 **Diseño de una variante mediante programación matemática: carretera N-640 en Meira (Lugo)**  
Pedro Blanco-Valcárcel, Gerardo Casal, Alberte Castro, Duarte Santamarina, Miguel E. Vázquez-Méndez
- 1080 **Estudio del proceso de bateo de vía mediante técnicas de Machine Learning**  
Pablo Martínez Fernández, Ignacio Villalba Sanchis, Pablo Salvador Zuriaga, Ricardo Insa Franco

- 11090 **Problemática en el mantenimiento de la vía en placa tranviaria**  
Raúl Parra Hermida
- 11100 **Análisis de los parámetros de diseño involucrados en el diseño de la geometría en planta del trazado de las líneas de Ferrocarril de Alta Velocidad y su influencia en el período de explotación y mantenimiento**  
Santos Sánchez-Cambronero, Ali Alqatawna, Inmaculada Gallego, Ana Rivas
- 11110 **Integración de las estaciones de ferrocarril de Alta Velocidad en los sistemas de transporte a la demanda en entornos rurales**  
Carlos Tejero Beteta, Amparo Moyano Enríquez de Salamanca, Santos Sánchez-Cambronero García-Moreno
- 11220 **Macrosimulación para la planificación de transportes de altas prestaciones. Caso del Área Metropolitana de San Salvador (AMSS)**  
Fady Awad Núñez, Andrés Perriñán Fernández, Julián Sastre González, David Álvarez Castillo, Jaime Salom García
- 11330 **Influencia de la percepción de seguridad en el reparto modal de transporte de Madrid**  
Teresa López Moreno, María Eugenia López Lambas
- 11440 **Modelo de demanda de transportes: Modelo de la Comunidad de Madrid**  
Guillermo Maldonado Riesgo, Elena Fernández Muñoz, María Magdalena Esteban-Infantes Corral
- 11550 **Modelo de decisión de modo y tipología de aparcamiento en la transición hacia la era de la movilidad autónoma**  
Andrés Rodríguez Gutiérrez, Luigi dell'Olio, Ricardo Daziano, José Luis Moura
- 11660 **Extending accessibility for multi-modal analysis: the case of Madrid's low emission zone**  
Anastasia Soukhov, Javier Tarrío Ortiz, Julio A. Soria-Lara, Antonio Páez
- 11663 **Diseño de redes de movilidad en bicicleta utilizando técnicas de aproximación continua**  
Angélica Caicedo Mafla, Miquel Àngel Estrada Romeu
- 11772 **Consideraciones para un diseño integral enfocado en el uso de la bicicleta como medio de transporte**  
Daniel Chacón Oviedo, Daniela Segura Segura
- 11881 **Modelización peatonal: auge e importancia para su integración en la movilidad**  
M<sup>a</sup> del Rocío de la Cal Álvarez, Ángela Barba Muñoz
- 119191 **Universal accessibility and multimodal calm traffic on secondary streets to reduce pedestrian and vehicular conflicts**  
Gloria Londoño Mejía, Angélica Lozano Cuevas
- 1201201 **Factores clave para la regulación de patinetes eléctricos compartidos en áreas urbanas: un estudio del caso español**  
Natalia Sobrino, Juan Nicolás González, José Manuel Vassallo, María de los Ángeles Baeza
- 1211211 **A Biobjective Optimization Model to decide the lines attending a bus-stop with high passenger demands**  
Ginés León Rodríguez, Guillermo Esquivel González, Antonio Sedeño Noda
- 1221221 **Proyecto DIGIZITY. Un paso de gigante en la automatización y conectividad del transporte público**  
Borja López López, Antonio García Pastor
- 1231231 **Open Data for Evaluating Transit Systems. Challenges in Converting Real-Time Data into GTFS**  
Borja Moya-Gómez, Mariana Giannotti
- 1241241 **Metodología para la estimación de matrices de origen-destino en redes complejas de autobús con tratamiento de transbordos**  
Alfonso Orro, Margarita Novales, Ángel Monteagudo, Yaiza Montero-Lamas
- 1251251 **Integrating auto-rickshaws with a BRT system**  
Luis Márquez, Víctor Cantillo
- 1262262 **Desarrollos Orientados al Transporte. La experiencia de La Habana (Cuba)**  
David Álvarez Castillo, Julián Sastre González, María Cuello León, Reynier Campos Pompa, Lauger Leonel Medina Suárez, Guadalupe Rodríguez Rodríguez
- 1272272 **Fusión de datos pasivos geolocalizados de Google Maps y encuestas tradicionales de movilidad**  
Rosa Arroyo López, Tomás Ruiz Sánchez, Ignacio Villalba Sanchis, M<sup>a</sup> Lidón Mars Aicart, Angela Santini
- 1282282 **La implantación de un sistema de pago por uso de infraestructuras en España: ¿Qué efecto tendría sobre la equidad social y territorial?**  
Keila González Gómez, Juan Gómez Sánchez, Lucía Tapiador Cebrían, José Manuel Vassallo Magro
- 1292292 **What's favoring the expansion of new built-up areas? The correlation between transportation infrastructure and land development in Spain**  
Ali Maddahi, Eduard J. Alvarez Palau, Carles Mendéz Ortega
- 1302302 **La Última Milla en América**  
Isabel Amat Vall, Julián Sastre González, Martha Gutiérrez Echeverri
- 1312312 **Simheuristics algorithm for the Stochastic Home Social Care Scheduling Problem**  
Daniel Badell, Jéssica de Armas
- 1322322 **The role of stakeholders in early planning stages of urban mobility measures: anticipating barriers and challenges**  
Marí Luz Brownrigg-Gleeson, Adriana Cortez, Andrés Monzón
- 1332332 **Análisis de las experiencias de viaje de los usuarios del servicio de taxis de la ciudad de Medellín**  
Saúl Emilio Rivero Mejía, Katherine Bolaño Restrepo, Carlos Andrés Rodríguez Toro, Andrés Felipe Cossio Galeano, Yesica Alejandra Rodas Cano, Andrés Felipe Delgado Mejía



## 1342 Seguridad / Safety

- 1343 **Identificación de patrones accidentológicos de ciclistas en España. Periodos: 2000-2015 y 2016-2019**  
 Blanca Arenas Ramírez, Almudena Sanjurjo de No, Giovanni Pablo Pillajo Quijia, Edinalva Gomes Bastos, Francisco Aparicio Izquierdo
- 1353 **Utilización de algoritmos de reglas de asociación en la predicción de la gravedad de las lesiones causadas por accidentes en el transporte de mercancías**  
 Luis David Berrones-Sanz, Dulce María Monroy Becerril, Esteban Martínez Díaz
- 1364 **Recursos económicos dedicados a las carreteras y sus efectos sobre la seguridad vial de motociclistas en España**  
 José Navarro-Moreno, Juan de Oña, Francisco Calvo-Poyo
- 1374 **Un enfoque integral para la evaluación de mejoras en la seguridad vial a lo largo del proceso de inversión**  
 Julia Slowy, Francisco Reina Barranco, José Antonio Navarro Moreno
- 1384 **New test methodology for the assessment of bike-pavement skid-resistance**  
 Celia Delgado Durán, Daniel Álvarez Mántaras, Jorge Roces García, Luis Ángel Sañudo Fontaneda, Pablo Luque Rodríguez
- 1394 **Cuantificación de los efectos de las incertidumbres de un modelo de amortiguador magneto-reológico en un sistema de suspensión dinámica**  
 Ramón Alberto Gutiérrez Moizant, María Jesús López Boada, Beatriz López Boada, María Ramírez Berasategui, Andrés
- 1404 **Certifications related to road safety in automotive passenger transport companies**  
 Ricardo Valdez  
 Héctor Rubén Tarcaya, Antonio Adrián Arciénaga Morales
- 1412 **Análisis de la eficacia del panel que indica la velocidad como medida de calmado de tráfico en carreteras de calzada única afectadas por obras**  
 Heriberto Pérez-Acebo, José Manuel Baraibar-Díez, Uxue Arteagabeitia-Villanueva, Ander Atín-Ruiz-de-Viñaspre
- 1422 **Técnicas de Coordinación Semafórica. Evaluación en un Caso Práctico de Estudio**  
 Marta Rojo, Andrés Rodríguez-Gutiérrez, Borja Alonso-Oreña, Hernán Gonzalo-Orden
- 1432 **Are panels indicating vehicles' speed an efficient traffic calming measure in short urban areas, when they are placed alone?**  
 Miguel Ángel Salas, Heriberto Pérez-Acebo, Robert Ziolkowski, Hernán Gonzalo-Orden
- 1442 **The impact of the cyclist infrastructure type on bike accidents: the experience of Madrid**  
 Begoña Guirao, Daniel Gálvez- Pérez, Natalia-Casado-Sanz, Antonio Peco

## 1452 Sostenibilidad y transporte / Sustainability and transport

- 1453 **Characterisation of oil spills using hyperspectral technology and feature selection**  
 María Gema Carrasco García, María Inmaculada Rodríguez García, Juan Jesús Ruiz Aguilar, Javier González Enrique, Ignacio José Turias Domínguez
- 1463 **Emisiones de CO2 evitadas por la implantación de metros ligeros**  
 Raúl Parra Hermida
- 1470 **Balance Neto de Carbono en carreteras de la isla de Tenerife**  
 C. Gara Ramos Morales, Josefina Hernández Márquez, Miguel Pintor Sepúlveda, Ignacio Demaria Castañeda, Raul J. Pradana Yuste, Marta Espejo Rayo
- 1480 **Air Pollution forecasting using Long Short-Term Memory Networks in the Bay of Algeciras (Spain)**  
 María Inmaculada Rodríguez García, María Carrasco García, Juan Jesús Ruiz Aguilar, Javier González Enrique, Ignacio José Turias Domínguez
- 1490 **Collaboration futures in urban and transportation scenarios**  
 Alberto Rojas Rivero, Miguel Navarro-Ligero, M.a Eugenia López Lambas, Julio A. Soria-Lara
- 1500 **Impacto en la demanda de las reducciones tarifarias en transporte urbano y metropolitano**  
 Javier Abellán Cubría, Clara Moreno
- 1510 **Identification of long-distance tour purpose through ML-based data fusion techniques for combining mobile network and survey data**  
 Javier Burrieza-Galán, Ignacio Martín, Francisco Nicolai, Javier Monroig, Javier Torres, Miguel Picornell
- 1520 **Desafío 2050: el uso del escape room como alternativa para el aprendizaje de la movilidad sostenible**  
 Silvia Sipone, Andrés Rodríguez Gutiérrez, José Luis Moura Berodia, Marta Rojo Arce
- 1530 **Criterios de sostenibilidad en la planificación y proyectos de transporte y proceso de defensa del cambio climático en infraestructuras de transporte**  
 Elena Curto Alonso, María Carpio López
- 1540 **Identifying latent variables for active cycling mobility. An application for university students**  
 Raquel Espino Espino
- 1550 **Elección de modo de transporte en los desplazamientos al campus: una aplicación a la ciudad de Valencia**  
 Bárbara Vázquez Paja, María Feo Valero, Salvador del Saz Salazar
- 1560 **Uso de herramientas de micro simulación para validar modelos teóricos de estimación de la demanda peatonal**  
 Elena Díaz Burgos, Santos Sánchez - Cambroner, Monica Gentili, Ana María Rivas
- 1570 **¿Cómo influye comprar por internet en las pautas de movilidad de la población?**  
 Juan Gómez Sánchez, Lucía Tapiador Cebrián, Laura Garrido Maza, José Manuel Vassallo Magro
- 1580 **Low Emission Zones: exploring emerging forms of collaboration in ecological-transition environments**  
 Miguel L. Navarro-Ligero, Julio A. Soria-Lara

- 1590 **Dificultades y retos en la implantación de un PMUS en municipios canarios: el caso de la Villa de La Orotava en la Isla de Tenerife**  
 Pedro Josafat Brito Castro, Sergio Navarrete González, Eva Luna Romero González, Pablo Oromí Fragoso, Ana María Rodríguez Alloza
- 1600 **Impacto de las Zonas de Bajas Emisiones en el cambio modal**  
 Javier Tarriño Ortiz, Juan Gómez Sánchez, Julio Alberto Soria Lara, José Manuel Vassallo Magro
- 1610 **Low Emission Zones Implementation Pathways for medium and small cities: a multi-stakeholder and multi-city approach (LEZIPA)**  
 Mohammadnour Mashagba, Juan de Oña, Francisco Calvo-Poyo
- 1620 **Diseño de mezclas bituminosas sostenibles para su uso en carriles bici**  
 David Llopis Castelló, Carlos Alonso Troyano, Pablo Álvarez Troncoso, Aida Marzá Beltrán, Alfredo García García
- 1630 **Estudio experimental sobre la incorporación de la fracción mixta del reciclaje de plástico como reemplazo parcial del ligante en mezclas asfálticas**  
 Diana Movilla-Quesada, Aitor C. Raposeiras, Luis T. Silva-Klein
- 1641 **Análisis del comportamiento reológico de la interfaz filler-ligante de másticos bituminosos con cenizas volantes**  
 Aitor C. Raposeiras, Diana Movilla-Quesada, Manuel Lagos-Varas, Natali Cabrera-Sepúlveda
- 1653 **Análisis de ciclo de vida de mezclas bituminosas con caucho procedente de NFVU introducido por la vía seca y aditivos de mezclas semicalientes para reducir la temperatura de fabricación y compactación**  
 Ana María Rodríguez-Alloza, Daniel Garraín, A.R. Pasandín, María del Cristo Adrián de Ganzo
- 1662 **Sustainable road concrete pavements with recycled aggregate from reclaimed asphalt pavement and construction and demolition waste**  
 Evelio Teijón López-Zuazo, Ángel Vega Zamanillo, Miguel Ángel Calzada Pérez, Leticia López López, Juan Manuel Refoyo Vara
- 1672 **Análisis de las estrategias para la descarbonización del transporte de mercancías por carretera**  
 M<sup>a</sup> Victoria Muerza Marín, Emilio Larrodé Pellicer
- 1682 **Impactos de la pandemia en la distribución modal de la movilidad urbana y sus derivadas medioambientales: el caso Cartagena (España)**  
 Salvador García-Ayllón Veintimilla
- 1692 **The effects of the COVID-19 pandemic on mobility: what the evidence tells us**  
 Clara Soler, Genís Majoral, Sergi Saurí, Jordi Pons-Prats
- 1702 **Análisis del uso de los servicios de moto compartida en la sociedad post-COVID: aplicación a las ciudades españolas**  
 María Vega Gonzalo, Álvaro Aguilera García, Juan Gómez Sánchez, José Manuel Vassallo Magro
- 1712 **Research on technologies for highly safe autonomous and connected mobility in complex environments**  
 Patricia Navarro, José Ignacio Garrigós, Laura Esteban, Marta Garrido, Nuria Herranz, Javier Zabaleta
- 1721 **Experiencing the Autonomous Bus: Results from a tourist survey**  
 María Eugenia López Lambas, Amor Ariza-Álvarez, Julio A. Soria-Lara
- 1731 **Exploring working profiles in the era of teleworking: The case of Madrid (Spain)**  
 Iria López-Carreiro, Andrés Monzón, Elena López
- 1741 **Transporte público y accesibilidad universal: Estado de la cuestión y perspectivas post-COVID**  
 María Cuello León, Alicia González Marín, Julián Sastre González
- 1751 **Vinculando las percepciones del uso del Metro de Madrid al espacio a partir de datos de Twitter**  
 Joaquín Osorio Arjona
- 1760 **Diseño preliminar de una planta de producción de biodiésel en Canarias para el fomento del transporte sostenible**  
 Laura Díaz Rodríguez, Karina E. Rodríguez Espinoza, Candela Díaz García, L. Antonio González Mendoza, Douglas J. Escalante Ayala, Alicia Torres Gil, J. Aythami Pérez-Remedios, Rocío Castelo Mato
- 1770 **La digitalización del seguimiento del desherbado químico de infraestructuras como herramienta de minimización del impacto ambiental**  
 María Montero Cuéllar, María Berlanga Ruiz, Eva López Martínez, Fernando Ruiz Gámez
- 1779 **Índice de Sostenibilidad para el Transporte Público de la Ciudad de México**  
 Luis David Berrones-Sanz
- 1791 **Diseño de encuestas para conocer las preferencias del usuario en el uso de las App móviles que fomenten el transporte público**  
 Juan Francisco Coloma, Marta García, Andrés Monzón
- 1801 **Assessing urban bus users' satisfaction in Tangier, a developing medium-sized city**  
 Adriana Cortez, Andrés Monzón
- 1811 **Personalización de las aplicaciones de viaje en ciudades medias-pequeñas para conseguir pautas de movilidad más sostenibles**  
 Marta García García, Juan Francisco Coloma Miró, Lucía Gil Portillo, Andrés Monzón de Cáceres
- 1821 **Methodology for public passenger transport in developing countries: a survey**  
 Carmen Angelina García-Cerrud, Idalia Flores de la Mota
- 1831 **Design and evaluation of a recovery propulsion system: parametric analysis towards the improvement of energy efficiency in air transport**  
 Jorge Saavedra, Luis Cadarso
- 1841 **Life cycle assessment of eVTOL vehicles in island system. Case Study: Canary Island**  
 Néstor Velaz Acera, Dánae Arcauz Durán, David Borge Diez
- 1851 **Análisis de las emisiones de contaminantes en aeropuertos**  
 Raquel Rodríguez Quintana

**1861 Vehículos, material móvil y equipos / Vehicles, mobile material and equipment**

- 1862 **Influencia de la disposición de la batería AV sobre las sollicitaciones experimentadas por un ocupante de un vehículo eléctrico en una colisión lateral**  
Ana L. Olona Solano, Luis Castejón Herrero
- 1872 **Optimización de la estructura de protección de la batería de tracción de un vehículo eléctrico**  
Ana L. Olona Solano, Luis Castejón Herrero
- 1882 **Predictive model for the evaluation of liquefied natural gas rail traction on non-electrified routes**  
Pablo Luque Rodríguez, Daniel Álvarez Mántaras, Luciano Sánchez Ramos
- 1892 **Factors associated with young drivers traffic accidents in urban areas: the experience of Madrid**  
Natalia Casado-Sanz, Begoña Guirao, Daniel Gálvez-Pérez
- 1902 **Platooning of Connected Autonomous Vehicles in freeway traffic: state of the art**  
Seshadri Naik Moode, Francesc Soriguera
- 1912 **Route optimization for EV fleets in freight urban distribution with real-time autonomy management and CO2 emissions blockchain-powered tracking**  
Emilio Larrodé Pellicer, Juan Bautista Arroyo García, M<sup>a</sup> Victoria Muerza Marín
- 1921 **The effect of driving/braking torque vectoring on electric vehicle efficiency**  
Daniel Álvarez Mántaras, Pablo Luque Rodríguez, Marta Alonso Villarmarzo, Alberto García Martínez

**1931 PREMIOS A PONENCIAS PRESENTADAS POR JÓVENES INVESTIGADORES / AWARD FOR PRESENTATIONS SUBMITTED BY YOUNG RESEARCHERS**

**1932 AGRADECIMIENTOS / ACKNOWLEDGMENTS**

# **Analysis of the Elderly Pedestrian Injury Severity in Urban Traffic Accidents in Spain using Machine Learning Techniques**

**Daniel Gálvez-Pérez**

Predoctoral fellow, UPM, Spain

**Begoña Guirao**

Associate professor, UPM, Spain

**Armando Ortuño**

Associate professor, UA, Spain

## **ABSTRACT**

Walking is an essential activity for a healthy lifestyle. In urbanized areas, the risk of suffering a traffic accident as a pedestrian is a matter of concern, and this situation has been widely studied. Elderly pedestrians are vulnerable road users due to their fragility and loss of physical faculties, and the probability of elderly pedestrians being killed or seriously injured in a traffic accident is higher than for the rest of the pedestrians. Furthermore, the elderly population is expected to increase in the coming decades. Hence, the study of these situations is necessary to build safer, healthier, and more sustainable cities. Little research has been devoted to the study of the relationship between injury severity elderly pedestrians and the characteristics of the accident location. The objective of this study is to investigate the influence of accident and built environment factors on the severity of elderly pedestrian urban traffic accidents in Spain. For this purpose, logistic regression, and random forest models together with data resampling techniques were used to analyze the injury severity of vehicle collisions suffered by elderly pedestrians in Spain from 2016 to 2019, and its link with accident and built environment features. As expected, the random forest outperformed the logistic regression performance for both samples, but the logistic regression results are easier to interpret. Results showed the influence of both accident and built environment variables in the injury severity, being accidents in more populated cities less severe for all pedestrians. In addition, the age of the pedestrian, which indicates the need to study this age group in a more disaggregated manner, and accidents in dark spots artificially lighted, which suggests that those locations are not properly lighted for the elderly, are key factors for the injury level of elderly pedestrian traffic accidents.

## **1. INTRODUCTION**

Vehicle-pedestrian collisions, like all traffic accidents, have been extensively studied from two complementary perspectives: occurrence, which assess the number of accidents registered within an area, or road element; and injury severity, which analyze the severity of the accident, normally in terms of the injury level of the victims. The demographic ageing of the population has a significant effect on road safety outcomes, as supported by official statistical data. For instance, Europe has experienced a rise in road deaths among the elderly

(above 65), from 17% of all road deaths in 1992 to 29% in 2018; and 50% of the dead pedestrians pertain to this age group (European Commission, 2021a). A high proportion of these fatalities were suffered by elderly pedestrians, with 34% in Europe and 44% in Spain. Regarding the location of the accident, elderly fatalities are more common in urban roads (53%) than all ages fatalities (38%). Elderly fatalities are relatively more frequent than all ages fatalities during the morning and afternoon, with two peaks between 9:00-11:00 and 15:00-18:00 (European Commission, 2021b). In Spain, with one of the oldest populations globally, elderly pedestrian fatalities on urban roads represented 70% of all pedestrian fatalities in 2019, while seniors accounted for only 19% of the population (DGT, 2020). This illustrates the inherent fragility of the elderly population. The ageing process normally causes the increase of impairments in population which raises their injury risk in case of a vehicle collision and reduces their resilience during the recovering process (CONSOL, 2013; European Commission, 2015). The high incidence of serious and fatal accidents involving elderly pedestrians highlights the need to not only reduce the number of elderly pedestrian accidents, but also to minimize the injury severity of these accidents. This paper is divided into four sections. The first part provides the introduction; the second part reviews the state of the art on injury severity of traffic accidents and built environment; the third section describes the methodology, including data modelling and results; and the fourth section summarizes the findings and potential further research.

## **2. INJURY SEVERITY OF TRAFFIC ACCIDENTS AND BUILT ENVIRONMENT**

Most studies on injury severity of vehicle-pedestrian collisions include factors of the accident, like time of the day, day of the week, season, and location; the pedestrian, like age and gender; the driver, like age and gender; and the vehicle, like type of vehicle. Researchers have also included on their analyses accident conditions (e.g., lightning, weather, and surface condition), depending on the quality of the traffic accident database. In addition, some authors have assessed the impact of built environment variables on injury severity, including socio-demographic features, such as population size (Pour-Rouholamin & Zhou, 2016) and population density (Clifton et al., 2009); land use features, such as land uses presence, land use mix and points of interest (POIs) (Casado-Sanz et al., 2019, 2020; Clifton et al., 2009; Kim et al., 2008, 2010; Park & Bae, 2020; Song et al., 2021); infrastructure features, such as intersections, crossings, traffic lights and bus stops per km (Clifton et al., 2009; Munira et al., 2020; Park & Bae, 2020; Rampinelli et al., 2022). This last approach provides valuable insight into how these features affect injury severity, but it requires collecting and processing data and linking it to each of the studied accidents. This process has been commonly conducted in the literature using two methods: collecting information from an area around each accident (Clifton et al., 2009; Park & Bae, 2020) or collecting information of territorial units (administrative or not) and assigning to each accident the information of the territorial unit where it occurred (Pour-Rouholamin & Zhou, 2016). This study used the second option due to the substantial number of accidents and geographical extension (Spain) under investigation, so each accident was linked to the built environment variables of the municipality where it was registered. Regarding the methodology, researchers have used

traditional classification models such as binary logistic regression (Casado-Sanz et al., 2019; Park & Bae, 2020), multinomial logistic regression (Casado-Sanz et al., 2020; Manner & Wünsch-Ziegler, 2013), ordered logistic regression (Mokhtarimousavi et al., 2020; Pour-Rouholamin & Zhou, 2016), and ordered probit regression (Clifton et al., 2009). These classification models are relatively easy to implement and interpret, but they only account for linear relationships between the independent variables and outcome. More recently, other classification machine learning (ML) techniques such as random forests (RF) or artificial neural networks (ANN) have been used to consider non-linearity (Li et al., 2017; Mokhtarimousavi et al., 2020). Although these algorithms are expected to outperform traditional models in classification scores, they might be more challenging to interpret, but the relative importance of the covariates can be analyzed (Friedman, 2001).

### 3. METHODOLOGY

#### 3.1 Database

The objective of this study is to investigate the influence of accident and built environment factors on the injury severity of elderly pedestrian urban traffic accidents in Spain. To achieve this goal, two datasets were utilized: (1) accident features, including accident, pedestrian, driver, and vehicle information, and (2) Spanish municipalities built environment features, including socio-demographic, land use, and infrastructure information. These datasets were linked based on the municipality where each accident was registered. The first dataset (1) was obtained from the National Database of Traffic Accidents (DGT) from 2016 to 2019. Out of 51,068 vehicle-pedestrian collisions during this period, 45,098 (88%) involved a single vehicle and single pedestrian configuration, which was the only configuration considered due to its high frequency. The accidents were grouped (Table 1) by pedestrian age and injury level. Of the killed and seriously injured pedestrians, 71% and 41%, respectively, were elderly pedestrians, indicating their vulnerability, as they represent 28% of the pedestrian victims. The target variable was obtained by grouping the injury level of the pedestrian into two groups: slight accidents (slightly injured and unharmed), and severe accidents (killed and seriously injured). Accident, pedestrian, driver, and vehicle features were also collected for each accident (Table 2). Apart from these features, built environment influence should be assessed. The second dataset (2) was obtained by processing data from multiple sources, including socio-demographic (INE), land use (SIOSE and OpenStreetMap (OSM)), and infrastructure (OSM) features. Socio-demographic data was assumed to be already representative of urbanized areas only. For the land use and infrastructure features, a systematic process was designed using GIS algorithms in ArcGIS (Esri Inc., 2020) and data wrangling in R (R Core Team, 2013) to obtain the features of the urbanized area of each municipality (provided by IGN). The final list of built environment features is shown in Table 2. The two datasets were joined based on the municipality where the accidents were registered. Samples with null or unspecified information were removed, resulting in a dataset of 35,646 accidents, 10,848 suffered by elderly pedestrians. To test whether the effects of the variables on injury severity are specific for the elderly pedestrians or common for all pedestrians two samples were used: EP (elderly pedestrian accidents) and

NEP (non-elderly pedestrian accidents) samples.

Age of the pedestrian	Injury level of the pedestrian				Total
	Death	Seriously injured	Slightly injured	Unharmed	
Elderly	598 (71.1%)	2,238 (41.3%)	9,899 (25.8%)	54 (12.0%)	12,789 (28.4%)
Non-elderly	235 (27.9%)	3,076 (56.8%)	27,104 (70.6%)	332 (73.9%)	30,747 (68.2%)
Unknown	8 (1.0%)	99 (1.8%)	1,392 (3.6%)	63 (14.0%)	1,562 (3.5%)
<b>Total</b>	<b>841</b>	<b>5,413</b>	<b>38,395</b>	<b>449</b>	<b>45,098</b>

**Table 1 – Injury level of pedestrians in traffic accidents in Spain (2016 – 2019).**

Variable	Category	EP sample: Elderly pedestrian accidents			NEP sample: Non-elderly pedestrian accidents		
		Total (N=10,848)	Slight (N=8,436) (77.8%)	Severe (N=2,412) (22.2%)	Total (N=24,798)	Slight (N=22,209) (89.6%)	Severe (N=2,589) (10.4%)
<b>Accident characteristics</b>							
<i>Time of the day</i>	Morning*	4,096 (37.8%)	3,156 (77.1%)	940 (22.9%)	6,697 (27.0%)	6,017 (89.8%)	680 (10.2%)
	Early morning	41 (0.4%)	32 (78.0%)	9 (22.0%)	731 (2.9%)	593 (81.1%)	138 (18.9%)
	Afternoon	3,939 (36.3%)	3,173 (80.6%)	766 (19.4%)	8,787 (35.4%)	7,974 (90.7%)	813 (9.3%)
	Evening	2,253 (20.8%)	1,696 (75.3%)	557 (24.7%)	6,011 (24.2%)	5,388 (89.6%)	623 (10.4%)
	Night	519 (4.8%)	379 (73.0%)	140 (27.0%)	2,572 (10.4%)	2,237 (87.0%)	335 (13.0%)
<i>Weekday</i>	Weekday*	8,976 (82.7%)	6,978 (77.7%)	1,998 (22.3%)	20,270 (81.7%)	18,221 (89.9%)	2,049 (10.1%)
	Weekend	1,872 (17.3%)	1,458 (77.9%)	414 (22.1%)	4,528 (18.3%)	3,988 (88.1%)	540 (11.9%)
<i>Season</i>	Spring*	2,547 (23.5%)	1,998 (78.4%)	549 (21.6%)	6,455 (26.0%)	5,744 (89.0%)	711 (11.0%)
	Summer	2,538 (23.4%)	2,010 (79.2%)	528 (20.8%)	5,687 (22.9%)	5,150 (90.6%)	537 (9.4%)
	Autumn	2,863 (26.4%)	2,227 (77.8%)	636 (22.2%)	6,370 (25.7%)	5,699 (89.5%)	671 (10.5%)
	Winter	2,900 (26.7%)	2,201 (75.9%)	699 (24.1%)	6,286 (25.3%)	5,616 (89.3%)	670 (10.7%)
<i>Lighting</i>	Daylight*	8,833 (81.4%)	6,991 (79.1%)	1,842 (20.9%)	17,571 (70.9%)	15,917 (90.6%)	1,654 (9.4%)
	Dawn dusk	314 (2.9%)	219 (69.7%)	95 (30.3%)	859 (3.5%)	765 (89.1%)	94 (10.9%)
	Artificial light	1,545 (14.2%)	1,104 (71.5%)	441 (28.5%)	5,631 (22.7%)	4,870 (86.5%)	761 (13.5%)
	Dark no light	156 (1.4%)	122 (78.2%)	34 (21.8%)	737 (3.0%)	657 (89.1%)	80 (10.9%)
<i>Weather</i>	Fair weather*	10,049 (92.6%)	7,861 (78.2%)	2,188 (21.8%)	22,628 (91.2%)	20,295 (89.7%)	2,333 (10.3%)
	Inclement weather	799 (7.4%)	575 (72.0%)	224 (28.0%)	2,170 (8.8%)	1,914 (88.2%)	256 (11.8%)
<i>Surface</i>	Dry*	9,783 (90.2%)	7,653 (78.2%)	2,130 (21.8%)	22,124 (89.2%)	19,840 (89.7%)	2,284 (10.3%)
	Surface condition	1,065 (9.8%)	783 (73.5%)	282 (26.5%)	2,674 (10.8%)	2,369 (88.6%)	305 (11.4%)
<i>Location of the accident</i>	Road section*	6,295 (58.0%)	4,837 (76.8%)	1,458 (23.2%)	15,876 (64.0%)	14,148 (89.1%)	1,728 (10.9%)
	Road intersection	4,553 (42.0%)	3,599 (79.0%)	954 (21.0%)	8,922 (36.0%)	8,061 (90.3%)	861 (9.7%)
<b>Pedestrian characteristics</b>							
<i>Age</i>	(numeric)**	76.5 (7.36)	76.1 (7.32)	77.7 (7.38)	34.7 (18.2)	34.4 (18.0)	37.7 (19.1)
<i>Gender</i>	Man*	4,817 (44.4%)	3,718 (77.2%)	1,099 (22.8%)	11,391 (45.9%)	10,108 (88.7%)	1,283 (11.3%)
	Woman	6,031 (55.6%)	4,718 (78.2%)	1,313 (21.8%)	13,407 (54.1%)	12,101 (90.3%)	1,306 (9.7%)
<b>Driver characteristics</b>							
<i>Age</i>	(numeric)**	51.9 (77.6)	52.9 (83.1)	48.7 (53.9)	53.5 (93.7)	54.2 (96.9)	47.5 (58.5)
<i>Gender</i>	Man*	8,208 (75.7%)	6,353 (77.4%)	1,855 (22.6%)	18,275 (73.7%)	16,289 (89.1%)	1,986 (10.9%)
	Woman	2,640 (24.3%)	2,083 (78.9%)	557 (21.1%)	6,523 (26.3%)	5,920 (90.8%)	603 (9.2%)
<b>Vehicle characteristics</b>							
<i>Vehicle type</i>	Car*	8,858 (81.7%)	6,906 (78.0%)	1,952 (22.0%)	20,231 (81.6%)	18,155 (89.7%)	2,076 (10.3%)
	Motorcycle	803 (7.4%)	606 (75.5%)	197 (24.5%)	2,436 (9.8%)	2,188 (89.8%)	248 (10.2%)
	Bus	184 (1.7%)	118 (64.1%)	66 (35.9%)	446 (1.8%)	332 (74.4%)	114 (25.6%)
	Truck	372 (3.4%)	262 (70.4%)	110 (29.6%)	485 (2.0%)	396 (81.6%)	89 (18.4%)
	Bicycle	502 (4.6%)	451 (89.8%)	51 (10.2%)	917 (3.7%)	883 (96.3%)	34 (3.7%)
	Other	129 (1.2%)	93 (72.1%)	36 (27.9%)	283 (1.1%)	255 (90.1%)	28 (9.9%)
<b>Municipality characteristics</b>							
<b>Socio-demography</b>							
<i>Population size (inhabitants)</i>	< 10,000*	857 (7.9%)	555 (64.8%)	302 (35.2%)	1,096 (4.4%)	913 (83.3%)	183 (16.7%)
	10,000 to 50,000	2,409 (22.2%)	1,804 (74.9%)	605 (25.1%)	4,737 (19.1%)	4,233 (89.4%)	504 (10.6%)
	50,000 to 100,000	1,856 (17.1%)	1,421 (76.6%)	435 (23.4%)	4,802 (19.4%)	4,296 (89.5%)	506 (10.5%)
	100,000 to 500,000	3,675 (33.9%)	2,933 (79.8%)	742 (20.2%)	8,661 (34.9%)	7,749 (89.5%)	912 (10.5%)
	> 500,000	2,051 (18.9%)	1,723 (84.0%)	328 (16.0%)	5,502 (22.2%)	5,018 (91.2%)	484 (8.8%)
<i>Population density</i>	(numeric)**	107.0 (74.5)	111.0 (76.3)	92.2 (65.9)	115.0 (75.7)	116.0 (76.6)	101.0 (65.8)
<i>Main house rate</i>	(numeric)**	0.775 (0.12)	0.780 (0.12)	0.755 (0.12)	0.795 (0.11)	0.797 (0.11)	0.776 (0.12)
<b>Land use</b>							
<i>Primary proportion</i>	(numeric)**	0.110 (0.14)	0.104 (0.13)	0.131 (0.15)	0.092 (0.12)	0.090 (0.12)	0.106 (0.12)
<i>Secondary proportion</i>	(numeric)**	0.055 (0.06)	0.056 (0.06)	0.052 (0.06)	0.057 (0.07)	0.058 (0.07)	0.054 (0.06)
<i>Tertiary proportion</i>	(numeric)**	0.137 (0.08)	0.141 (0.08)	0.126 (0.08)	0.147 (0.07)	0.148 (0.07)	0.144 (0.08)
<i>Residential proportion</i>	(numeric)**	0.518 (0.14)	0.520 (0.14)	0.509 (0.14)	0.523 (0.14)	0.524 (0.14)	0.513 (0.13)
<i>Land use mix</i>	(numeric)**	0.646 (0.10)	0.645 (0.10)	0.651 (0.10)	0.646 (0.10)	0.645 (0.10)	0.656 (0.10)
<i>POIs per km</i>	(numeric)**	6.10 (6.09)	6.42 (6.29)	5.00 (5.20)	6.32 (6.23)	6.40 (6.30)	5.63 (5.59)
<b>Infrastructure</b>							
<i>Road intersections per km</i>	(numeric)**	8.78 (1.33)	8.77 (1.31)	8.81 (1.40)	8.76 (1.32)	8.76 (1.32)	8.78 (1.32)
<i>Crossings per km</i>	(numeric)**	4.97 (4.25)	5.19 (4.37)	4.19 (3.71)	5.34 (4.31)	5.42 (4.37)	4.62 (3.74)
<i>Traffic signals per km</i>	(numeric)**	0.89 (1.25)	0.97 (1.31)	0.61 (0.96)	0.97 (1.33)	1.00 (1.35)	0.73 (1.06)
<i>Bus stops per km</i>	(numeric)**	0.65 (0.52)	0.68 (0.53)	0.55 (0.48)	0.69 (0.50)	0.69 (0.50)	0.64 (0.46)

\* Baseline category for the logistic regression model

\*\* For numeric variables the mean and standard deviation are displayed [mean (SD)]

**Table 2 – Summary statistics of the independent variables.**

### 3.2 Logistic regression and Random Forest classifier

In this study, logistic regression (LR) and random forest (RF) were used to predict the injury level of the pedestrian who suffered the collision. As the target variable is a binary variable, the LR predicts the probability of an accident to be severe (seriously injured or killed pedestrian). The parameters were estimated using the maximum likelihood method. RF is a

supervised and ensemble learning method based on the decision tree classifier and bootstrap aggregating. The decision tree classifier is a classifier method based on decision tree learning, a method that, from the root node, splits the data considering the value of a particular feature until a “leaf”, a node that presents the output, is reached. Ensemble learning is based on constructing a strong learner from a set of weak predictors, and the prediction is obtained through the majority vote of the decision trees in this case. Bootstrap aggregating, or bagging, is an algorithm to avoid overfitting that consists of creating ‘k’ subsamples of size ‘m’ from a dataset of ‘n’ samples with replacement and to train each of the ‘k’ decision trees of the RF with each subsample. RF classifier is expected to outperform the accuracy of more traditional methods, such as LR, as it can consider non-linear relations between the covariates and the target feature. In contrast, the functioning of the RF is hard to understand due to the large number of trees and their complexity. Understanding the contribution of the covariates is difficult, but a ranking of the variable importance can be obtained using two values: the mean decrease accuracy (MDA) and the mean decrease impurity (MDI). The MDA of a variable is the rate of change of the accuracy when that variable is randomly permuted, using the out-of-bag subsample in each tree. If permuted, more important variables will affect MDA more than less important ones. The MDI is the average contribution of each variable to the homogeneity of the nodes, measured by the Gini impurity, in the splitting process over all the trees.

### **3.3 Models training**

#### **3.3.1 Train and test sets**

To avoid over-optimistic results of the trained ML algorithms, they should be trained and tested with different data. The train set is commonly used to train the models and perform hyperparameters optimization, while the test set is only used for testing the final models. In this study, the train and test sets used were obtained from the elderly and non-elderly accidents datasets by randomly extracting 80% and 20% of the samples, respectively. Furthermore, this process was set to maintain the distribution of the target variable from the original databases.

#### **3.3.2 Imbalanced data classification**

Working with imbalanced data is a common issue in classification problems using real-world data, and this is the case of our study, as slight accidents represent about 80% and 90% (ratios of 1:4 and 1:9) of the elderly and non-elderly pedestrian accidents samples, respectively. The nature of the original datasets might affect the training process of the ML algorithms, and these algorithms may overfit and generalize the majority class. Road safety injury severity studies normally do not account for this issue (Fiorentini & Losa, 2020), and researchers usually give an overall result for the model (accuracy), which tends to be high as the algorithm classifies properly the majority class. To deal with imbalanced data, resampling techniques (undersampling and oversampling) should be used to train the model with balanced data. On the one hand, undersampling techniques reduce the number of samples of the majority class by sampling ‘n’ samples of the majority class, being ‘n’ the number of



samples of the minority class. This method reduces the computing cost and uses real data only, but potentially useful data is removed. On the other hand, oversampling techniques augment the number of minority class samples until there is a 50/50 balance, by duplicating samples or creating new samples of the minority class. Hence, the ML algorithm is trained with synthetic data and this algorithm might lead to overfitting if the new samples are duplicates of the real data. As both techniques have advantages and drawbacks, both of them were tested and compared with models trained without resampling. The chosen undersampling technique is random undersampling and the oversampling technique is ‘SMOTE’ (Chawla et al., 2002), implemented through ‘SMOTE-NC’ class of Python’s ‘imbalanced-learn’ package (Lemaître et al., 2017), as it is designed to work with datasets with both categorical and numerical features.

### 3.3.3 Hyperparameter optimization: k-fold cross-validation

ML algorithms usually have several inputs that can be divided in two groups: training data and hyperparameters). Variation of the hyperparameters might affect the accuracy, so obtaining the set of hyperparameters that presents the best classification is needed. This process is known as hyperparameter optimization, or hyperparameter tuning. In this case, *k*-fold cross-validation technique was used, which consists of dividing the training set in ‘*k*’ folds, being 5 or 10 usual values for ‘*k*’, and training ‘*k*’ models by using *k*-1 subsets for the training and 1 for the testing. In this research, an exhaustive hyperparameter optimization was carried out using a 10-fold cross-validation. Regarding the hyperparameter to optimize; on the one hand, LR has some hyperparameters to tune, but performance might not be affected as these are more related with computing cost, so hyperparameters were set by default. On the other hand, RF has several hyperparameters related to the algorithm’s topology, and 3 hyperparameters were tuned testing the following values: the number of decision trees of the forest [100, 300, 500, 800, 1000, 1500], the maximum number of levels in each decision tree [5, 10, 20, 30, 50], and the minimum number of data samples allowed in a leaf node [1, 2, 5, 10]. Note that, as different resampling techniques will be applied, these should also be applied during the cross-validation process and not before it, so the fold used to test in each iteration is not affected by the resampling.

### 3.4 Assessment of the models

Both trained LR and RF models were compared based on metric scores. Normally, the performance of a classifier is assessed using the accuracy, but this might lead to over-optimistic results if the dataset is imbalanced as this score would provide advantage to the majority class (López, 2013). In consequence, other metrics that consider class imbalance should be used, and in this paper the  $F_1$  score (harmonic mean of recall and precision) and area under the curve (AUC) were used. Table 3 shows the  $F_1$  score, AUC, and accuracy of the best models after the hyperparameter optimization with the base, undersampled and oversampled datasets. Considering the  $F_1$  score, the models with the best performance were the LR and RF trained with the undersampled datasets for both EP and NEP samples, presenting the RFs the best performance. These models are interpreted in the next section.

Model	Resampling technique	EP sample: Elderly pedestrian accidents				NEP sample: Non-elderly pedestrian accidents			
		Hyper-parameters*	F1 score	AUC	Accuracy	Hyper-parameters*	F1 score	AUC	Accuracy
Logistic regression (LR)	Base dataset	-	0.024	0.619	0.778	-	0.004	0.620	0.896
	Undersampling	-	<b>0.382</b>	0.617	0.589	-	<b>0.229</b>	0.614	0.605
	Oversampling	-	0.340	0.565	0.583	-	0.180	0.527	0.620
Random forest (RF)	Base dataset	100, 30, 1	0.161	0.635	0.770	100, 30, 1	0.029	0.671	0.894
	Undersampling	300, 10, 2	<b>0.425</b>	0.662	0.608	300, 50, 10	<b>0.247</b>	0.664	0.605
	Oversampling	300, 5, 10	0.371	0.613	0.608	500, 5, 1	0.189	0.567	0.631

\* Hyperparameters for the random forest are: [number of trees], [maximum depth], [minimum samples in a leaf node]

Table 3 – F1 score, AUC, and accuracy of the LR and RF algorithms.




Figure 1 – Coefficient (95% C.I.) of the LRs and MDA and MDI of the RFs.

### 3.5 Modelling results

This section presents the interpretation of the LR and RF models with the best metric scores, as described in the previous section, which was carried out by analyzing the parameters and *p*-values of the LR, and the relative importance of the independent variables (MDA and MDI) for the RF. Figure 1 displays the parameters of the LR models (and 95% confidence intervals), and the MDI and MDA of the variables in the RF models. Regarding the LR, elderly and non-elderly pedestrian accidents were affected by features of all groups. For all pedestrian accidents, it was observed that pedestrians were more likely to suffer severe accidents if they were older, the accident occurred at dawn or dusk, the municipality had high tertiary land use proportion, or if they are hit by a bus or truck, compared to a car collision. Conversely, accidents were less severe if the driver was older, or if the vehicle was a bicycle. Interestingly, the effect of vehicle type on the accident injury severity was higher for non-elderly pedestrians, which could be due to the intrinsic fragility of older people, who might suffer more severe accidents regardless of the vehicle involved in the collision. In addition, populations above 10,000 inhabitants expected less severe pedestrian accidents, and this effect was greater for larger cities, being those with more than 500,000 inhabitants the safest. In particular, elderly pedestrians were also more likely to suffer slight accidents during the afternoon, compared to morning hours, in denser populated municipalities with high values of POIs per km, while severe accidents were expected in dark condition with artificial lightning, motorcycle collisions, and in municipalities with high primary land use and intersections per km values. Regarding lightning, elderly pedestrians being negatively

affected by artificially lighted locations, while this effect is not significant for the rest of pedestrians, suggests that these spots might not be properly lighted for elder people. On the other hand, non-elderly pedestrians were expected to suffer more severe accidents in the early morning, in dark and no-lighted areas, and in municipalities with high land use mix, and less severe accidents during summer, at road intersections, compared to accidents occurred at road sections, and if the driver and pedestrian were women. Accidents at intersections were less severe, which could be explained by vehicle speed reduction in these locations, being speed a key factor to explain the injury level of the pedestrian (not considered in this study because of lack of data); the injury level of the elderly pedestrian accidents not being affected by this fact indicates that this speed reduction is not sufficient to reduce the accident's severity compared to the intrinsic fragility of this age group. About the RF, it was surprising to find that the municipality variables had the greatest impact on the RF models' results, with the main house rate and road intersections per km being the most important variables for both samples. Important features for the RF that were also statistically significant in the LR for both EP and NEP samples are the main house rate and municipalities with a population size of 10,000 to 50,000 inhabitants, while the rest of studied population size groups do not show high MDA values, being even negative in some cases. Additionally, the LR and RF of the elderly pedestrian sample are affected if the accidents occurred during the afternoon, at dawn or dusk, or in dark spots artificially lighted, being also affected by the population density, tertiary land use proportion, POIs per km and road intersections per km. Other features that showed relatively high MDA values were not significant in the LR included evening, weekend, winter, secondary land use proportion and land use mix for the elderly pedestrian sample; and inclement weather and bus stops per km for both samples. Interestingly, although the age of the pedestrian was significant for all pedestrians in the LR, it was only relatively important for the elderly pedestrian accidents, which highlights the need to study this age group in more detail by sub-groups (e.g., 65-74, 75-84, 85-94 and 95+).

#### 4. CONCLUSIONS

This study utilized LR and RF models to analyze relationship between the injury severity of vehicle collisions suffered by elderly pedestrians in Spain from 2016 to 2019, and accident and built environment features. The injury severity of non-elderly pedestrian accidents was also assessed to determine if the effects of the variables were specific to elderly pedestrians or applicable to all pedestrians. For this purpose, an ad hoc dataset was built with accident and built environment variables of the municipality where each accident was registered, and accidents were grouped into severe and slight accidents. Resampling techniques were used to train the LR and RF models, with the models trained with the undersampled datasets achieving the best metric scores. RF outperformed LR performance, but the LR results were easier to interpret. The findings highlight that, although in smaller towns less accidents are registered in absolute terms, these areas should be given special attention as pedestrian accidents showed to be more severe than in larger cities for all pedestrians. Furthermore,

these smaller cities usually present low main house rates, linked to more severe pedestrian accidents; and low values of population density and POIs per km, and high figures of primary land use and road intersections per km, linked to more severe elderly pedestrian accidents. With respect to lightning conditions, elderly pedestrian accidents are more severe in dark with artificial lights condition; which suggests that, although elderly pedestrians are more cautious, these spots are not properly lighted during dark hours for them, potentially due to elderly individuals wearing dark clothes or having visually impairments; hence, lightning devices should be improved with these considerations. Interestingly, the age of the pedestrian affects LR and RF only for the elderly pedestrian sample, which indicates the need to study this age group in more detail. Finally, further research is needed to interpret the results of the RF. Additionally, other ML and variable selection techniques should be tested tuning all possible hyperparameters using resampling techniques.

### **ACKNOWLEDGEMENTS**

Daniel Gálvez-Pérez is developing his doctoral thesis while he enjoys a grant from to the Universidad Politécnica de Madrid through the ‘Programa Propio de I + D + I 2020’.

### **REFERENCES**

- CASADO-SANZ, N., GUIRAO, B., & ATTARD, M. (2020). Analysis of the risk factors affecting the severity of traffic accidents on Spanish crosstown roads: The driver’s perspective. *Sustainability*, 12(6), 2237.
- CASADO-SANZ, N., GUIRAO, B., & GÁLVEZ-PÉREZ, D. (2019). Population ageing and rural road accidents: Analysis of accident severity in traffic crashes with older pedestrians on Spanish crosstown roads. *Research in Transportation Business & Management*, 30, 100377.
- CHAWLA, N. V, BOWYER, K. W., HALL, L. O., & KEGELMEYER, W. P. (2002). SMOTE: synthetic minority over-sampling technique. *Journal of Artificial Intelligence Research*, 16, 321–357.
- CLIFTON, K. J., BURNIER, C. V, & AKAR, G. (2009). Severity of injury resulting from pedestrian–vehicle crashes: What can we learn from examining the built environment? *Transportation Research Part D: Transport and Environment*, 14(6), 425–436.
- CONSOL. (2013). *Mobility Patterns in the Ageing Populations (Final technical report of WP2 of the 7th framework EC project CONSOL)*.
- DGT. (2020). *Tendencias de la movilidad y siniestralidad en vías urbanas*.
- ESRI INC. (2020). *ArcMap (10.8.1)*.
- EUROPEAN COMMISSION. (2015). *ElderSafe-Risks and countermeasures for road traffic of elderly in Europe (No. MOVE/C4/2014-244)*. European Commission–Directorate-General for Mobility and Transport (DG-MOVE).
- EUROPEAN COMMISSION. (2021a). *Road safety thematic report - Seniors*. European Road Safety Observatory.
- EUROPEAN COMMISSION. (2021b). *Facts and Figures Seniors*. European Road Safety Observatory.

- FIorentini, N., & LosA, M. (2020). Handling imbalanced data in road crash severity prediction by machine learning algorithms. *Infrastructures*, 5(7), 61.
- FRIEDMAN, J. H. (2001). Greedy function approximation: a gradient boosting machine. *Annals of Statistics*, 1189–1232.
- KIM, J.-K., ULFARSSON, G. F., SHANKAR, V. N., & KIM, S. (2008). Age and pedestrian injury severity in motor-vehicle crashes: A heteroskedastic logit analysis. *Accident Analysis & Prevention*, 40(5), 1695–1702.
- KIM, J.-K., ULFARSSON, G. F., SHANKAR, V. N., & MANNERING, F. L. (2010). A note on modeling pedestrian-injury severity in motor-vehicle crashes with the mixed logit model. *Accident Analysis & Prevention*, 42(6), 1751–1758.
- LEMAÎTRE, G., NOGUEIRA, F., & ARIDAS, C. K. (2017). Imbalanced-learn: A python toolbox to tackle the curse of imbalanced datasets in machine learning. *The Journal of Machine Learning Research*, 18(1), 559–563.
- LI, D., RANJITKAR, P., ZHAO, Y., YI, H., & RASHIDI, S. (2017). Analyzing pedestrian crash injury severity under different weather conditions. *Traffic Injury Prevention*, 18(4), 427–430.
- LÓPEZ, V., FERNÁNDEZ, A., GARCÍA, S., PALADE, V., & HERRERA, F. (2013). An insight into classification with imbalanced data: Empirical results and current trends on using data intrinsic characteristics. *Information Sciences*, 250, 113–141.
- MANNER, H., & WÜNSCH-ZIEGLER, L. (2013). Analyzing the severity of accidents on the German Autobahn. *Accident Analysis & Prevention*, 57, 40–48.
- MOKHTARIMOUSAVI, S., ANDERSON, J. C., AZIZINAMINI, A., & HADI, M. (2020). Factors affecting injury severity in vehicle-pedestrian crashes: A day-of-week analysis using random parameter ordered response models and Artificial Neural Networks. *International Journal of Transportation Science and Technology*, 9(2), 100–115.
- MUNIRA, S., SENER, I. N., & DAI, B. (2020). A Bayesian spatial Poisson-lognormal model to examine pedestrian crash severity at signalized intersections. *Accident Analysis & Prevention*, 144, 105679.
- PARK, S.-H., & BAE, M.-K. (2020). Exploring the determinants of the severity of pedestrian injuries by pedestrian age: a case study of Daegu Metropolitan City, South Korea. *International Journal of Environmental Research and Public Health*, 17(7), 2358.
- POUR-ROUHOLAMIN, M., & ZHOU, H. (2016). Investigating the risk factors associated with pedestrian injury severity in Illinois. *Journal of Safety Research*, 57, 9–17
- R CORE TEAM. (2013). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna.
- RAMPINELLI, A., CALDERÓN, J. F., BLAZQUEZ, C. A., SAUER-BRAND, K., HAMANN, N., & NAZIF-MUNOZ, J. I. (2022). Investigating the risk factors associated with injury severity in pedestrian crashes in Santiago, Chile. *International Journal of Environmental Research and Public Health*, 19(17), 11126.
- SONG, L., FAN, W. D., LI, Y., & WU, P. (2021). Exploring pedestrian injury severities at pedestrian-vehicle crash hotspots with an annual upward trend: A spatiotemporal analysis with latent class random parameter approach. *Journal of Safety Research*, 76, 184–196.