


ASSESSMENT OF NURSING STUDENTS' COMPETENCE IN CLINICAL PRACTICE: A SYSTEMATIC REVIEW OF REVIEWS

Kati Immonen , Ashlee Oikarainen , Marco Tomietto ,  
Maria Kääriäinen , Anna-Maria Tuomikoski , Boris Miha Kaučič ,  
Bojana Filej , Olga Riklikiene , M. Flores Vizcaya-Moreno ,  
Rosa M. Perez-Cañaveras , Paul De Raeve , Kristina Mikkonen

PII: S0020-7489(19)30221-4  
DOI: <https://doi.org/10.1016/j.ijnurstu.2019.103414>  
Reference: NS 103414



To appear in: *International Journal of Nursing Studies*

Received date: 9 April 2019  
Revised date: 30 June 2019  
Accepted date: 28 August 2019

Please cite this article as: Kati Immonen , Ashlee Oikarainen , Marco Tomietto , Maria Kääriäinen , Anna-Maria Tuomikoski , Boris Miha Kaučič , Bojana Filej , Olga Riklikiene , M. Flores Vizcaya-Moreno , Rosa M. Perez-Cañaveras , Paul De Raeve , Kristina Mikkonen , ASSESSMENT OF NURSING STUDENTS' COMPETENCE IN CLINICAL PRACTICE: A SYSTEMATIC REVIEW OF REVIEWS, *International Journal of Nursing Studies* (2019), doi: <https://doi.org/10.1016/j.ijnurstu.2019.103414>

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Article type: Systematic review or other type of review paper

- **Short informative title**

ASSESSMENT OF NURSING STUDENTS' COMPETENCE IN CLINICAL PRACTICE: A SYSTEMATIC REVIEW OF REVIEWS

- **Short running title**

ASSESSMENT OF STUDENTS COMPETENCE IN CLINICAL PRACTICE

Kati IMMONEN<sup>1</sup>, Ashlee OIKARAINEN<sup>1</sup>, Marco TOMIETTO<sup>1</sup>, Maria KÄÄRIÄINEN<sup>1</sup>, Anna-Maria TUOMIKOSKI<sup>1</sup>, Boris Miha KAUCIČ<sup>2</sup>, Bojana FILEJ<sup>2</sup>, Olga RIKLIKIENE<sup>3</sup>, M. Flores VIZCAYA-MORENO<sup>4</sup>, Rosa M. PEREZ-CAÑAVÉRAS<sup>4</sup>, Paul DE RAEVE<sup>5</sup>, Kristina MIKKONEN<sup>1</sup>

- **List of all authors**

1. Research Unit of Nursing Science and Health Management, University of Oulu, Oulu, Finland
2. College of Nursing in Celje, Slovenia
3. Faculty of Nursing, Lithuanian University of Health Sciences, Kaunas, Lithuania
4. Nursing Department, Clinical Nursing Research Group, University of Alicante, Spain
5. European Federation of Nurses Associations, Belgium

- **Acknowledgment**

We would like to acknowledge European Commission, Erasmus+, KA2: Strategic partnership for providing funding for the project Quality mentorship for developing competent nursing students (QualMent).

- **Funding Statement**

European Commission, Erasmus+, KA2: Strategic partnership for providing funding.

- **Corresponding author:**

Dr. Kristina MIKKONEN (Orcid ID: 0000-0002-4355-3428; Scopus ID: 56373805200)

Research Unit of Nursing Science and Health Management

University of Oulu

P.B. 5000

FI-90014, University of Oulu, Finland

e-mail: [kristina.mikkonen@oulu.fi](mailto:kristina.mikkonen@oulu.fi)

Twitter: @Kristinamikkon

**ABSTRACT**

**Background:** The assessment of nursing students' nursing competence is a matter of concern worldwide and the complexity of assessing students' clinical competence has challenged educators for decades. It has been recognized that there is inconsistency among assessment methods and tools between countries and institutions.

**Objective:** To identify the current best evidence on the assessment of nursing students' competence in clinical practice.

**Design:** Systematic review of reviews.

**Data sources:** The electronic databases CINAHL, PubMed, Eric, Medic and the JBI Database of Systematic Reviews and Implementation Reports were searched in autumn 2018.

**Review methods:** Two researchers independently assessed the eligibility of the studies by title, abstract and full-text, and then assessed the methodological quality of the included studies. Analysis of study findings was conducted using the thematic synthesis approach.

**Results:** Six reviews were included following critical appraisal. Assessment tools used to assess students' nursing competence commonly focus on the domains of professional attributes, ethical practices, communication and interpersonal relationships, nursing processes, critical thinking and reason. Clinical learning environments and mentoring provide important support structures and guide the learning of students. The availability of assessment tools and criteria along with providing individualized feedback and time for reflection strengthen the objectivity and reliability of assessment.

**Conclusions:** There continues to be a need to develop consistent and systematic approaches in assessment, and to use reliable and valid instruments in assessment. Mentors find assessment of students' competence to be particularly challenging and emphasize the importance of clear assessment criteria, support from nurse educators and further education on assessment. Further development in feedback practices and providing students with opportunities for reflection are important in supporting the continuous learning process of students.

**Key words:** assessment, clinical practice, evaluation, nursing student, systematic review.

**What is already known about the topic?**

- The assessment of nursing students' competence in nursing is a matter of concern worldwide and the complexity of assessment has challenged educators for decades.
- Inconsistency exists among assessment methods and tools between countries and higher education institutions.
- Clinical competence assessment is challenging for both mentors and nurse educators, and agreement must be achieved on assessment content and processes at the beginning of clinical practice.

**What this paper adds**

- It is important to strengthen collaboration between healthcare organizations and higher education institutions and to involve all stakeholders in designing assessment strategies.
- There continues to be a need to develop consistent and systematic approaches in assessment along with reliable and valid assessment tools.
- Several assessment methods and tools exist, but it is imperative that the language used is clear and that mentors' have competence to interpret and use these.
- The focus of assessment is to encourage the continuous learning process of students which requires constructive feedback and opportunities for reflection between the student, mentor and educator.

**1. Introduction**

The aim of nursing education is to educate students so that they achieve the necessary professional level of nursing competence before entering the nursing profession. According to the World Health Organization (WHO, 2013), it is imperative to not only increase the number of health professionals, but to ensure that they have the appropriate knowledge, skills and competencies relevant to the needs of the population. Quality education is the foundation for developing competent health professionals capable of delivering safe, quality care (WHO, 2016). Patient safety is a core value of nursing. Professional nurses have the ethical responsibility to safeguard individuals when care is endangered by health care personnel or any other person, while educators are responsible in promoting students' understanding for the importance of patient safety (International Council of Nurses, 2012).

Both theoretical and practical preparation are key components of nursing curricula, which are needed in order for nursing students to achieve a professional level of nursing competence. In the European Union countries, the duration of clinical training should account for at least one half of the minimum duration of the nursing program (Directive 2013/55/EU). Even though higher education institutions are responsible for providing nursing education, nurses who work as mentors in clinical practice have a pivotal role in fostering students' clinical learning (Directive

2013/55/EU; Warne et al., 2010). Clinical learning environments have an essential role in the development of students' professional competencies and identity (Pitkänen et al., 2018; Tomietto, 2018; Vizcaya-Moreno et al., 2018). Well-designed and organized clinical placements are important in ensuring that students receive appropriate support and learning experiences needed to develop their competence and knowledge, skills, and attitudes required in their future professional careers (Vizcaya-Moreno et al., 2018; Lovecchio et al., 2015).

The assessment of nursing students' competence in nursing is a matter of concern worldwide and the complexity of assessment has challenged educators for decades. Assessment of students' competence during clinical practice is especially challenged for mentors and nurse educators (Helminen et al., 2017). It has been recognized that there is inconsistency among assessment methods and tools between countries and higher education institutions (Cant et al., 2013), and there continues to be a lack of reliability and validity in the assessment of nursing students' competence during clinical practice (Helminen et al., 2017). Assessment of students' competence according to clear professional standards is core in ensuring that students deliver safe nursing care (Trede and Smith, 2012).

According to Oermann (2018), assessment involves gathering information about student learning and performance, which can be used to determine further learning needs of the student and to plan activities that will assist students to meet these needs. Assessment is used to confirm the outcomes and competences met by the student, and can be conducted using diagnostic, formative or summative approaches (Oermann, 2018). Although many good practices related to the assessment of nursing students' clinical competence exist, assessment remains a challenging issue (Helminen et al., 2014). For example, various assessment tools have been developed to improve the assessment of clinical competence and that aim to enhance clear assessment of students' clinical competence according to safety and quality standards of nursing care (Ulfvarson and Oxelmark, 2012).

An essential component of competence assessment is the setting of learning goals (Clements and Kamau, 2018). According to Oermann (2018), learning goals represent the level of nursing competence that the student is required to achieve and may be written in the three domains of learning: cognitive, affective, and psychomotor. Prior to entering clinical practice, students need to be familiar with what they are expected to learn and of the clinical competences they are required to develop. Learning goals need to be clearly defined and measurable, as they guide students in their learning and also guide those involved in assessment in developing instruction and planning the assessment (Oermann, 2018). Learning goals should be written clear enough so that they are easy to follow and transparent assessment criteria should be made available (Hilli et al., 2014).

Successful completion of clinical practice requires the implementation of supportive and continuous assessment within safe clinical learning environments and mentoring relationships (Norton, 2008). Effective mentoring in clinical environments supports development of students' competence in nursing and promotes integration of theory into practice (Mikkonen et al., 2016). Mentors have the responsibility to assess the learning outcomes achieved by students (Dobrowolska et al., 2016), to provide students with continuous, tailored, and constructive feedback on their performance and skills, to provide students with learning situations and to increase their responsibility to work independently (Jokelainen et al., 2011). Mentors need to develop and maintain adequate communication and assessment skills in order to effectively support the learning process of students (Jokelainen et al., 2013). A study by Tuomikoski et al. (2018) found that mentors need to further develop their competence in mentoring, for example on how to support reflective discussion with students (Tuomikoski et al., 2018). It is important that further continuing education is provided to mentors to enhance their competence in mentoring, however a study by Oikarainen et al. (2018) reported that over half of mentors had not previously attended further education.

The World Health Organization (2016) defines the core competencies of nurse educators which includes, among other things, the ability to adapt, design and use tools for assessing and documenting clinical practice. Educators ensure that appropriate methods of assessment are used and that the learning outcomes of the curriculum are achieved, foster students' reflection and self-assessment skills, and provide students with timely and constructive feedback (WHO, 2016). The role that nurse educators have in the assessment of nursing students' competence in clinical practice varies significantly internationally. In some countries, nurse educators from higher education institutions take the role of clinical facilitators and actively guide students during completion of their clinical practice (Dimitriadou et al., 2015). In several European countries, however, the role of nurse educators in clinical practice has decreased and at times nurse educators visit students only once, often during clinical competence assessment (Warne et al., 2010). For example, the role of nurse educators has been reduced in Finland to the extent that nurse educators do not always attend the clinical practice of students (Pitkänen et al., 2018). Therefore, registered nurses who mentor students during their clinical practice have an increasingly significant role in guiding students in their learning process and supporting development of their professional nursing competence (Jokelainen et al., 2013; Rahnavard et al., 2013).

Due to the diminishing role of nurse educators in the clinical practice of nursing students (Warne et al., 2010), it is essential that mentors have a clear understanding of strategies and processes designed to facilitate students' clinical competence assessment, and that they receive the necessary support from higher education institutions (Helminen et al., 2017). Mentors and nurse educators must work together and achieve agreement on assessment content and processes (Helminen et al., 2017). It has been found that different expectations between students, mentors

and nurse educators generate situations where it is unrealistic or even impossible for students to achieve their goals in clinical practice (Huston et al., 2018). The aim of this systematic review of reviews was to identify the current best evidence on the assessment of nursing students' competence in clinical practice. The following research questions guided the review: What kind of aspects are included in the assessment of nursing students' competence during their clinical practice? What kind of tools and approaches have been used during the assessment of nursing students' competence in clinical practice?

## 2. METHODS

### 2.1. Design

A systematic review of reviews was conducted to compile evidence regarding the assessment of nursing students' competence in clinical practice from multiple reviews into one useful, accessible document. The guidelines published by the Joanna Briggs Institute (JBI) (Aromataris et al., 2017) and the Centre for Review and Dissemination (CRD, 2009) were used to guide each phase of the systematic review of reviews. An evaluation of this review was performed using the PRISMA checklist of items to include when reporting a systematic review (Moher et al., 2009).

Although both guidelines by JBI (Aromataris et al., 2017) and CRD (2009) recommend that only systematic reviews be included in systematic reviews of reviews, we included other types of reviews in addition to systematic reviews because of the lack of systematic reviews on this topic. A systematic review is a rigorous research method used to identify, evaluate, and summarize findings from relevant individual studies (CRD, 2009). The systematic review differs from other types of reviews such as literature, scoping or integrative reviews through its systematic and comprehensive approach in study selection, critical appraisal and data extraction (Aromataris and Pearson, 2014).

### 2.2. Search methods

The electronic databases CINAHL, PubMed, Eric, Medic and the JBI Database of Systematic Reviews and Implementation Reports were searched in autumn 2018 by two researchers (KI, AO). Prior to conducting database searches, three researchers (KI, AO, KM) defined the search strategy after consultation with an library information specialist. The keywords used in the search are listed in figure 1 and supplementary file 1. Selection of the reviews was conducted based on precise inclusion and exclusion criteria, which were set according to the research question in the PICoS format (see Table 1; Aromataris et al., 2017; CRD 2009). This systematic review of reviews included published, peer-reviewed systematic, integrative, narrative, scoping and literature reviews. No time or language limitations were set. A search for the grey literature

was not conducted, however additional relevant evidence was searched for by screening the reference lists of all of the articles included in the full-text review phase.

### **2.3. Search outcomes**

A total of 1464 publications were retrieved from the database searches (Figure 1). Duplicate publications (n=101) were removed and two researchers (KI, AO) independently screened and assessed the title (n=1363), abstract (n=688) and full text (n=25) of each publication against the inclusion criteria (CRD, 2009). The researchers discussed results of the screening process and agreement was reached on the inclusion of eligible studies. A third researcher (KM) was consulted in situations where there was uncertainty regarding the eligibility of studies. Seventeen out of the 25 reviews included in the full-text phase did not meet the inclusion criteria and were excluded. No additional reviews were identified following screening of the reference lists of all of the reviews included in the full-text screening phase. The remaining eight reviews met the inclusion criteria and were assessed for methodological quality.

### **2.4. Quality appraisal**

The eight reviews that met inclusion criteria were assessed for methodological quality by two researchers (KI, AO) independently using the JBI Critical Appraisal Checklist for Systematic Reviews and Research Syntheses (Aromataris et al., 2015). The checklist contains a total of 11 assessment criteria. Every criterion was given a rating of 'yes', 'no', 'unclear' or 'not applicable', and one point was given to every criterion rated 'yes'. Following this, a total score was calculated for each study. Reviews were not included into this systematic review of reviews if they failed to reach a score of at least 50% on critical appraisal, the predetermined cut-off score agreed upon by the researchers. Following critical appraisal, both researchers reached agreement on the methodological quality of the studies. The total scores ranged from 0 (Wells and McLoughlin, 2014) to 11 (Suikkala et al., 2018) points (see Table 2). Two reviews (Lejonqvist et al., 2016; Wells and McLoughlin, 2014) were excluded due to poor methodological quality in order to avoid compromising the validity of the results and recommendations of this systematic review of reviews (Poritt et al., 2014).

### **2.5. Data extraction and synthesis**

Data relevant to the review question were extracted including: authors, year, country of publication, journal type, type of analysis, study objectives, characteristics of participants, characteristics of primary studies included in the review, databases searched, methods for quality assessment of primary studies, number of primary studies included, and review findings (see Table 3).



Thematic synthesis was used to synthesize the data and to facilitate interpretation of the results. This is a method used in the synthesizing of data from a focused research topic, and an approach often used in identifying, analyzing, and reporting found themes (Nicholson et al., 2016; Whitemore and Knafl, 2005). During thematic synthesis, one researcher (KI) carefully identified and analyzed the results from the included reviews. Following this, frequently recurring themes and issues were identified, which were given categorical, aggregating or explanatory names. These were used to search for combining or interpreting themes. Researchers (KI, AO, KM) identified five themes that explained the studied phenomenon (see Figure 2).

### 3. Results

#### 3.1. Study characteristics

This systematic review of reviews included one integrative review (Almalkawi et al., 2018), one narrative review (Helminen et al., 2016), one scoping review (Suikkala et al., 2018), one literature review (Yanhua and Watson, 2011), and two systematic reviews (Yepes-Rios et al., 2016; Wu et al., 2015). The reviews were published between the years 2011 and 2018, and included original studies published between the years 1985 and 2016. The original studies included in the reviews were conducted in the United Kingdom (n=48), United States (n=20), Ireland (n=15), Canada (n=10), Australia (n=9), Sweden (n=7), Finland (n=3), Taiwan (n=3), South Africa (n=2), Belgium (n=1), China (n=1), Denmark (n=1), Nepal (n=1), New Zealand (n=1), Norway (n=1), Thailand (n=1), Turkey (n=1), Scotland (n=1), and jointly in Canada and USA (n=1).

The reviews included qualitative and quantitative studies, mixed methods studies and reviews (see Table 3). In addition to including reviews, qualitative and quantitative studies, Yepes-Rios et al. (2016) reported also including a newspaper report, editorial and teaching points. In four of the included reviews, standardized critical appraisal tools were used to assess the methodological quality of original studies (Almalkawi et al., 2018; Suikkala et al., 2018; Yepes-Rios et al., 2016; Wu et al., 2015). Critical appraisal was not reported in two of the included reviews (Helminen et al. 2016; Yanhua and Watson, 2011).

The assessment of nursing students' competence in clinical practice was divided into five themes 'nursing competence assessed during clinical practice', 'clinical learning environment', 'mentoring', 'approaches in assessment' and 'assessment instruments'.

### **3.2. Nursing competence assessed during clinical practice**

Clinical competence of students has frequently been assessed in various clinical environments and during completion of different clinical nursing tasks (Almalkawi et al., 2018; Helminen et al., 2016; Wu et al., 2015). The domains of professional attributes, ethical practices, communication and interpersonal relationships, nursing processes, critical thinking and reason are often included in assessment tools used to assess nursing students' nursing competence during clinical practice (Wu et al., 2015). According to Wu et al. (2015) the majority of assessment tools used to assess nursing students' nursing competence are developed with reference to competency standards stated by national boards of nursing. The authors list three broad conceptualizations of competence models in nursing: 1) the behavioral approach, 2) identification of general attributes of the student (knowledge, critical thinking skills), and 3) the holistic approach that addresses knowledge, attitudes, values and skills used to function in clinical situations (Wu et al., 2015).

Studies have shown that there are significant problems associated with the language used to describe competencies (Almalkawi et al., 2018; Helminen et al., 2016). Assessment may not consider students' performance or competence and may not give a clear enough picture of what is required of the student (Almalkawi et al., 2018). Written examinations have been proven to be an efficient way to describe students' theoretical knowledge rather than their clinical practice skills (Helminen et al., 2016). Wu et al. (2015) recommend the use of predefined standards to measure the competence of students, for criterion-referenced assessment may facilitate reliable assessment. Fair and clear assessment of students is impeded by the lack of appropriate and unambiguous assessment systems and criteria (Almalkawi et al., 2018; Helminen et al., 2016). It has been shown that students may feel that they are assessed according to personal characteristics rather than their developing professional competence (Helminen et al., 2016). Assessment has also been found to be inconsistent when evaluating students' competence in situations where they have failed clinical practice (Suikkala et al., 2018; Helminen et al., 2016).

### **3.3. Learning environment**

Clinical assessment can be a very stressful event for students (Wu et al., 2015) and the personal characteristics of students may influence the entire assessment process (Helminen et al., 2016). It is necessary to promote an understanding that assessment can be helpful in facilitating learning rather than a process that highlights incompetence (Almalkawi et al., 2018). The provision of formal, constructive and development feedback in supporting clinical learning environment is an essential element in the development of students' competence (Almalkawi et al., 2018). Although the role of patients in the assessment of students continues to be quite passive, it has been found that patients' active participation in students' learning process and assessment is a valuable asset in clinical assessment. Patients' contribution can also improve the effectiveness of the assessment of students' competence (Suikkala et al., 2018).

### 3.4. Mentoring

The majority of clinical assessment focuses on collaboration between mentors, nursing students and nurse teachers (Almalkawi et al., 2018; Helminen et al., 2016; Wu et al., 2015). Nurse educators play an important role in ensuring that the mentor and student understand the use of assessment criteria before the clinical practice begins (Helminen et al., 2016). They should also clarify how the student can meet these criteria and to highlight that assessment aims to support students' achievement of competences rather than to assess their personality (Helminen et al., 2016). Helminen et al. (2016) emphasize the importance of a meeting between the nurse teachers, mentor and student at the beginning of clinical practice and to provide opportunity for familiarization with assessment processes and forms. These meetings can promote students' understanding as to how they can overcome weaknesses (Almalkawi et al., 2018). Furthermore, nurse teachers are recommended to include mentors in curriculum planning in nursing education and to adopt assessment tools in line with educational standards (Helminen et al., 2016).

Mentors who are responsible for assessing students have expressed concern for their lack of mentoring competence to assess students' performance, which is also challenged by the limited exposure they have with students (Yepes-Rios et al., 2016). The assessment process of nursing students' clinical competence is multifactorial and includes several elements. Clinical mentors are required to be aware of the variety of approaches and strategies, but this is difficult when they work as healthcare professionals full time and lack knowledge and skills on these methods (Jokelainen et al., 2011).

A competent mentor has the capability to build a supportive clinical learning environment, facilitate learning, monitor progress made by the student, assess the clinical competence of nursing students, and give effective feedback to students (Wu et al., 2015). According to students, a good mentor provides constructive feedback during the clinical practice rather than allowing poor practices to continue. Assessment is considered to be of high quality when mentors are well prepared to conduct assessment and when mentors have worked to create an effective mentor-student relationship (Wu et al., 2015). Studies have shown that mentors do not always have a sufficient amount of time to work together with students during clinical practice, which can affect the reliability of their final assessment (Helminen et al., 2016). Also, a close relationship between the mentor and student can hinder assessment (Helminen et al., 2016; Yepes-Rios et al., 2016).

Mentors' ability to conduct quality assessment needs to be strengthened (Yepes-Rios et al., 2016; Wu et al., 2015) and issues that hinder mentors' interpretation of assessment documents need to be addressed. Mentoring education has a significant influence on the assessment process and has been recommended to be further developed (Almalkawi et al., 2018; Helminen et al., 2016; Yepes-Rios et al., 2016; Wu et al., 2015). Lack of mentoring education may hinder mentors' understanding of assessment criteria and the language used in these (Wu et al., 2015). Well-executed use of positive and negative feedback makes assessment more effective (Helminen et

al., 2016), but it can be manifested in completely different ways in clinical settings than in mentoring education.

### **3.5. Approaches of assessment**

According to the included reviews, a variety of assessment approaches are utilized during clinical practice (Helminen et al., 2016; Wu et al., 2015; Yanhua and Watson, 2011), but these are mainly developed to meet the assessment needs of individual organizations. Some organizations use the same assessment practices irrespective of the context of the clinical practice, even in situations where other assessment practices could better fit the context. This situation can make comparison of assessment approaches more difficult (Helminen et al., 2016).

The assessment process needs to be objective (Yanhua and Watson, 2011), repeatable, and a combination of different forms and tools should be used. Assessment should be conducted in close collaboration between the mentor, student, and nurse teacher (Almalkawi et al., 2018; Helminen et al., 2016; Wu et al., 2015) and support learning and the relationship between different roles during assessment. Educators need to provide support to mentors and nursing students and an orientation to the assessment process (Helminen et al., 2016; Wu et al., 2015).

The assessment of students' competences can be based on a performance-based system, which includes a variety of tools and provides an opportunity for students to reach a certain level (Almalkawi et al., 2018; Helminen et al., 2016). The dimensions of clinical competence can be roughly divided into formal, objective and subjectively experienced competence. Formal competence is achieved by education and gives a certificate regulated by guidelines and law, objective knowledge is demonstrable competence, and subjective competence expresses the experiences of students. Knowledge and skills can be measured between these three dimensions, but this is challenging to review and value, which makes it less common to achieve coverage. When formative assessment is used in the assessment of learning upon competence development, it is carried out by giving students individual feedback on their performance in clinical practice (Almalkawi et al., 2018). Objective assessment provides a cross-section of the students' competence, but it is often limited to measure specific skills and uses only certain assessment protocols.

Mentors play a substantial role in giving assessment feedback to students. Students desire that mentors allocate more time to reflective discussion and to providing feedback (Almalkawi et al., 2018). Feedback needs to be timely, coherent and individualized in order to foster effective assessment. The review by Suikkala et al. (2018) identified studies that emphasize the usefulness of feedback from patients in supporting the learning process of students. Effective approaches that can be used to involve patients during the assessment process include allowing patients to provide students with direct feedback, to participate in confidential assessment discussions or to fill in assessment questionnaires (Suikkala et al., 2018).

### 3.6. Assessment instruments

Various different assessment tools have been used to assess students' competence and to support the learning process of students. Students are commonly assessed by being asked to answer questions, through observation, completion of written exercises and self-assessment, through feedback from mentors, staff, or patients, and through discussions between the student and the mentor (Almalkawi et al., 2018; Suikkala et al., 2018; Helminen et al., 2016; Wu et al., 2015). In addition, different scales, portfolios, formal documents, videos, skills laboratories, and learning contracts are commonly used (Helminen et al., 2016; Wu et al., 2015; Yanhua and Watson, 2011). Students' self-assessment has been seen as an important part of the assessment process, however the reliability of self-assessment remains unclear (Helminen et al., 2016). The use of portfolios has been proven to be an effective way to describe students' development in clinical competence, knowledge and actions in clinical practice (Helminen et al., 2016; Wu et al., 2015; Yanhua and Watson, 2011), especially in clinical placements that are longer in length. Portfolios have been shown to promote students' active learning and their individual accountability in the development of clinical skills (Yanhua and Watson, 2011).

A wide range of instruments and checklists have been used during assessment. These provide a means to assess students' clinical competence especially in quantitative ways. Different kinds of assessment instruments enable reliable assessment of the level of competence that the student has achieved, along with clear direction for students on their opportunities for making progress (Wu et al., 2015). The majority of educational institutions use a pass or fail grading scale instead of verbal or numerical grading scales (Helminen et al., 2016).

Examples of assessment instruments include: the Objective Structured Clinical Assessment Tool (OSCE) (Yanhua and Watson 2011), the Shared Specialist Document; the Competency Inventory; the Nursing Student Core Competencies Scale; the Self-Evaluated Core Competencies Scale; Nurse Competence scale; Structured Observation and Assessment of Practice (SOAP), the Competency Assessment Tool (CAT); Assessment of Clinical Education (AssCE); Competency Inventory of Nursing Studies (CINS) (Wu et al., 2015); Generic Assessment Tool (SSPD) (Wu et al., 2015, Yanhua and Watson, 2011); and the Six Dimension Scale of Nurse Performance (Yanhua and Watson, 2011). In the reviews, it was emphasized that assessment instruments should be effectively evaluated (Wu et al., 2015; Yanhua and Watson, 2011) and the reliability and validity ensured (Wu et al., 2015). The reviews commonly did not report the reliability and validity of the instruments.

## 4. Discussion

This systematic review of reviews identified the current best evidence on the assessment of nursing students' competence in clinical practice. Key developmental issues arose in this systematic review of reviews including the need for enhancing assessment that supports the development of students' professional competencies and the development of mentors' competence in assessing students, in addition to the need for development of objective assessment methods.

Nursing competence assessed during clinical practice focused on clinical competence in nursing, communication, ethical decision-making, collaboration and critical thinking. Previously, it has been found that students focus more on learning subjects they know will be assessed (Helminen et al., 2014). For this reason, the content of assessment should be clearly emphasized before students enter clinical practice. The results of this review have further shown that nursing competence is not the only learning outcomes that is being assessed during clinical practice. Students also need to develop critical thinking, ethical decision making and multi-professional collaboration.

In our review, we found that the supportive clinical learning environments are needed with mentors that are competent and educated in mentoring and in assessment practices. Mentors' positive attitude towards the students' individual learning needs and the development of a good student-mentor relationship remain important in enhancing students' learning (Wu et al., 2015). When trustworthiness has been established, students adopt self-assessment and self-regulation behaviors in the assessment process. A good mentor-student relationship improves students' confidence in sharing feedback (Allen and Molloy, 2017) and it influences students' learning outcomes upon their competence development (Mikkonen et al., 2016).

The role of nurse educators in the assessment of students' competence in clinical practice was minimally emphasized in the results of the included reviews. This may indicate that the role of nurse teachers is not considered to be a central part of the entire assessment process since internationally the role of nurse teachers has been reduced or has diminished completely from clinical practice educators (Warne et al., 2010). However, active participation of nurse educators in the clinical assessment process is particularly important (Helminen et al., 2014; Hovland, 2011). Nurse educators could share their pedagogical and methodological competence to support the assessment process. Students have also expressed the need for nurse educators to take an active role in clinical practice especially when challenging situations are faced (Arkan et al., 2018; Pitkänen et al., 2018; Mikkonen et al., 2017). Support from nurse educators as well as their ability to explain unclear issues to students can enhance students' learning (Juntunen et al., 2016; Helminen et al., 2014; Hovland, 2011).

Even when mentors have access to versatile assessment methods, the effective use of these may be hindered when consistent and common guidelines are not available. Education has been provided to those responsible for assessing students during clinical practice. Despite this, the subjective views of the evaluator may affect the outcome of the assessment itself when assessment forms are not properly used (Arkan et al., 2018; Helminen et al., 2014). In this systematic review, assessment has been seen as challenging because the environment and the people involved in assessment varied. Mentors are required to carry out a detailed assessment of students' learning in clinical practice, but at the same time assessment greatly influences students' experiences of clinical practice and the students' professional identity (Pitkänen et al., 2018; Tuomikoski et al., 2018). According to the results of this systematic review, the established relationship between the mentor and the student strengthens successful assessment and contributes to successful clinical learning and the development of professional identity.

Studies included in this review have shown that students perceive the final assessment as inconsistent when feedback is provided solely on how poor clinical performance was (Suikkala et al., 2018; Helminen et al., 2016). Students have experienced mentors who have the tendency to focus on shortcomings in their competence and who place too high expectations on the level of competence the student is to achieve, or that mentors are not aware of the actual knowledge that students have achieved (Arkan et al., 2018; Vae et al., 2018). This causes increased anxiety in students and affects the overall effectiveness of clinical learning. Assessment needs to be clear and systematic, encouraging students' continuous learning process. Mentors need to develop an open attitude towards providing constructive feedback that leads to the development of students' competence, even in situations where the student fails to achieve the set learning outcomes. During assessment, there is a need to foster open discussion on how to make progress in clinical learning and competence development. This provides the opportunity to set clear learning goals and it helps students to take responsibility of their own learning (Vae et al., 2018). Assessment of students needs to focus on objective criteria, and it is important to avoid the impact of personal factors (Helminen et al., 2016).

Assessment is conducted using a wide range of methods and tools, depending on the specific issue being measured in each situation. Studies have shown that there continues to be variability in mentors' competence in assessing students' learning, despite the fact that methods and tools are available. In this review, it was found that the objectivity can be increased by using validated instruments to assess students' development of their competence in clinical practice. Mentors have experienced uncertainty about what is expected in assessment and therefore they need clear guidelines and support (Kälkäjä et al., 2016). The individual needs of students must to be taken into account to provide comprehensive guidelines on how to assess students' competence (Hovland, 2011).

No one single correct approach exists to performing assessment of nursing students' competence, which is suitable in all different contexts. A study by Flott and Linden (2015) has shown that educational and healthcare organizations need to invest in cooperation and to create appropriate learning experiences for students that ultimately have a positive impact on students' professional development and on the realization of safe patient care.

Feedback should be focused on the issues that students need to focus on in their learning (Vae et al., 2018). Students appreciate being treated equally, and that their opinion is valued and listened to during the final assessment (Helminen et al., 2014). Also, it is imperative that students have a clear understanding of what is needed to reach the desired level of competence, and that students can identify their personal weaknesses and strengths (Wu et al., 2015). In this way, students are better able to develop specific areas of competence during completion of their clinical practice and to focus less on the issues that they have already mastered (Helminen et al., 2016).

#### **4.1. Strengths and limitations**

To the best of the authors' knowledge, this is the first systematic review of reviews conducted to identify the evidence on current best practices on the assessment of nursing students' competence. The phases of this systematic review of reviews were conducted following rigid systematic review methodology and guidelines. A systematic, comprehensive electronic database search was conducted without use of time or language restrictions in order to ensure as comprehensive a search as possible. Also, the reference lists of the studies included in the full-text review phase were screened for additional eligible studies.

The search of this systematic review of reviews was limited to nursing education and not broadened to cover education in other health professions. With increasing emphasis on the importance of multidisciplinary collaboration and interprofessional education during clinical practice, we recognize this as a potential limitation of our review. However, during the screening process, we came across a review by Jepes-Rios et al. (2016) that included original studies from the fields of dentistry, medicine and nursing. We decided not to exclude this review as the majority of included original studies were from nursing, and the authors did not find differences in the results between the different fields in regards to assessment.



## 5. Conclusion

According to our findings presented in discussion we suggest that nursing students' competence is not limited to the procedures of nursing care, but also their competence in becoming critical thinkers, ethical decisionmakers and great collaborators. Students need to enter clinical practice where learning environment is permissive and open for their continuous learning and professional development. Moreover, the mentor-student relationship is an essential premise to achieve openness and mutual understanding in the assessment process, together with a clinical learning environment in which this relationship is embedded. Interaction between the mentor, student and nurse teacher in the clinical learning environment enhances the professional growth and learning of the student. Mentors need to be provided with further education to enhance their competence in the assessment of students' competence. The setting of goals prior to the beginning of clinical practice is essential when designing effective assessment and in order to enhance constructive feedback during clinical learning and competence development. Further studies could be developed to detect which educational interventions could improve mentors' competences in clinical assessment and in fostering students' achievement of learning outcomes in nursing competence development.

### Declaration of Competing Interest

No conflict of interest has been declared by the authors.

## References


- Allen, L., & Molloy, E. (2017). The influence of a preceptor-student 'Daily Feedback Tool' on clinical feedback practices in nursing education: A qualitative study. *Nurse Education Today*, *49*, 57-62. <https://doi.org/10.1016/j.nedt.2016.11.009>
- Almalkawi, I., Jester, R., & Terry, L. (2018). Exploring mentors' interpretation of terminology and levels of competence when assessing nursing students: An integrative review. *Nurse Education Today*, *69*, 95-103. <https://doi.org/10.1016/j.nedt.2018.07.003>
- Arkan, B., Ordin, Y., & Yilmaz, D. (2018). Undergraduate nursing students' experience related to their clinical learning environment and factors affecting to their clinical learning process. *Nurse Education in Practice*, *29*, 127-132. <https://doi.org/10.1016/j.nepr.2017.12.005>
- Aromataris, E., & Pearson, A. (2014). The systematic review: An overview. *American Journal of Nursing* *114*(3), 53-58. <https://doi.org/10.1097/01.NAJ.0000444496.24228.2c>
- Aromataris, E., Fernandez, R., Godfrey, C., Holly, C., Kahlil, H., & Tungpunkom, P. (2015). Summarizing systematic reviews: methodological development, conduct and reporting of an Umbrella review approach. *International Journal of Evidence-Based Healthcare*, *13*(3):132-40. <https://doi.org/10.1097/XEB.0000000000000055>
- Aromataris, E., Fernandez, R., Godfrey, C., Holly, C., Khalil, H., & Tungpunkom, P. (2017). Chapter 10: Umbrella Reviews. In: Aromataris E, Munn Z (Eds.) *Joanna Briggs Institute Reviewer's Manual*. The Joanna Briggs Institute. Available at <https://reviewersmanual.joannabriggs.org/> (Accessed 24 June 2019).
- Cant, R., McKenna, L., & Cooper, S. (2013). Assessing preregistration nursing students' clinical competence: A systematic review of objective measures. *International Journal of Nursing Practice*, *19*(2), 163–176. <https://doi.org/10.1111/ijn.12053>
- Centre for Reviews and Dissemination CRD. (2009). Systematic reviews: CRD's guidance for undertaking reviews in health care. Available at [https://www.york.ac.uk/media/crd/Systematic\\_Reviews.pdf](https://www.york.ac.uk/media/crd/Systematic_Reviews.pdf) (Accessed 24 June 2019).
- Clements, A.J., & Kamau, C. (2018). Understanding students' motivation towards proactive career behaviours through goal-setting theory and the job demands–resources model. *Studies in Higher Education*, *43*(12), 2279-2293. <https://doi.org/10.1080/03075079.2017.1326022>
- Dimitriadou, M., Papastavrou, E., Efstathiou, G., & Theodorou, M. (2015). Baccalaureate nursing students' perceptions of learning and supervision in the clinical environment. *Nursing & Health Sciences*, *17*(2), 236–242. <https://doi.org/10.1111/nhs.12174>
- Directive 2013/55/EU of the European parliament and of the Council. Office Journal of the European Union No L 354/132. Available at <https://eur-lex.europa.eu/eli/dir/2013/55/oj> (Accessed 24 June 2019).
- Dobrowolska, B., McGonagle, I., Kane, R., Jackson, C.S., Kegl, B., Bergin, M., Cabrera, E., Cooney-Miner, D., Di Cara, V., Dimoski, Z., Kekus, D., Pajnkihar, M., Prlić, N., Sigurdardottir, A.K., Wells, J., & Palese, A. (2016). Patterns of clinical mentorship in

- undergraduate nurse education: A comparative case analysis of eleven EU and non-EU countries. *Nurse Education Today*, 36, 44–52. <https://doi.org/10.1016/j.nedt.2015.07.010>
- Flott, E., & Linden, L. (2015). The clinical learning environment in nursing education: a concept analysis. *Journal of Advanced Nursing*, 72(3), 501-513. <https://doi.org/10.1111/jan.12861>
- Helminen, K., Johnson, M., Isoaho, H., Turunen, H., & Tossavainen, K. (2017). Final assessment of nursing students in clinical practice: Perspectives of nursing teachers, students and mentors. *Journal of Clinical Nursing*, 26(23-24), 4795-4803. <http://doi.org/10.1111/jocn.13835>
- Helminen, K., Coco, K., Johnson, M., Turunen, H., & Tossavainen, K. (2016). Summative assessment of clinical practice of student nurses: A review of the literature. *International Journal of Nursing Studies*, 53, 308-319. <https://doi.org/10.1016/j.ijnurstu.2015.09.014>
- Helminen, K., Tossavainen, K. & Turunen, H. (2014). Assessing clinical practice of student nurses: Views of teachers, mentors and students. *Nurse Education Today*, 34(8), 1161-1166. <https://doi.org/10.1016/j.nedt.2014.04.007>
- Hilli, Y., Melender, H.L., Salmu, M., & Jonsén, E. (2014). Being a preceptor - a Nordic qualitative study. *Nurse Education Today*, 34(12), 1420–1424. <https://doi.org/10.1016/j.nedt.2014.04.013>
- Hovland, O.J. (2011). Together in supervision: Nurse students' experiences. A pilot study. *International Journal for Human Caring*, 15(4), 33-39. <https://doi.org/10.20467/1091-5710.15.4.33>
- Huston, C.L., Phillips, B., Jeffries, P., Toderó, C., Rich, J., Knecht, P., Sommer, S., & Lewis, M.P. (2018). The academic- practice gap: Strategies for an enduring problem. *Nursing Forum*, 53(1), 27-34. <https://doi.org/10.1111/nuf.12216>
- International Council of Nurses ICN. (2012). The ICN Code of Ethics for Nurses. Available at [https://www.icn.ch/sites/default/files/inline-files/2012\\_ICN\\_Codeofethicsfornurses\\_%20eng.pdf](https://www.icn.ch/sites/default/files/inline-files/2012_ICN_Codeofethicsfornurses_%20eng.pdf) (Accessed 24 June 2019).
- Jokelainen, M., Jamookeeah, D., Tossavainen, K., & Turunen, H. (2013). Finnish and British mentors' conceptions of facilitating nursing students' placement learning and professional development. *Nurse Education in Practice*, 13(1), 61-67. <https://doi.org/10.1016/j.nepr.2012.07.008>
- Jokelainen, M., Turunen, H., Tossavainen, K., Jamookeeah, D., & Coco, K. (2011). A systematic review of mentoring nursing students in clinical placements. *Journal of Clinical Nursing*, 20(19-20), 2854–2867. <https://doi.org/10.1111/j.1365-2702.2010.03571.x>
- Juntunen, J., Ruotsalainen, H., Tuomikoski, A-M., & Kääriäinen, M. (2016). Mentors' perceptions of unsafe student situations and dealing with them in clinical practice (in Finnish). *Hoitotiede*, 28, 123–136.
- Kälkäjä, M., Ruotsalainen, H., Sivonen, P., Tuomikoski, A-M., Vehkaperä, A., & Kääriäinen, M. (2016). Student counselling practices, resources and mentors in the health industry – a student mentor's view (in Finnish). *Journal of Nursing Science*, 28, 229–242.

- Lejonqvist, G-B., Eriksson, K., & Meretoja, R. (2016). Evaluating clinical competence during nursing education: A comprehensive integrative literature review. *International Journal of Nursing Practice*, 22(2), 142–151. <https://doi.org/10.1111/ijn.12406>
- Lovecchio, C., DiMattio, M.J., & Hudacek, S. (2015). Predictors of undergraduate nursing student satisfaction with clinical learning environment: A secondary analysis. *Nursing Education Perspectives*, 36(4), 252–254. <https://doi.org/10.5480/13-1266>
- Mikkonen, K., Elo, S., Tuomikoski, A-M., & Kääriäinen, M. (2016). Mentor experiences of international healthcare students' learning in a clinical environment: A systematic review. *Nurse Education Today*, 40, 87-94. <https://doi.org/10.1016/j.nedt.2016.02.013>
- Mikkonen, K., Elo, S., Miettunen, J., Saarikoski, M., & Kääriäinen M. (2017). Clinical learning environment and supervision of international nursing students: A cross-sectional study. *Nurse Education Today*, 52, 73-80. <https://doi.org/10.1016/j.nedt.2017.02.017>
- Moher, D., Liberati, A., Tetzlaff, J., Altman, D.G., The PRISMA Group., 2009. Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. *PLoS Med.* 6, e1000097. <https://doi.org/10.1371/journal.pmed.1000097>
- Nicholson, E., Murphy, T., Larkin, P., Normand, C., & Guerin, S. (2016). Protocol for a thematic synthesis to identify key themes and messages from a palliative care research network. *BMC Research Notes*, 9:478. <https://doi.org/10.1186/s13104-016-2282-1>
- Norton, L. (2008). Assessing student learning. In: Fry, H., Ketteridge, S., & Marshall, S. (Eds.) *A handbook for teaching and learning in higher education: Enhancing academic practice. Third edition* (pp. 132-146). Taylor & Francis e-Library.
- Oermann, M.H. (2018). Chapter 12: Assessment Methods. In: Oermann, M.H., De Gagne, J.C., & Phillips, B.C. (Eds.) *Teaching in Nursing and Role of the Educator: The Complete Guide to Best Practice in Teaching, Evaluation and Curriculum Development* (2nd ed.). New York: Springer Publishing Company.
- Oikarainen, A., Mikkonen, K., Tuomikoski, A-M., Elo, S., Pitkänen, S., Ruotsalainen, H., & Kääriäinen, M. (2018). Mentors' competence in mentoring culturally and linguistically diverse nursing students during clinical placement. *Journal of Advanced Nursing*, 74(1), 148–159. <https://doi.org/10.1111/jan.13388>
- Pitkänen, S., Kääriäinen, M., Oikarainen, A., Tuomikoski, A-M., Elo, S., Ruotsalainen, H., Saarikoski, M., Kärämänoja, T., & Mikkonen, K. (2018). Healthcare students' evaluation of the clinical learning environment and supervision – a cross-sectional study. *Nurse Education Today*, 62, 143–149. <https://doi.org/10.1016/j.nedt.2018.01.005>
- Poritt, K., Gomersall, J., & Lockwood, C. (2014). Study selection and critical appraisal: the steps following the literature search in a systematic review. *American Journal of Nursing*, 114(6), 47–52. <https://doi.org/10.1097/01.NAJ.0000450430.97383.64>
- Rahnavard, Z., Nodeh, Z.H., & Hosseini, L. (2013). Effectiveness of clinical teaching associate model in nursing education: Results from a developing country. *Contemporary Nurse* 45(2), 174-181. <https://doi.org/10.5172/conu.2013.45.2.174>

- Suikkala, A., Koskinen, S., & Leino-Kilpi, H. (2018). Patients' involvement in nursing students' clinical education: A scoping review. *International Journal of Nursing Studies*, *84*, 40-51. <https://doi.org/10.1016/j.ijnurstu.2018.04.010>
- Tomietto, M. (2018). A Good Clinical Learning Environment as an Organizational Challenge. In Saarikoski, M., & Strandell-Laine, C. (Eds.) *The CLES-Scale: An Assessment Tool for Healthcare Education* (pp. 57-70). Springer, Cham.
- Trede, F. & Smith, M. (2012). Teaching reflective practice in practice settings: students' perceptions of their clinical educators. *Teaching in Higher Education*, *17*(5), 615-627. <https://doi.org/10.1080/13562517.2012.658558>
- Tuomikoski, A-M., Ruotsalainen, H., Mikkonen, K., Miettunen, J., & Kääriäinen, M. (2018). The competence of nurse mentors in mentoring students in clinical practice – A cross-sectional study. *Nurse Education Today*, *71*, 78–83. <https://doi.org/10.1016/j.nedt.2018.09.008>
- Ulfvarson, J., & Oxelmark, L. (2012). Developing an assessment tool for intended learning outcomes in clinical practice for nursing students. *Nurse Education Today*, *32*(6), 703-708. <https://doi.org/10.1016/j.nedt.2011.09.010>
- Vae, K.J.U., Engström, M., Mårtensson, G., & Löfmark, A. (2018). Nursing students' and preceptors' experience of assessment during clinical practice: A multilevel repeated-interview study of student-preceptor dyads. *Nurse Education in Practice*, *30*, 13-19. <https://doi.org/10.1016/j.nepr.2017.11.014>
- Vizcaya-Moreno, M.F., Pérez-Cañaveras, R.M., Jiménez-Ruiz, I., & de Juan, J. (2018). Student nurse perceptions of supervision and clinical learning environment: A phenomenological research study. *Enfermería Global*, *17*(3), 319-331. <https://doi.org/10.6018/eglobal.17.3.276101>
- Warne, T., Johansson, U-B., Papastavrou, E., Tichelaar, E., Tomietto, M., Van den Bossche, K., Moreno, M.F.V., & Saarikoski, M. (2010). An exploration of the clinical learning experience of nursing students in nine European countries. *Nurse Education Today*, *30*(8), 809-815. <https://doi.org/10.1016/j.nedt.2010.03.003>
- Wells, L., & McLoughlin, M. (2014). Fitness to practice and feedback to students: A literature review. *Nurse Education in Practice*, *14*(2), 137-141. <https://doi.org/10.1016/j.nepr.2013.08.006>
- Whittemore, R., & Knafl, K. (2005). The integrative review: updated methodology. *Journal of Advanced Nursing*, *52*(5), 546–553. <https://doi.org/10.1111/j.1365-2648.2005.03621.x>
- World Health Organization WHO. (2013) Transforming and scaling up health professionals' education and training. [https://apps.who.int/iris/bitstream/10665/93635/1/9789241506502\\_eng.pdf](https://apps.who.int/iris/bitstream/10665/93635/1/9789241506502_eng.pdf) (Accessed 24 June 2019).

- World Health Organization WHO. (2016). Nurse educator core competencies. Available at [https://www.who.int/hrh/nursing\\_midwifery/nurse\\_educator050416.pdf](https://www.who.int/hrh/nursing_midwifery/nurse_educator050416.pdf) (Accessed 24 June 2019).
- Wu, V.X., Enskär, K., Lee, C.C.S. & Wang, W. (2015). A systematic review of clinical assessment for undergraduate nursing students. *Nurse Education Today*, 35(2), 347-359. <https://doi.org/10.1016/j.nedt.2014.11.016>
- Yanhua, C., & Watson, R. (2011). A review of clinical competence assessment in nursing. *Nurse Education Today*, 31(8), 832-836. <https://doi.org/10.1016/j.nedt.2011.05.003>
- Yepes- Rios, M., Dudek, N., Duboyce, R., Curtis R., Allard, R.J., & Varpio, L. (2016). The failure to fail underperforming trainees in health professions education: A BEME systematic review: BEME Guide No. 42. *Medical Teacher*, 38(11), 1092-1099. <https://doi.org/10.1080/0142159X.2016.1215414>



**Figure 1.** PRISMA flow diagram of study (Moher et al., 2009)




Figure 2. Outcomes of thematic synthesis.



Table 1. Inclusion and exclusion criteria using PICoS format

PICoS criteria	Inclusion	Exclusion
Participants	Nursing students	Students studying in healthcare fields other than nursing
Phenomenon of Interest/Outcomes	Assessment	Not focusing on assessment
Context	Clinical practice/ training	Settings other than clinical practice
Study design and publication type	Published, peer-reviewed systematic, integrative, narrative, scoping and literature reviews	Not reviews, not peer-reviewed, not published
Publication years	No limitations	No limitations
Language	No limitations	No limitations

Table 2. Analysis of the included studies using the JBI Critical Appraisal Checklist for Systematic Reviews and Research Syntheses (Aromataris et al., 2015)

	Almankawi et al. (2018)	Helminen et al. (2016)	Lejonqvist et al. (2016)	Suikkala et al. (2018)	Wells & McLoughlin (2014)	Wu et al. (2015)	Yanhua & Watson (2011)	Yepes-Rios et al. (2016)
1. Is the review question clearly and explicitly stated?	Yes	Yes	Yes	Yes	Unclear	Yes	Yes	Unclear
2. Were the inclusion criteria appropriate for the review question?	Yes	Yes	Yes	Yes	Unclear	Yes	Yes	Yes
3. Was the search strategy appropriate?	Yes	Yes	Unclear	Yes	No	Yes	Yes	Yes
4. Were the sources and resources used to search for studies adequate?	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
5. Were the criteria for appraising studies appropriate?	Unclear	No	Yes	Yes	No	Unclear	No	Yes
6. Was critical appraisal conducted by two or more reviewers independently?	No	No	No	Yes	No	Yes	No	No
7. Were there methods to minimize errors in data extraction?	Unclear	Unclear	Unclear	Yes	No	Yes	No	Unclear
8. Were the methods used to combine studies appropriate?	Yes	Yes	Unclear	Yes	No	Unclear	Unclear	Yes

9. Was the likelihood of publication bias assessed?	No	Yes	No	Yes	No	Yes	No	No
10. Were recommendations for policy and/or practice supported by the reported data?	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
11. Were the specific directives for new research appropriate?	No	Yes	Unclear	Yes	No	Yes	Yes	No
Total points	6	8	5	11	0	9	6	6

Table 3. Characteristics of included studies (n=6).

Authors (Year) Country	Design	Objectives	Participants	Search strategy	Type of studies included	Critical appraisal used in review	Methods used in analysis	Key findings
Almalkawi, Jester and Terry (2018)	Integrative review	To evaluate the empirical and theoretical literature on the challenges mentors face in interpreting and assessing levels of competence of student nurses in clinical practice	Mentors, nursing students, tutors	Databases: Medline, CINAHL, PsycINFO, ERIC, ERC, AMED, EMBASE, British Nursing Index, DARE, Cochrane Library, Joanna Briggs Institute, EThOS, along with search for grey literature (Department of Health databases, Google Scholar, Science direct)  Time period for search: 1986-2016	Total studies included: n=8  Range in years of included studies: 2000-2012  Qualitative (n=1), quantitative (n=1), mixed method studies (n=5), literature review (n=1)  Country of origin of included studies: Ireland (n=4), United Kingdom (n=4)	Mixed Methods Appraisal Tool (MMAT)	Whittemore and Knaff's (2005) integrative review framework	<ul style="list-style-type: none"> <li>• Difficulties in the interpretation of language used to describe competencies to be assessed</li> <li>• Challenges were experienced in distinguishing between different levels of nursing competence</li> <li>• Challenges associated with giving clear and constructive feedback to students regarding developmental needs</li> <li>• Lack of availability of appropriate tools and taxonomies to assist in assessing performance of the student</li> <li>• Lack of transparent and explicit criteria impedes accurate and fair assessment</li> </ul>

Helminen, Coco, Johnson, Turunen and Tossavainen (2016)	Narrative review	To provide an overview of summative assessment of student nurses' practice currently in use	Nursing students, preceptors, mentors, tutors, lecturers, educators, nurses, faculty members	Databases: CINAHL, PubMed, Medic, ISI Web of Science, Cochrane, ERIC  Time period for search: 2000-2014	Total studies included: n=23  Range in years of included studies: 2000-2014  Qualitative (n=5), quantitative (n=6), mixed method studies (n=6), literature reviews (n=6)  Country of origin of included studies: Australia (n=2), Canada (n=1), Ireland (n=6), Sweden (n=1), United Kingdom (n=9), United States (n=4)	Not reported	Inductive content analysis	Practices before final assessment: <ul style="list-style-type: none"> <li>It is important to organize orientation and opportunity for familiarization with assessment process and forms at beginning of clinical practice</li> <li>Mentors find the terminology of evaluation forms hard to understand</li> <li>Lack of consistency in assessment process exists</li> <li>Students conduct clinical practice in different environments making assessment of all competence areas challenging</li> <li>Mentors' attitudes, qualifications, poor timing of assessment, or the mentors' lack of time with the student can impact assessment</li> </ul> Performance of final assessment <ul style="list-style-type: none"> <li>The educator, mentor and student should participate in final assessment and conduct reciprocal discussion of achieved competencies</li> <li>Role of educators is to support mentors and students in appropriate</li> </ul>
---	------------------	---	--	---	--	--------------	----------------------------	--

								<p>assessment</p> <ul style="list-style-type: none"> <li>All actors must have consistent understanding of assessment criteria</li> <li>Situations where students fail to pass are challenging for the mentor</li> </ul> <p>Following final assessment</p> <ul style="list-style-type: none"> <li>Appropriate documentation of assessment is necessary to conduct</li> <li>It may be necessary to organize extra time in clinical practice for failing students</li> </ul>
Suikkala, Koskinen and Leino-Kilpi (2018)	Scoping review	To review and summarize the existing empirical literature regarding patients' involvement in nursing students' clinical education	Patients, service users, clients, students, nurses, teachers, faculty members, other stakeholders	Databases: CINAHL, Medline, PsycINFO, ERIC, along with manual search Time period for search: no time limitations	Total studies included: n=32  Range in years of included studies: 1985-2016  Qualitative, quantitative, and mixed methods approaches  Country of origin of included studies: Australia	Criteria by Reilly et al. (2008)	Inductive content analysis	<ul style="list-style-type: none"> <li>Patient involvement in the learning process and assessment of students varied from active to passive participation</li> <li>Patients were supportive towards students and some felt positive about giving feedback on students' performance</li> <li>Giving critical feedback was experienced as difficult</li> <li>Some patients preferred direct feedback or confidential assessment discussions. Others preferred using an assessment questionnaire.</li> <li>Students' interpersonal</li> </ul>

					(n=2), Belgium (n=1), Canada (n=2), Finland (n=3), Nepal (n=1), New Zealand (n=1), South Africa (n=2), Sweden (n=3), United Kingdom (n=9), United States (n=8)			competence was important in building relationships with patients <ul style="list-style-type: none"> <li>Students' professional attitudes and attributes related to knowledge and skills were important to patients</li> <li>The presence of the mentor was appreciated by patients</li> </ul>
Wu, Enskär, Lee and Wang (2015)	Systematic review	To explore the clinical competency assessment for undergraduate nursing students	Nursing students, midwifery students, preceptors, clinical placement coordinators, clinical nurse managers, lecturers, nurses, educators	Databases: PubMed, CINAHL, ScienceDirect, Web of Science, EBSCO Time period for search: 2000-2013	Total studies included: n=14 Range in years of included studies: 2002-2014 Qualitative (n=8) and quantitative studies (n=6) Country of origin of included studies: Australia (n=1), Denmark (n=1), Ireland (n=4), Norway	Qualitative Assessment and Review Instrument (QARI), Joanna Briggs Institute Meta Analysis of Statistics Assessment and Review Instrument (JBI-MASARI), Joanna Briggs Institute Critical Appraisal Criteria for Descriptive/	Not specified	Current assessment practices and processes <ul style="list-style-type: none"> <li>Clinical assessment focuses on collaboration among academics, nursing students, preceptors and hospitals</li> <li>The use of validated assessment tools enables objective and fair assessment of students</li> </ul> Issues with learning and assessment <ul style="list-style-type: none"> <li>Assessment, receiving negative feedback and insufficient guidance by mentors causes anxiety in students</li> <li>Mentors monitor students' progress, facilitate learning, provide</li> </ul>

---

(n=1),  
Scotland  
(n=1),  
Sweden  
(n=3), Turkey  
(n=1),  
Taiwan (n=2)

Case  
Series  
Studies

feedback and assess  
students' clinical  
competency

- The role of educators is to visit and provide support to students and mentors on a regular basis, discuss learning goals and review progress

#### Development of assessment tools

- Assessment tools generally include the domains of professional attributes, ethical practices, communication and interpersonal relationships, nursing processes, critical thinking and reasoning
- The majority of assessment tools are developed with reference to competency standards stated by national boards of nursing

#### Reliability and validity of assessment tools

- Reliability of assessment tools reported in 3 of the included studies, construct validity reported in 2 studies
  - Instruments should be further evaluated to verify validity and reliability
-



Yanhua and Watson (2011)	Literature review	To investigate trends in the evaluation of clinical competence in nursing students and newly qualified nurses	Nursing students, newly graduated nurses	Databases: Cochrane, Medline, CINAHL  Time period for search: 2001-2010	Total studies included: n=23  Range in years of included studies: 2001-2009  Qualitative (n=5) and quantitative studies (n=13), reviews (n=5)  Country of origin of included studies: Australia (n=3), China (n=1), Ireland (n=1), South Africa (n=1), Taiwan (n=1), Thailand (n=1), United Kingdom (n=1), USA (n=4)	Not reported	Not specified	Instrument development and testing <ul style="list-style-type: none"> <li>• Instruments have been increasingly developed and tested using rigorous methods for ensuring reliability and validity</li> <li>• National and international cooperation exists in instrument development</li> </ul> Approaches to testing competence <ul style="list-style-type: none"> <li>• Portfolios have gained popularity as a tool to evaluate nursing students' clinical competences</li> <li>• Objective structured clinical examinations are valid and reliable methods of assessment</li> </ul>
Yepes-Rios, Dudek, Duboyce, Curtis, Allard and Varpio	Systematic review	To consolidate and analyze knowledge from medical, dental and nursing literature relating to	Focus on medical students, dental students, nursing students	Databases: CINAHL, EMBASE, and MEDLINE  Time period for search: 2005-	Total studies included: n=28  Range in years of included	Qualitative studies appraised using Critical Appraisal Skills	Thematic analysis	Barriers to failing underperforming students <ul style="list-style-type: none"> <li>• Failing a student has a strong impact on the assessor professionally and it can be easier to</li> </ul>

(2016)	assessor's ability and willingness to report poor clinical academic and professional performance	Specific participants of original studies not specified	2015	<p>studies: 2005-2014</p> <p>Qualitative (n=15) and quantitative studies (n=3), reviews (n=7), teaching points (n=1), editorial (n=1), newspaper report (n=1)</p> <p>Country of origin of included studies: Australia (n=1), Canada (n=7), United Kingdom (n=15), USA (n=4), jointly in USA and Canada (n=1)</p>	Program – UK tool checklist (CASP-UK)	<p>pass than to go through process of failing a student</p> <ul style="list-style-type: none"> <li>• Assessors felt personal failure, guilt and emotional toll involved with failing a trainee</li> <li>• Assessors considered the emotional reaction and distress along with the impact that failure would have on the students' career</li> <li>• Assessors felt unprepared in their evaluation role, with little formal training and lack of assessment tools</li> <li>• Lack of support from institutions or pressure to pass underperforming students was experienced</li> </ul>
						<p>Enablers supporting assessors' willingness to fail a failing student</p> <ul style="list-style-type: none"> <li>• Responsibility to patients, to society and to the profession</li> <li>• Strong assessment systems along with institution support helped assessors recognize poor performance</li> <li>• Opportunities for students after failing enabled assessors to accept their decision to fail student</li> </ul>